



TILT AND TURN MULTIPOINT HANDLES  
CREMONAS LOCKS SLIDING LOCKS  
HINGES DOOR HANDLES KITS AND  
COMPLEMENTS COUNTERPLATES  
SLIDING ACCESSORIES LOCKS AND  
ARMS DIVERSE TILT AND TURN  
MULTIPOINT HANDLES CREMONAS  
LOCKS SLIDING LOCKS HINGES DOOR  
HANDLES KITS AND COMPLEMENTS

## Product List

798

Orizon Line  
p. B5



798E

Orizon Line  
p. B5



797

Orizon Line  
p. B5



MAC16+

Multipoint  
p. J4



N45

Counterplates  
p. Q2



N67

Counterplates  
p. Q3



N88

Counterplates  
p. Q4



N91

Counterplates  
p. Q4



700-T15

Orizon Line  
p. B9



# GENERAL CONDITIONS OF SALE

## 1. Orders

- 1.1. Alualpha reserves the right not to accept orders whenever it does not have the requisite technical resources or means of production to supply the goods or services requested under the conditions requested.
- 1.2. Products supplied by Alualpha are manufactured in accordance with the technical specifications of the products and these may be altered without notice.
- 1.3. Alualpha guarantees that the products are controlled according to norms and legal procedures in force in the European Union.

## 2. Prices

- 2.1. Prices are set out on the invoice, and can be confirmed at the time of ordering.
- 2.2. Alualpha reserves the right, upon prior notice to the customer, at any time before delivery, to increase prices if there are cost increases beyond its control.
- 2.3. List prices are valid except for typographical errors.

## 3. Conditions of payment

- 3.1. Conditions of payment and other terms and conditions are set out on the invoice.
- 3.2. The non-payment of invoices, even if only partial, gives Alualpha the right to suspend or cancel any orders pending.
- 3.3. Failure to meet agreed payment deadlines implies the acceptance of late-payment interest at the maximum legal rate.

## 4. Delivery times

- 4.1. Delivery times are up to 3 months. If unforeseen circumstances arise, or circumstances beyond our control, the client is informed of the new delivery time, and we cannot accept any responsibility for any extension of the delivery time which may occur.

## 5. Transport

- 5.1. The transport of goods sold is at the expense and risk of the client.

## 6. Complaints

- 6.1. Complaints can only be considered up to eight days after the goods have been received, and complaints should be submitted in writing together with the number of the invoice or delivery note, as well as the quantity and description of the problem.
- 6.2. When the complaint has been accepted by Alualpha, any return of goods will only be accepted within the maximum period of 15 days after the acceptance of the complaint.
- 6.3. Any compensation granted for manufacturing defects or handling damage can in no case exceed the value of the products in question.

## 7. Disputes

- 7.1. The District Court of Sintra is the agreed forum for the resolution of any dispute, and no other body will be considered.

## 8. In conclusion

- 8.1. The issue and subsequent receipt of this document is sufficient proof that the client accepts these conditions of sale and payment.

## Colors

| TYPE             | INCREASE | COLORS                                                                                                                     | MIN. PAYABLE VALUE | MIN. QUANT. PER REF. |
|------------------|----------|----------------------------------------------------------------------------------------------------------------------------|--------------------|----------------------|
| LACQUERED        |          |                                                                                                                            |                    |                      |
| Standard Colors  | 0%       | L9110, L9010, L9003, L9006MTZ, M7016, M9005, M9100                                                                         | 0 €                | Full box             |
| Special Colors 1 | 15%      | L1013, L1015, L6200, L8019, L9016, RX7347, L9003T                                                                          | 65€ / Qt. > 100    | Full box             |
| Special Colors 2 | 25%      | L6192, L7016, L7035, L8017, L9001, LB600S, LN200S, M1015, MiNOX+, RX7347+, M8014, M9010, L8014, L6005, L7011, L9007, L9006 | 65€ / Qt. > 100    | Full box             |
| Other Colors     | 25%      | Powder to be supplied by the client (DIVER)                                                                                | 65 €               | Full box             |
| ANODISED         |          |                                                                                                                            |                    |                      |
| Anodised         | 25%      | AC0, AC1, AC2, AC3, AC4                                                                                                    | 65€ / Qt. > 100    | Full box             |

For other colors/finishes, consult the sales department about conditions of sale.


## Sales Price Free of VAT

### NOTE

This price list may be revised whenever necessary given the volatility of the raw materials and energy markets.  
This list refers to Alpha products. Other products, prices on request.



## TILT AND TURN ORIZON



### OBO7

| REF. | DESIGNATION                                                                                           | UNITS | PACKING | PACK.GR. | OBSERVATIONS                                                                                                          |
|------|-------------------------------------------------------------------------------------------------------|-------|---------|----------|-----------------------------------------------------------------------------------------------------------------------|
|      | OBO7<br><b>Soft</b> Tilt and Turn<br>Basic Kit<br>(4 Locking Points)                                  | UN    | 1       | 1115     | <br><br><br>normal opening<br><br><br><br>Standard EN 13126<br>Handle for OBO7P - 78P (Chapter Orizon Line - Pág. B2) |
|      | OBO7K<br><b>Soft</b> Tilt and Turn<br>Basic Kit<br>w/ Cremona w/ <b>Key</b><br>(4 Locking Points)     | UN    | 1       | 1136     |                                                                                                                       |
|      | OBO7P<br><b>Soft</b> Tilt and Turn<br>Basic Kit w/ Cremona<br><b>w/o Handle</b><br>(4 Locking Points) | UN    | 1       | 1052     |                                                                                                                       |

### OBO7 Accessories

| REF. | DESIGNATION                                                     | UNITS | PACKING | PACK.GR. | FINISHING       | OBSERVATIONS  |
|------|-----------------------------------------------------------------|-------|---------|----------|-----------------|---------------|
|      | CPEQSC<br><b>Soft</b> Compass - Small Arm                       | UN    | 1       | 238      | Zinc            | (435-700)     |
|      | CGDESC<br><b>Soft</b> Compass - Big Arm                         | UN    | 1       | 331      | Zinc            | (563-1000)    |
|      | CSUP<br>Additional Arm                                          | UN    | 1       | 243      | Stainless Steel | 1000<L<1700mm |
|      | KITH/VSC<br><b>Soft</b> H/V Additional<br>Locking Set           | UN    | 20      | -        | Zinc            | -             |
|      | PFSUPSC<br>18256<br><b>Soft</b> Additional Locking<br>Point Set | UN    | 50      | -        | Zinc            | -             |

TILT AND TURN  
ERIZON


ALPHA

## OBO7 Accessories



|                                                                                     | REF.          | DESIGNATION                                                            | UNITS | PACKING | PACK.GR. | FINISHING       | OBSERVATIONS                                   |
|-------------------------------------------------------------------------------------|---------------|------------------------------------------------------------------------|-------|---------|----------|-----------------|------------------------------------------------|
|    | PFSUPSC 18258 | Soft Additional Locking Point Set                                      | UN    | 50      | -        | Zinc            | -                                              |
|    | OBG2          | Passive Leaf Hinge Set                                                 | UN    | 5       | 2376     | Powder Painting | With regulation                                |
|    | MICROVEN      | Microventilation Set                                                   | UN    | 20      | 1099     | Zinc            | With air intake regulation                     |
|   | 33051         | Passive Leaf Bi-directional Locking Drive Set w/ Simple Zamak Terminal | UN    | 10      | 3009     | Zinc            | In Zamak<br>Only for Central EG                |
|  | FALAV 18219   | Passive Leaf Zamak Lock Set                                            | UN    | 5       | 2115     | Zinc            | In Zamak<br>Only for Central EG                |
|  | FECRAMPA      | Adjustable Hidden Lock Ramp                                            | UN    | 50      | 1316     | Zinc            | -                                              |
|  | CAJUSTE 18221 | Leaf Support                                                           | UN    | 50      | 503      | Black Nylon     | -                                              |
|  | L150          | Regulable Limiting Arm w/ 150mm                                        | UN    | 40      | 3378     | Powder Painting | With pressure regulation. Stainless Steel Bolt |
|                                                                                     | L220          | Regulable Limiting Arm w/ 220mm                                        | UN    | 60      | 5538     | Powder Painting | With pressure regulation. Stainless Steel Bolt |
|                                                                                     | L300          | Regulable Limiting Arm w/ 300mm                                        | UN    | 40      | 4162     | Powder Painting | With pressure regulation. Stainless Steel Bolt |



## TILT AND TURN ORIZON



### OBO7+ (PLUS)

| REF.                                                                                | DESIGNATION | UNITS                                                                                  | PACKING | PACK.GR. | OBSERVATIONS |                                                                                                                                                                                                                                                                                                                                                                                 |
|-------------------------------------------------------------------------------------|-------------|----------------------------------------------------------------------------------------|---------|----------|--------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|    | OBO7+       | <b>Soft</b> Tilt and Turn Kit<br>(6 Locking Points)                                    | UN      | 1        | 1257         | <br><br><br>normal opening<br><br><br>Standard EN 13126<br><br>Handle for OBO7+P - 78P (Chapter Orizon Line - Pág. B2) |
|   | OBO7K+      | <b>Soft</b> Tilt and Turn Kit w/<br>Cremona <b>w/ Key</b><br>(6 Locking Points)        | UN      | 1        | 1278         |                                                                                                                                                                                                                                                                                                                                                                                 |
|  | OBO7+P      | <b>Soft</b> Tilt and Turn Kit<br>w/ Cremona<br><b>w/o Handle</b><br>(6 Locking Points) | UN      | 1        | 1194         |                                                                                                                                                                                                                                                                                                                                                                                 |

### OBO7+ (PLUS) Accessories

| REF. | DESIGNATION   | UNITS                                    | PACKING | PACK.GR. | FINISHING | OBSERVATIONS                     |
|------|---------------|------------------------------------------|---------|----------|-----------|----------------------------------|
|      | CPEQSC        | <b>Soft</b> Compass - Small Arm          | UN      | 1        | 238       | Zinc<br>(435-700)                |
|      | CGDESC        | <b>Soft</b> Compass - Big Arm            | UN      | 1        | 331       | Zinc<br>(563-1000)               |
|      | CSUP          | Additional Arm                           | UN      | 1        | 243       | Stainless Steel<br>1000<L<1700mm |
|      | KITH/VSC      | <b>Soft</b> H/V Additional Locking Set   | UN      | 20       | -         | Zinc<br>-                        |
|      | PFSUPSC 18256 | <b>Soft</b> Additional Locking Point Set | UN      | 50       | -         | Zinc<br>-                        |

TILT AND TURN  
ERIZON


ALPHA

## OBO7+ (PLUS) Accessories



|                                                                                     | REF.          | DESIGNATION                                                                   | UNITS | PACKING | PACK.GR. | FINISHING       | OBSERVATIONS                                   |
|-------------------------------------------------------------------------------------|---------------|-------------------------------------------------------------------------------|-------|---------|----------|-----------------|------------------------------------------------|
|    | PFSUPSC 18258 | <b>Soft</b> Additional Locking Point Set                                      | UN    | 50      | -        | Zinc            | -                                              |
|    | OBG2          | Passive Leaf Hinge Set                                                        | UN    | 5       | 2376     | Powder Painting | With regulation                                |
|    | MICROVEN      | Microventilation Set                                                          | UN    | 20      | 1099     | Zinc            | With air intake regulation                     |
|   | 33051         | Passive Leaf Bi-directional Locking Drive Set <b>w/ Simple Zamak Terminal</b> | UN    | 10      | 3009     | Zinc            | In Zamak<br>Only for Central EG                |
|  | FALAVML 18246 | Passive Leaf Zamak Lock Set                                                   | UN    | 5       | 2086     | Zinc            | In Zamak<br>Only for Central EG                |
|  | FECRAMPA      | Adjustable Hidden Lock Ramp                                                   | UN    | 50      | 1316     | Zinc            | -                                              |
|  | CAJUSTE 18221 | Leaf Support                                                                  | UN    | 50      | 503      | Black Nylon     | -                                              |
|  | L150          | Regulable Limiting Arm w/ <b>150mm</b>                                        | UN    | 40      | 3378     | Powder Painting | With pressure regulation. Stainless Steel Bolt |
|                                                                                     | L220          | Regulable Limiting Arm w/ <b>220mm</b>                                        | UN    | 60      | 5538     | Powder Painting | With pressure regulation. Stainless Steel Bolt |
|                                                                                     | L300          | Regulable Limiting Arm w/ <b>300mm</b>                                        | UN    | 40      | 4162     | Powder Painting | With pressure regulation. Stainless Steel Bolt |



## TILT AND TURN ORIZON



### OBO7+ (LOGIC)

| REF.                                                                                | DESIGNATION | UNITS                                                                                  | PACKING | PACK.GR. | OBSERVATIONS |                                                                                                                                                                                                         |
|-------------------------------------------------------------------------------------|-------------|----------------------------------------------------------------------------------------|---------|----------|--------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|    | OBO7+       | <b>Soft</b> Tilt and Turn Kit<br>(6 Locking Points)                                    | UN      | 1        | 1257         | <br><br><br>opening logic maneuver |
|   | OBO7K+      | <b>Soft</b> Tilt and Turn Kit w/<br>Cremona <b>w/ Key</b><br>(6 Locking Points)        | UN      | 1        | 1278         |                                                                                                                                                                                                         |
|  | OBO7+P      | <b>Soft</b> Tilt and Turn Kit<br>w/ Cremona<br><b>w/o Handle</b><br>(6 Locking Points) | UN      | 1        | 1194         |                                                                                                                                                                                                         |

### OBO7+ (LOGIC) Accessories


| REF. | DESIGNATION      | UNITS                                       | PACKING | PACK.GR. | FINISHING | OBSERVATIONS                        |
|------|------------------|---------------------------------------------|---------|----------|-----------|-------------------------------------|
|      | CPEQMLSC         | <b>Soft TBT</b> Compass - Small<br>Arm      | UN      | 1        | 236       | Zinc<br>(435-700)                   |
|      | CGDEMLSC         | <b>Soft TBT</b> Compass - Big<br>Arm        | UN      | 1        | 328       | Zinc<br>(563-1000)                  |
|      | CSUPML           | Additional Arm                              | UN      | 1        | 243       | Stainless<br>Steel<br>1000<L<1700mm |
|      | KITH/VSC         | <b>Soft</b> H/V Additional<br>Locking Set   | UN      | 20       | -         | Zinc<br>-                           |
|      | PFSUPSC<br>18256 | <b>Soft</b> Additional Locking<br>Point Set | UN      | 50       | -         | Zinc<br>-                           |

TILT AND TURN  
ERIZON



ALPHA

## OBO7+ (LOGIC) Accessories

|                                                                                                            | REF.                                                                                | DESIGNATION                       | UNITS                                                                  | PACKING | PACK.GR. | FINISHING       | OBSERVATIONS                                   |                              |
|------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-----------------------------------|------------------------------------------------------------------------|---------|----------|-----------------|------------------------------------------------|------------------------------|
| <div><div>NEW</div></div> | PFSUPSC 18258                                                                       | Soft Additional Locking Point Set | UN                                                                     | 50      | -        | Zinc            | -                                              |                              |
|                                                                                                            |    | OBG2                              | Passive Leaf Hinge Set                                                 | UN      | 5        | 2376            | Powder Painting                                | With regulation              |
|                                                                                                            |    | MICROVEN                          | Microventilation Set                                                   | UN      | 20       | 1099            | Zinc                                           | With air intake regulation   |
|                                                                                                            |   | 33051                             | Passive Leaf Bi-directional Locking Drive Set w/ Simple Zamak Terminal | UN      | 10       | 3009            | Zinc                                           | In Zamak Only for Central EG |
|                                                                                                            |  | FALAVML 18246                     | Passive Leaf Zamak Lock Set                                            | UN      | 5        | 2086            | Zinc                                           | In Zamak Only for Central EG |
|                                                                                                            |  | FECRAMPA                          | Adjustable Hidden Lock Ramp                                            | UN      | 50       | 1316            | Zinc                                           | -                            |
|                                                                                                            |  | CAJUSTE 18221                     | Leaf Support                                                           | UN      | 50       | 503             | Black Nylon                                    | -                            |
|                         | L150                                                                                | Regulable Limiting Arm w/ 150mm   | UN                                                                     | 40      | 3378     | Powder Painting | With pressure regulation. Stainless Steel Bolt |                              |
|                                                                                                            | L220                                                                                | Regulable Limiting Arm w/ 220mm   | UN                                                                     | 60      | 5538     | Powder Painting | With pressure regulation. Stainless Steel Bolt |                              |
|                                                                                                            | L300                                                                                | Regulable Limiting Arm w/ 300mm   | UN                                                                     | 40      | 4162     | Powder Painting | With pressure regulation. Stainless Steel Bolt |                              |



## OBO7+S (LOGIC)

| REF.                                                                               | DESIGNATION | UNITS                                                                                          | PACKING | PACK.GR. | OBSERVATIONS |                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|------------------------------------------------------------------------------------|-------------|------------------------------------------------------------------------------------------------|---------|----------|--------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|   | OBO+SD      | <b>Soft Tilt before Turn Kit<br/>(Right) w/ Security<br/>Key Cremona</b><br>(6 Locking Points) | UN      | 1        | 1271         | <br> Only tilts<br>when locked<br><br>opening logic maneuver<br> Opens only<br>unlocked |
|  | OBO+SE      | <b>Soft Tilt before Turn Kit<br/>(Left) w/ Security Key<br/>Cremona</b><br>(6 Locking Points)  | UN      | 1        | 1271         | <br>130<br>kg<br><br>Standard EN 13126<br>                                                                                                                                                                                                                    |

## OBO7+S (LOGIC) Accessories

|                                                                                     | REF.             | DESIGNATION                              | UNITS | PACKING | PACK.GR. | FINISHING       | OBSERVATIONS  |
|-------------------------------------------------------------------------------------|------------------|------------------------------------------|-------|---------|----------|-----------------|---------------|
|  | CPEQMLSC         | <b>Soft TBT</b> Compass - Small Arm      | UN    | 1       | 236      | Zinc            | (435-700)     |
|  | CGDEMLSC         | <b>Soft TBT</b> Compass - Big Arm        | UN    | 1       | 328      | Zinc            | (563-1000)    |
|  | CSUPML           | Additional Arm                           | UN    | 1       | 243      | Stainless Steel | 1000<L<1700mm |
|  | KITH/VSC         | <b>Soft</b> H/V Additional Locking Set   | UN    | 20      | -        | Zinc            | -             |
|  | PFSUPSC<br>18256 | <b>Soft</b> Additional Locking Point Set | UN    | 50      | -        | Zinc            | -             |
|  | PFSUPSC<br>18258 | <b>Soft</b> Additional Locking Point Set | UN    | 50      | -        | Zinc            | -             |

TILT AND TURN  
ERIZON


ALPHA

## OBO7+S (LOGIC) Accessories

|                                                                                     | REF.             | DESIGNATION                                                                   | UNITS | PACKING | PACK.GR. | FINISHING       | OBSERVATIONS                                   |
|-------------------------------------------------------------------------------------|------------------|-------------------------------------------------------------------------------|-------|---------|----------|-----------------|------------------------------------------------|
|    | OBG2             | Passive Leaf Hinge Set                                                        | UN    | 5       | 2376     | Powder Painting | With regulation                                |
|    | MICROVEN         | Microventilation Set                                                          | UN    | 20      | 1099     | Zinc            | With air intake regulation                     |
|   | 33051            | Passive Leaf Bi-directional Locking Drive Set w/ <b>Simple Zamak Terminal</b> | UN    | 10      | 3009     | Zinc            | In Zamak<br>Only for Central EG                |
|  | FALAVML<br>18246 | Passive Leaf Zamak Lock Set                                                   | UN    | 5       | 2086     | Zinc            | In Zamak<br>Only for Central EG                |
|  | FECRAMPA         | Adjustable Hidden Lock Ramp                                                   | UN    | 50      | 1316     | Zinc            | -                                              |
|  | CAJUSTE<br>18221 | Leaf Support                                                                  | UN    | 50      | 503      | Black Nylon     | -                                              |
|  | L150             | Regulable Limiting Arm w/ <b>150mm</b>                                        | UN    | 40      | 3378     | Powder Painting | With pressure regulation. Stainless Steel Bolt |
|                                                                                     | L220             | Regulable Limiting Arm w/ <b>220mm</b>                                        | UN    | 60      | 5538     | Powder Painting | With pressure regulation. Stainless Steel Bolt |
|                                                                                     | L300             | Regulable Limiting Arm w/ <b>300mm</b>                                        | UN    | 40      | 4162     | Powder Painting | With pressure regulation. Stainless Steel Bolt |



## TILT AND TURN ERIZON



### OBO7G

| REF. | DESIGNATION                                                                                  | UNITS | PACKING | PACK.GR. | OBSERVATIONS                                                                                        |
|------|----------------------------------------------------------------------------------------------|-------|---------|----------|-----------------------------------------------------------------------------------------------------|
|      | OB07G<br><b>Soft Tilt and Turn Basic Kit f/ Gearbox (4 Locking Points)</b>                   | UN    | 1       | 1115     | <br><b>Gearbox Mechanism</b><br>sold separately.<br><br>normal opening<br><br>Standard EN 13126<br> |
|      | OB07GK<br><b>Soft Tilt and Turn Basic Kit w/ Handle w/ Key f/ Gearbox (4 Locking Points)</b> | UN    | 1       | 1136     |                                                                                                     |

### OBO7G Accessories

| REF. | DESIGNATION                                        | UNITS | PACKING | PACK.GR. | FINISHING       | OBSERVATIONS                            |
|------|----------------------------------------------------|-------|---------|----------|-----------------|-----------------------------------------|
|      | 9322<br>Gearbox Mechanism (7mm Axis)               | UN    | 10      | -        | Zinc            | Also available for channel 14x19 - 9327 |
|      | 9323<br>Gearbox Mechanism (11mm Axis)              | UN    | 10      | -        | Zinc            | Also available for channel 14x19 - 9328 |
|      | 9324<br>Gearbox Mechanism (13,5mm Axis)            | UN    | 10      | -        | Zinc            | Also available for channel 14x19 - 9329 |
|      | CPEQSC<br><b>Soft Compass - Small Arm</b>          | UN    | 1       | 238      | Zinc            | (435-700)                               |
|      | CGDESC<br><b>Soft Compass - Big Arm</b>            | UN    | 1       | 331      | Zinc            | (563-1000)                              |
|      | CSUP<br>Additional Arm                             | UN    | 1       | 243      | Stainless Steel | 1000<L<1700mm                           |
|      | KITH/VSC<br><b>Soft H/V Additional Locking Set</b> | UN    | 20      | -        | Zinc            | -                                       |

TILT AND TURN  
ERIZON


ALPHA

## OBO7G Accessories

|                                                                                     | REF.          | DESIGNATION                                                                   | UNITS | PACKING | PACK.GR. | FINISHING       | OBSERVATIONS                                   |
|-------------------------------------------------------------------------------------|---------------|-------------------------------------------------------------------------------|-------|---------|----------|-----------------|------------------------------------------------|
|    | PFSUPSC 18256 | <b>Soft</b> Additional Locking Point Set                                      | UN    | 50      | -        | Zinc            | -                                              |
|    | PFSUPSC 18258 | <b>Soft</b> Additional Locking Point Set                                      | UN    | 50      | -        | Zinc            | -                                              |
|    | OBG2          | Passive Leaf Hinge Set                                                        | UN    | 5       | 2376     | Powder Painting | With regulation                                |
|    | MICROVEN      | Microventilation Set                                                          | UN    | 20      | 1099     | Zinc            | With air intake regulation                     |
|  | 33051         | Passive Leaf Bi-directional Locking Drive Set w/ <b>Simple Zamak Terminal</b> | UN    | 10      | 3009     | Zinc            | In Zamak<br>Only for Central EG                |
|  | FALAV 18219   | Passive Leaf Zamak Lock Set                                                   | UN    | 5       | 2115     | Zinc            | In Zamak<br>Only for Central EG                |
|  | FECRAMPA      | Adjustable Hidden Lock Ramp                                                   | UN    | 50      | 1316     | Zinc            | -                                              |
|  | CAJUSTE 18221 | Leaf Support                                                                  | UN    | 50      | 503      | Black Nylon     | -                                              |
|  | L150          | Regulable Limiting Arm w/ <b>150mm</b>                                        | UN    | 40      | 3378     | Powder Painting | With pressure regulation. Stainless Steel Bolt |
|                                                                                     | L220          | Regulable Limiting Arm w/ <b>220mm</b>                                        | UN    | 60      | 5538     | Powder Painting | With pressure regulation. Stainless Steel Bolt |
|                                                                                     | L300          | Regulable Limiting Arm w/ <b>300mm</b>                                        | UN    | 40      | 4162     | Powder Painting | With pressure regulation. Stainless Steel Bolt |



## TILT AND TURN ERIZON



### OBO7G+ (PLUS)

| REF. | DESIGNATION                                                                                         | UNITS | PACKING | PACK.GR. | OBSERVATIONS                                     |
|------|-----------------------------------------------------------------------------------------------------|-------|---------|----------|--------------------------------------------------|
|      | OBO7G+<br><b>Soft Tilt and Turn Kit<br/>f/ Gearbox<br/>(6 Locking Points)</b>                       | UN    | 1       | 1257     | <br><b>Gearbox Mechanism</b><br>sold separately. |
|      | OBO7GK+<br><b>Soft Tilt and Turn<br/>Kit w/ Handle<br/>w/ Key f/ Gearbox<br/>(6 Locking Points)</b> | UN    | 1       | 1278     | <br>normal opening<br><br>Standard EN 13126      |

### OBO7G+ (PLUS) Accessories

| REF. | DESIGNATION                                            | UNITS | PACKING | PACK.GR. | FINISHING       | OBSERVATIONS                            |
|------|--------------------------------------------------------|-------|---------|----------|-----------------|-----------------------------------------|
|      | 9322<br>Gearbox Mechanism<br>(7mm Axis)                | UN    | 10      | -        | Zinc            | Also available for channel 14x19 - 9327 |
|      | 9323<br>Gearbox Mechanism<br>(11mm Axis)               | UN    | 10      | -        | Zinc            | Also available for channel 14x19 - 9328 |
|      | 9324<br>Gearbox Mechanism<br>(13,5mm Axis)             | UN    | 10      | -        | Zinc            | Also available for channel 14x19 - 9329 |
|      | CPEQSC<br><b>Soft Compass - Small Arm</b>              | UN    | 1       | 238      | Zinc            | (435-700)                               |
|      | CGDESC<br><b>Soft Compass - Big Arm</b>                | UN    | 1       | 331      | Zinc            | (563-1000)                              |
|      | CSUP<br>Additional Arm                                 | UN    | 1       | 243      | Stainless Steel | 1000<L<1700mm                           |
|      | KITH/VSC<br><b>Soft H/V Additional<br/>Locking Set</b> | UN    | 20      | -        | Zinc            | -                                       |

TILT AND TURN  
ERIZON


ALPHA

## OBO7G+ (PLUS) Accessories

|                                                                                     | REF.          | DESIGNATION                                                                   | UNITS | PACKING | PACK.GR. | FINISHING       | OBSERVATIONS                                   |
|-------------------------------------------------------------------------------------|---------------|-------------------------------------------------------------------------------|-------|---------|----------|-----------------|------------------------------------------------|
|    | PFSUPSC 18256 | <b>Soft</b> Additional Locking Point Set                                      | UN    | 50      | -        | Zinc            | -                                              |
|    | PFSUPSC 18258 | <b>Soft</b> Additional Locking Point Set                                      | UN    | 50      | -        | Zinc            | -                                              |
|    | OBG2          | Passive Leaf Hinge Set                                                        | UN    | 5       | 2376     | Powder Painting | With regulation                                |
|   | MICROVEN      | Microventilation Set                                                          | UN    | 20      | 1099     | Zinc            | With air intake regulation                     |
|  | 33051         | Passive Leaf Bi-directional Locking Drive Set w/ <b>Simple Zamak Terminal</b> | UN    | 10      | 3009     | Zinc            | In Zamak<br>Only for Central EG                |
|  | FALAVML 18246 | Passive Leaf Zamak Lock Set                                                   | UN    | 5       | 2086     | Zinc            | In Zamak<br>Only for Central EG                |
|  | FECRAMPA      | Adjustable Hidden Lock Ramp                                                   | UN    | 50      | 1316     | Zinc            | -                                              |
|  | CAJUSTE 18221 | Leaf Support                                                                  | UN    | 50      | 503      | Black Nylon     | -                                              |
|  | L150          | Regulable Limiting Arm w/ <b>150mm</b>                                        | UN    | 40      | 3378     | Powder Painting | With pressure regulation. Stainless Steel Bolt |
|                                                                                     | L220          | Regulable Limiting Arm w/ <b>220mm</b>                                        | UN    | 60      | 5538     | Powder Painting | With pressure regulation. Stainless Steel Bolt |
|                                                                                     | L300          | Regulable Limiting Arm w/ <b>300mm</b>                                        | UN    | 40      | 4162     | Powder Painting | With pressure regulation. Stainless Steel Bolt |



## TILT AND TURN ERIZON



### OBO7G+ (LOGIC)

| REF. | DESIGNATION                                                                                         | UNITS | PACKING | PACK.GR. | OBSERVATIONS                                            |
|------|-----------------------------------------------------------------------------------------------------|-------|---------|----------|---------------------------------------------------------|
|      | OBO7G+<br><b>Soft Tilt and Turn Kit<br/>f/ Gearbox<br/>(6 Locking Points)</b>                       | UN    | 1       | 1257     | <br><b>Gearbox Mechanism</b><br>sold separately.<br>    |
|      | OBO7GK+<br><b>Soft Tilt and Turn Kit<br/>w/ Handle<br/>w/ Key f/ Gearbox<br/>(6 Locking Points)</b> | UN    | 1       | 1278     | <br>opening logic maneuver<br><br>Standard EN 13126<br> |

### OBO7G+ (LOGIC) Accessories

| REF. | DESIGNATION                                            | UNITS | PACKING | PACK.GR. | FINISHING          | OBSERVATIONS                            |
|------|--------------------------------------------------------|-------|---------|----------|--------------------|-----------------------------------------|
|      | 9322<br>Gearbox Mechanism<br>(7mm Axis)                | UN    | 10      | -        | Zinc               | Also available for channel 14x19 - 9327 |
|      | 9323<br>Gearbox Mechanism<br>(11mm Axis)               | UN    | 10      | -        | Zinc               | Also available for channel 14x19 - 9328 |
|      | 9324<br>Gearbox Mechanism<br>(13,5mm Axis)             | UN    | 10      | -        | Zinc               | Also available for channel 14x19 - 9329 |
|      | CPEQMLSC<br><b>Soft TBT Compass - Small<br/>Arm</b>    | UN    | 1       | 236      | Zinc               | (435-700)                               |
|      | CGDEMLSC<br><b>Soft TBT Compass - Big<br/>Arm</b>      | UN    | 1       | 328      | Zinc               | (563-1000)                              |
|      | CSUPML<br><b>Additional Arm</b>                        | UN    | 1       | 243      | Stainless<br>Steel | 1000<L<1700mm                           |
|      | KITH/VSC<br><b>Soft H/V Additional<br/>Locking Set</b> | UN    | 20      | -        | Zinc               | -                                       |

TILT AND TURN  
ERIZON


ALPHA

## OBO7G+ (LOGIC) Accessories

|                                                                                     | REF.          | DESIGNATION                                                                   | UNITS | PACKING | PACK.GR. | FINISHING       | OBSERVATIONS                                   |
|-------------------------------------------------------------------------------------|---------------|-------------------------------------------------------------------------------|-------|---------|----------|-----------------|------------------------------------------------|
|    | PFSUPSC 18256 | <b>Soft</b> Additional Locking Point Set                                      | UN    | 50      | -        | Zinc            | -                                              |
|    | PFSUPSC 18258 | <b>Soft</b> Additional Locking Point Set                                      | UN    | 50      | -        | Zinc            | -                                              |
|    | OBG2          | Passive Leaf Hinge Set                                                        | UN    | 5       | 2376     | Powder Painting | With regulation                                |
|   | MICROVEN      | Microventilation Set                                                          | UN    | 20      | 1099     | Zinc            | With air intake regulation                     |
|  | 33051         | Passive Leaf Bi-directional Locking Drive Set w/ <b>Simple Zamak Terminal</b> | UN    | 10      | 3009     | Zinc            | In Zamak<br>Only for Central EG                |
|  | FALAVML 18246 | Passive Leaf Zamak Lock Set                                                   | UN    | 5       | 2086     | Zinc            | In Zamak<br>Only for Central EG                |
|  | FECRAMPA      | Adjustable Hidden Lock Ramp                                                   | UN    | 50      | 1316     | Zinc            | -                                              |
|  | CAJUSTE 18221 | Leaf Support                                                                  | UN    | 50      | 503      | Black Nylon     | -                                              |
|  | L150          | Regulable Limiting Arm w/ <b>150mm</b>                                        | UN    | 40      | 3378     | Powder Painting | With pressure regulation. Stainless Steel Bolt |
|                                                                                     | L220          | Regulable Limiting Arm w/ <b>220mm</b>                                        | UN    | 60      | 5538     | Powder Painting | With pressure regulation. Stainless Steel Bolt |
|                                                                                     | L300          | Regulable Limiting Arm w/ <b>300mm</b>                                        | UN    | 40      | 4162     | Powder Painting | With pressure regulation. Stainless Steel Bolt |



## TILT AND TURN SERIZON



### OBO7G+S (LOGIC)

| REF. | DESIGNATION                                                                                              | UNITS | PACKING | PACK.GR. | OBSERVATIONS                                                                                                                                                       |
|------|----------------------------------------------------------------------------------------------------------|-------|---------|----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|      | OBOG+SD<br><b>Soft Tilt before Turn Kit (Right) w/ Security Key Handle f/ Gearbox (6 Locking Points)</b> | UN    | 1       | 1271     | <br><b>Gearbox Mechanism</b><br>sold separately.<br><br>Only tilts when locked<br>opening logic maneuver<br>Opens only unlocked<br><br>130 kg<br>Standard EN 13126 |
|      | OBOG+SE<br><b>Soft Tilt before Turn Kit (Left) w/ Security Key Handle f/ Gearbox (6 Locking Points)</b>  | UN    | 1       | 1271     |                                                                                                                                                                    |

### OBO7G+S (LOGIC) Accessories

| REF. | DESIGNATION                                               | UNITS | PACKING | PACK.GR. | FINISHING       | OBSERVATIONS                            |
|------|-----------------------------------------------------------|-------|---------|----------|-----------------|-----------------------------------------|
|      | 9322<br>Gearbox Mechanism (7mm Axis)                      | UN    | 10      | -        | Zinc            | Also available for channel 14x19 - 9327 |
|      | 9323<br>Gearbox Mechanism (11mm Axis)                     | UN    | 10      | -        | Zinc            | Also available for channel 14x19 - 9328 |
|      | 9324<br>Gearbox Mechanism (13,5mm Axis)                   | UN    | 10      | -        | Zinc            | Also available for channel 14x19 - 9329 |
|      | CPEQMLSC<br><b>Soft TBT Compass - Small Arm</b>           | UN    | 1       | 236      | Zinc            | (435-700)                               |
|      | CGDEMLSC<br><b>Soft TBT Compass - Big Arm</b>             | UN    | 1       | 328      | Zinc            | (563-1000)                              |
|      | CSUPML<br>Additional Arm                                  | UN    | 1       | 243      | Stainless Steel | 1000<L<1700mm                           |
|      | KITH/VSC<br><b>Soft H/V Additional Locking Set</b>        | UN    | 20      | -        | Zinc            | -                                       |
|      | PFSUPSC 18256<br><b>Soft Additional Locking Point Set</b> | UN    | 50      | -        | Zinc            | -                                       |

TILT AND TURN  
ERIZON


ALPHA

## OBO7G+S (LOGIC) Accessories

| NEW                                                                                 |               |                                                                        |       |         |          |                 |                                                |  |
|-------------------------------------------------------------------------------------|---------------|------------------------------------------------------------------------|-------|---------|----------|-----------------|------------------------------------------------|--|
|                                                                                     | REF.          | DESIGNATION                                                            | UNITS | PACKING | PACK.GR. | FINISHING       | OBSERVATIONS                                   |  |
|    | PFSUPSC 18258 | Soft Additional Locking Point Set                                      | UN    | 50      | -        | Zinc            | -                                              |  |
|    | OBG2          | Passive Leaf Hinge Set                                                 | UN    | 5       | 2376     | Powder Painting | With regulation                                |  |
|    | MICROVEN      | Microventilation Set                                                   | UN    | 20      | 1099     | Zinc            | With air intake regulation                     |  |
|   | 33051         | Passive Leaf Bi-directional Locking Drive Set w/ Simple Zamak Terminal | UN    | 10      | 3009     | Zinc            | In Zamak Only for Central EG                   |  |
|  | FALAVML 18246 | Passive Leaf Zamak Lock Set                                            | UN    | 5       | 2086     | Zinc            | In Zamak Only for Central EG                   |  |
|  | FECRAMPA      | Adjustable Hidden Lock Ramp                                            | UN    | 50      | 1316     | Zinc            | -                                              |  |
|  | CAJUSTE 18221 | Leaf Support                                                           | UN    | 50      | 503      | Black Nylon     | -                                              |  |
|  | L150          | Regulable Limiting Arm w/ 150mm                                        | UN    | 40      | 3378     | Powder Painting | With pressure regulation. Stainless Steel Bolt |  |
|                                                                                     | L220          | Regulable Limiting Arm w/ 220mm                                        | UN    | 60      | 5538     | Powder Painting | With pressure regulation. Stainless Steel Bolt |  |
|                                                                                     | L300          | Regulable Limiting Arm w/ 300mm                                        | UN    | 40      | 4162     | Powder Painting | With pressure regulation. Stainless Steel Bolt |  |



## TILT AND TURN ORIZON



### OBO7C10

|  | REF.     | DESIGNATION                                                                                         | UNITS | PACKING | PACK.GR. | OBSERVATIONS                                                                               |
|--|----------|-----------------------------------------------------------------------------------------------------|-------|---------|----------|--------------------------------------------------------------------------------------------|
|  | OBO7C10  | <b>Soft</b> Tilt and Turn<br>Basic Kit C10<br>(4 Locking Points)                                    | UN    | 1       | 1115     |                                                                                            |
|  | OBO7KC10 | <b>Soft</b> Tilt and Turn<br>Basic Kit C10<br>w/ Cremona <b>w/ Key</b><br>(4 Locking Points)        | UN    | 1       | 1136     |                                                                                            |
|  | OBO7PC10 | <b>Soft</b> Tilt and Turn<br>Basic Kit C10<br>w/ Cremona<br><b>w/o Handle</b><br>(4 Locking Points) | UN    | 1       | 1052     | <br>Standard EN 13126<br><br><br>Handle for OBO7PC10 - 78P (Chapter Orizon Line - Pág. B2) |

### OBO7C10 Accessories

|  | REF.           | DESIGNATION                               | UNITS | PACKING | PACK.GR. | FINISHING       | OBSERVATIONS  |
|--|----------------|-------------------------------------------|-------|---------|----------|-----------------|---------------|
|  | CPEQSC         | <b>Soft</b> Compass - Small Arm           | UN    | 1       | 238      | Zinc            | (435-700)     |
|  | CGDESC         | <b>Soft</b> Compass - Big Arm             | UN    | 1       | 331      | Zinc            | (563-1000)    |
|  | CSUP           | Additional Arm                            | UN    | 1       | 243      | Stainless Steel | 1000<L<1700mm |
|  | KITH/<br>VSC10 | <b>Soft</b> H/V Additional<br>Locking Set | UN    | 20      | -        | Zinc            | -             |

TILT AND TURN  
ERIZON


ALPHA

## OBO7C10 Accessories



|                                                                                     | REF.             | DESIGNATION                                                                   | UNITS | PACKING | PACK.GR. | FINISHING       | OBSERVATIONS                                   |
|-------------------------------------------------------------------------------------|------------------|-------------------------------------------------------------------------------|-------|---------|----------|-----------------|------------------------------------------------|
|    | PFSUPSC<br>18256 | <b>Soft</b> Additional Locking Point Set                                      | UN    | 50      | -        | Zinc            | -                                              |
|    | OBG2             | Passive Leaf Hinge Set                                                        | UN    | 5       | 2376     | Powder Painting | With regulation                                |
|   | 33051            | Passive Leaf Bi-directional Locking Drive Set w/ <b>Simple Zamak Terminal</b> | UN    | 10      | 3009     | Zinc            | In Zamak<br>Only for Central EG                |
|  | CAJUSTE<br>18221 | Leaf Support                                                                  | UN    | 50      | 503      | Black Nylon     | -                                              |
|  | L150             | Regulable Limiting Arm w/ <b>150mm</b>                                        | UN    | 40      | 3378     | Powder Painting | With pressure regulation. Stainless Steel Bolt |
|                                                                                     | L220             | Regulable Limiting Arm w/ <b>220mm</b>                                        | UN    | 60      | 5538     | Powder Painting | With pressure regulation. Stainless Steel Bolt |
|                                                                                     | L300             | Regulable Limiting Arm w/ <b>300mm</b>                                        | UN    | 40      | 4162     | Powder Painting | With pressure regulation. Stainless Steel Bolt |



## TILT AND TURN CREMONA



### OBO7+SC10 (LOGIC)

| REF.                                                                               | DESIGNATION | UNITS                                                                                     | PACKING | PACK.GR. | OBSERVATIONS |                                                                                                                                                                                                                                                       |
|------------------------------------------------------------------------------------|-------------|-------------------------------------------------------------------------------------------|---------|----------|--------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|   | OBO+SDC10   | <b>Soft Tilt before Turn Kit (Right) w/ Security Key</b><br>Cremona<br>(6 Locking Points) | UN      | 1        | 1271         | <br><br>Only tilts when locked<br>opening logic maneuver<br>Opens only unlocked |
|  | OBO+SEC10   | <b>Soft Tilt before Turn Kit (Left) w/ Security Key</b><br>Cremona<br>(6 Locking Points)  | UN      | 1        | 1271         |                                                                                                                                                                                                                                                       |

  
Standard EN 13126





Standard EN 13126



### OBO7+SC10 (LOGIC) Accessories

| REF.                                                                                | DESIGNATION    | UNITS                                    | PACKING | PACK.GR. | FINISHING | OBSERVATIONS    |               |
|-------------------------------------------------------------------------------------|----------------|------------------------------------------|---------|----------|-----------|-----------------|---------------|
|  | CPEQMLSC       | <b>Soft TBT</b> Compass - Small Arm      | UN      | 1        | 236       | Zinc            | (435-700)     |
|  | CGDEMLSC       | <b>Soft TBT</b> Compass - Big Arm        | UN      | 1        | 328       | Zinc            | (563-1000)    |
|  | CSUPML         | Additional Arm                           | UN      | 1        | 243       | Stainless Steel | 1000<L<1700mm |
|  | KITH/<br>VSC10 | <b>Soft</b> H/V Additional Locking Set   | UN      | 20       | -         | Zinc            | -             |
|  | PFSUPSC        | <b>Soft</b> Additional Locking Point Set | UN      | 50       | -         | Zinc            | -             |

TILT AND TURN  
ERIZON


ALPHA

## OBO7+SC10 (LOGIC) Accessories



|                                                                                     | REF.             | DESIGNATION                                                                   | UNITS | PACKING | PACK.GR. | FINISHING       | OBSERVATIONS                                   |
|-------------------------------------------------------------------------------------|------------------|-------------------------------------------------------------------------------|-------|---------|----------|-----------------|------------------------------------------------|
|    | OBG2             | Passive Leaf Hinge Set                                                        | UN    | 5       | 2376     | Powder Painting | With regulation                                |
|    | 33051            | Passive Leaf Bi-directional Locking Drive Set w/ <b>Simple Zamak Terminal</b> | UN    | 10      | 3009     | Zinc            | In Zamak<br>Only for Central EG                |
|   | CAJUSTE<br>18221 | Leaf Support                                                                  | UN    | 50      | 503      | Black Nylon     | -                                              |
|  | L150             | Regulable Limiting Arm<br>w/ <b>150mm</b>                                     | UN    | 40      | 3378     | Powder Painting | With pressure regulation. Stainless Steel Bolt |
|                                                                                     | L220             | Regulable Limiting Arm<br>w/ <b>220mm</b>                                     | UN    | 60      | 5538     | Powder Painting | With pressure regulation. Stainless Steel Bolt |
|                                                                                     | L300             | Regulable Limiting Arm<br>w/ <b>300mm</b>                                     | UN    | 40      | 4162     | Powder Painting | With pressure regulation. Stainless Steel Bolt |



## TILT AND TURN SERIZON



### OBO7GC10

| REF.                                                                                | DESIGNATION                                                                                                                                                                     | UNITS | PACKING | PACK.GR. | OBSERVATIONS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|---------|----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|    |  OBO7GC10 <b>Soft Tilt and Turn Basic Kit f/ Gearbox</b> (4 Locking Points)                    | UN    | 1       | 1115     |  <b>Gearbox Mechanism</b> sold separately.<br><br><br>normal opening<br><br>Standard EN 13126<br> |
|  |  OBO7GKC10 <b>Soft Tilt and Turn Basic Kit w/ Handle w/ Key f/ Gearbox</b> (4 Locking Points) | UN    | 1       | 1136     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |

### OBO7GC10 Accessories

| REF.                                                                                | DESIGNATION                                     | UNITS | PACKING | PACK.GR. | FINISHING       | OBSERVATIONS                            |
|-------------------------------------------------------------------------------------|-------------------------------------------------|-------|---------|----------|-----------------|-----------------------------------------|
|  | 9322 Gearbox Mechanism (7mm Axis)               | UN    | 10      | -        | Zinc            | Also available for channel 14x19 - 9327 |
|                                                                                     | 9323 Gearbox Mechanism (11mm Axis)              | UN    | 10      | -        | Zinc            | Also available for channel 14x19 - 9328 |
|                                                                                     | 9324 Gearbox Mechanism (13,5mm Axis)            | UN    | 10      | -        | Zinc            | Also available for channel 14x19 - 9329 |
|  | CPEQSC <b>Soft Compass - Small Arm</b>          | UN    | 1       | 238      | Zinc            | (435-700)                               |
|  | CGDESC <b>Soft Compass - Big Arm</b>            | UN    | 1       | 331      | Zinc            | (563-1000)                              |
|  | CSUP <b>Additional Arm</b>                      | UN    | 1       | 243      | Stainless Steel | 1000<L<1700mm                           |
|  | KITH/VSC <b>Soft H/V Additional Locking Set</b> | UN    | 20      | -        | Zinc            | -                                       |

TILT AND TURN  
ERIZON

ALPHA

## OBO7GC10 Accessories

|                                                                                     | REF.             | DESIGNATION                                                                   | UNITS | PACKING | PACK.GR. | FINISHING       | OBSERVATIONS                                   |
|-------------------------------------------------------------------------------------|------------------|-------------------------------------------------------------------------------|-------|---------|----------|-----------------|------------------------------------------------|
|    | PFSUPSC<br>18256 | <b>Soft</b> Additional Locking Point Set                                      | UN    | 50      | -        | Zinc            | -                                              |
|    | OBG2             | Passive Leaf Hinge Set                                                        | UN    | 5       | 2376     | Powder Painting | With regulation                                |
|    | 33051            | Passive Leaf Bi-directional Locking Drive Set w/ <b>Simple Zamak Terminal</b> | UN    | 10      | 3009     | Zinc            | In Zamak<br>Only for Central EG                |
|   | CAJUSTE<br>18221 | Leaf Support                                                                  | UN    | 50      | 503      | Black Nylon     | -                                              |
|  | L150             | Regulable Limiting Arm w/ <b>150mm</b>                                        | UN    | 40      | 3378     | Powder Painting | With pressure regulation. Stainless Steel Bolt |
|                                                                                     | L220             | Regulable Limiting Arm w/ <b>220mm</b>                                        | UN    | 60      | 5538     | Powder Painting | With pressure regulation. Stainless Steel Bolt |
|                                                                                     | L300             | Regulable Limiting Arm w/ <b>300mm</b>                                        | UN    | 40      | 4162     | Powder Painting | With pressure regulation. Stainless Steel Bolt |

|                                                                                     |       |                                            |    |   |   |                                               |  |
|-------------------------------------------------------------------------------------|-------|--------------------------------------------|----|---|---|-----------------------------------------------|--|
|  | MAQ01 | Manual Machine with Roller for Tilt & Turn | UN | 1 | - | <b>Available for all tilt-and-turn models</b> |  |
|-------------------------------------------------------------------------------------|-------|--------------------------------------------|----|---|---|-----------------------------------------------|--|



ERIZON  
LINE



2020  
AWARDS

|  | REF. | DESIGNATION                                                              | UNITS | PACKING | PACK.GR. | FINISHING       | OBSERVATIONS                                         |
|--|------|--------------------------------------------------------------------------|-------|---------|----------|-----------------|------------------------------------------------------|
|  | 740  | Cremona for Euro Groove (Euro Fixation)                                  | UN    | 12      | 4263     | Powder Painting | Also available w/ M and L pales                      |
|  | 740K | Cremona for Euro Groove w/ <b>Key</b> (Euro Fixation)                    | UN    | 10      | 3796     | Powder Painting | Also available w/ M and L pales<br><b>Equal keys</b> |
|  | 710  | Cremona for Euro Groove (Frontal Fixation)                               | UN    | 12      | 3415     | Powder Painting | Also available w/ M and L pales                      |
|  | 710K | Cremona for Euro Groove w/ <b>Key</b> (Frontal Fixation)                 | UN    | 10      | 3400     | Powder Painting | Also available w/ M and L pales<br><b>Equal keys</b> |
|  | 730  | Lower Cremona for Euro Groove (Frontal Fixation)                         | UN    | 10      | 2584     | Powder Painting | Also available w/ M and L pales                      |
|  | 719D | <b>Right Offset</b> Handle<br>Cremona for Euro Groove (Frontal Fixation) | UN    | 12      | 3415     | Powder Painting | Also available w/ M and L pales                      |
|  | 719E | <b>Left Offset</b> Handle<br>Cremona for Euro Groove (Frontal Fixation)  | UN    | 12      | 3415     | Powder Painting | Also available w/ M and L pales                      |
|  | 760  | Cremona for <b>Curtain Wall</b> (Euro Fixation)                          | UN    | 12      | 4755     | Powder Painting | Also available w/ M and L pales                      |
|  | 760K | Cremona for <b>Curtain Wall</b> w/ <b>Key</b> (Euro Fixation)            | UN    | 12      | 4995     | Powder Painting | Also available w/ M and L pales<br><b>Equal keys</b> |

NOTE: Screws included except where indicated.


 ERIZON  
LINE


ALPHA

|  | REF.  | DESIGNATION                                                                                     | UNITS | PACKING | PACK.GR. | FINISHING       | OBSERVATIONS                    |
|--|-------|-------------------------------------------------------------------------------------------------|-------|---------|----------|-----------------|---------------------------------|
|  | 780   | Security Cremona for Euro Groove <b>w/o Handle</b> (Euro Fixation)                              | UN    | 10      | 2371     | Powder Painting | Also available w/ M and L pales |
|  | 78P   | Detachable Handle for 780 and 785 Cremona                                                       | UN    | 10      | 1200     | Powder Painting | -                               |
|  | 770   | Security Cremona for Euro Groove <b>w/o Handle</b> (Frontal Fixation)                           | UN    | 10      | 2176     | Powder Painting | Also available w/ M and L pales |
|  | 77P   | Detachable Handle for 770 Cremona                                                               | UN    | 10      | 821      | Powder Painting | -                               |
|  | 745S  | Cremona for Tilt-turn Euro Groove - <b>12mm</b> Pale (Euro Fixation)                            | UN    | 10      | 3400     | Powder Painting | -                               |
|  | 745SK | Cremona for Tilt-turn Euro Groove <b>w/ Key</b> - <b>12mm</b> Pale (Euro Fixation)              | UN    | 10      | 3627     | Powder Painting | Equal keys                      |
|  | 735S  | Lower Cremona for Tilt-turn Euro Groove - <b>12mm</b> Pale (Frontal Fixation)                   | UN    | 10      | 2584     | Powder Painting | -                               |
|  | 785S  | Security Cremona for Tilt-turn Euro Groove <b>w/o Handle</b> - <b>12mm</b> Pale (Euro Fixation) | UN    | 10      | 2371     | Powder Painting | -                               |

NOTE: Screws included except where indicated.



ERIZON  
LINE



2020  
AWARDS

|                                                                                     | REF.  | DESIGNATION                                                                          | UNITS | PACKING | PACK.GR. | FINISHING          | OBSERVATIONS                                                                                                                                                                                                                                   |
|-------------------------------------------------------------------------------------|-------|--------------------------------------------------------------------------------------|-------|---------|----------|--------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|    | 748   | <b>Minimalist</b><br>Handle 3 Positions<br>(Square of 7x <b>32mm</b> )               | UN    | 10      | -        | Powder<br>Painting | -                                                                                                                                                                                                                                              |
|    | 748K  | <b>Minimalist</b><br>Handle 3 Positions <b>w/ Key</b><br>(Square of 7x <b>32mm</b> ) | UN    | 10      | -        | Powder<br>Painting |  <b>Equal keys</b>                                                                                                                                          |
|    | 708   | Handle 3 Positions<br>(Square of 7x <b>32mm</b> )                                    | UN    | 10      | 2948     | Powder<br>Painting | Also available w/ Square of 7x23mm (708C)<br>and<br>7x60mm (708L)                                                                                                                                                                              |
|   | 708K  | Handle 3 Positions <b>w/ Key</b><br>(Square of 7x <b>32mm</b> )                      | UN    | 10      | 2948     | Powder<br>Painting | Also available w/ Square of 7x23mm (708KC)<br>and<br>7x60mm (708KL)<br> <b>Equal keys</b>                                                                 |
|  | 708DO | <b>Double</b> Handle 3 Positions                                                     | PAR   | 6       | 3134     | Powder<br>Painting | <br>Fixation Kit:<br>KIT-33056 » 22 to 33mm Profile<br>KIT-33057 » 33 to 45mm Profile<br>KIT-33067 » 45 to 55mm Profile KIT-33068 »<br>65 to 75mm Profile |
|  | 709D  | <b>Right Offset</b><br>Handle 3 Positions<br>(Square of 7x <b>32mm</b> )             | UN    | 10      | 3155     | Powder<br>Painting | Also available w/ Square of 7x23mm (709DC)<br>and<br>7x60mm (709DL)                                                                                                                                                                            |
|  | 709E  | <b>Left Offset</b><br>Handle 3 Positions<br>(Square of 7x <b>32mm</b> )              | UN    | 10      | 3155     | Powder<br>Painting | Also available w/ Square of 7x23mm (709EC)<br>and<br>7x60mm (709EL)                                                                                                                                                                            |
|  | 709DO | <b>Double Offset</b><br>Handle 3 Positions                                           | PAR   | 6       | 3384     | Powder<br>Painting | <br>Fixation Kit:<br>KIT-33056 » 22 to 33mm Profile<br>KIT-33057 » 33 to 45mm Profile<br>KIT-33067 » 45 to 55mm Profile KIT-33068 »<br>65 to 75mm Profile |
|  | 794   | Handle 3 Positions<br>(Square of 7x <b>32mm</b> )                                    | UN    | 10      | 3166     | Powder<br>Painting | Also available w/ Square of 7x23mm (794C)<br>and<br>7x60mm (794L)                                                                                                                                                                              |

NOTE: Screws included except where indicated.



ERIZON  
LINE



ALPHA

|  | REF.   | DESIGNATION                                                     | UNITS | PACKING | PACK.GR. | FINISHING          | OBSERVATIONS                                                                                                                                              |
|--|--------|-----------------------------------------------------------------|-------|---------|----------|--------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | 788    | Handle 3 Positions<br>(Square of 7x32mm)                        | UN    | 10      | 2948     | Powder<br>Painting | Also available w/ Square of 7x23mm (788C)<br>and<br>7x60mm (788L)                                                                                         |
|  | 788DO  | <b>Double</b> Handle 3 Positions                                | PAR   | 6       | 3134     | Powder<br>Painting | <br>Fixation Kit:<br>KIT-33056 » 22 to 33mm Profile<br>KIT-33057 » 33 to 45mm Profile<br>KIT-33067 » 45 to 55mm Profile KIT-33068 »<br>65 to 75mm Profile |
|  | 789D   | <b>Right Offset</b><br>Handle 3 Positions<br>(Square of 7x32mm) | UN    | 10      | 3155     | Powder<br>Painting | Also available w/ Square of 7x23mm (789DC)<br>and<br>7x60mm (789DL)                                                                                       |
|  | 789E   | <b>Left Offset</b><br>Handle 3 Positions<br>(Square of 7x32mm)  | UN    | 10      | 3155     | Powder<br>Painting | Also available w/ Square of 7x23mm (789EC)<br>and<br>7x60mm (789EL)                                                                                       |
|  | 789DOD | <b>Double Right Offset</b><br>Handle 3 Positions                | PAR   | 6       | 3384     | Powder<br>Painting | <br>Fixation Kit:<br>KIT-33056 » 22 to 33mm Profile<br>KIT-33057 » 33 to 45mm Profile<br>KIT-33067 » 45 to 55mm Profile KIT-33068 »<br>65 to 75mm Profile |
|  | 789DOZ | <b>Double Left Offset</b><br>Handle 3 Positions                 | PAR   | 6       | 3384     | Powder<br>Painting | <br>Fixation Kit:<br>KIT-33056 » 22 to 33mm Profile<br>KIT-33057 » 33 to 45mm Profile<br>KIT-33067 » 45 to 55mm Profile KIT-33068 »<br>65 to 75mm Profile |
|  | 796    | <b>Big</b> Handle 3 Positions<br>(Square of 7x32mm)             | UN    | 10      | -        | Powder<br>Painting | Also available w/ Square of 7x23mm (796C)<br>and<br>7x60mm (796L)                                                                                         |
|  | 9326   | <b>Flush</b> Handle 3 Positions<br>(Square of 7x32mm)           | UN    | 10      | -        | Powder<br>Painting | Also available w/ Square of 7x23mm (9326C)<br>and<br>7x60mm (9326L)                                                                                       |
|  | 702    | Pull Handle w/ Cam Drive                                        | UN    | 10      | -        | Powder<br>Painting | Fixing: aluminium crimping nuts                                                                                                                           |

NOTE: Screws included except where indicated.



ERIZON  
LINE



2020  
AWARDS

ALPHA

|                                                                                     | REF.  | DESIGNATION                                                                   | UNITS | PACKING | PACK.GR. | FINISHING       | OBSERVATIONS                                                                     |
|-------------------------------------------------------------------------------------|-------|-------------------------------------------------------------------------------|-------|---------|----------|-----------------|----------------------------------------------------------------------------------|
|    | 700   | Pull Handle                                                                   | UN    | 10      | -        | Powder Painting | Fixing: aluminium crimping nuts                                                  |
|    | 798   | Minimalist Handle                                                             | UN    | 1       | 339      | Powder Painting | Ambidextrous. Also available with a short rod (798C) and with a long rod (798L). |
|   | 798E  | Minimalist Exterior Handle                                                    | UN    | 1       | -        | Powder Painting | Compatible with other handles with 43 mm drilling.                               |
|  | 797   | Minimalist Isolated Handle                                                    | UN    | 1       | -        | Powder Painting | -                                                                                |
|  | 715   | <b>Double</b> Spring-loaded Handle for Doors (Square of 8x100mm)              | PAR   | 12      | 6904     | Powder Painting | Also available w/ Square of 8x140mm (715L)                                       |
|  | 715ND | <b>Right Double</b> Spring-loaded Handle for Doors (Square of 8x100mm)        | PAR   | 12      | 6900     | Powder Painting | Fixing to the exterior handle<br>Also available w/ Square of 8x140mm (715NDL)    |
|                                                                                     | 715NZ | <b>Left Double</b> Spring-loaded Handle for Doors (Square of 8x100mm)         | PAR   | 12      | 6900     | Powder Painting | Fixing to the exterior handle<br>Also available w/ Square of 8x140mm (715NZL)    |
|  | 715iD | <b>Right</b> Spring-loaded Handle for Doors (Square of 8x100mm)               | UN    | 20      | -        | Powder Painting | Also available w/ Square of 8x140mm (715iDL)                                     |
|                                                                                     | 715iZ | <b>Left</b> Spring-loaded Handle for Doors (Square of 8x100mm)                | UN    | 20      | -        | Powder Painting | Also available w/ Square of 8x140mm (715iZL)                                     |
|  | 705T  | <b>Double Slim</b> Spring-loaded Handle w/ Caps for Doors (Square of 8x100mm) | PAR   | 6       | 2404     | Powder Painting | Also available w/ Square of 8x140mm (705TL)                                      |

Screws included except where indicated.



ERIZON  
LINE



ALPHA

|  | REF.   | DESIGNATION                                                                                | UNITS | PACKING | PACK.GR. | FINISHING       | OBSERVATIONS                                   |
|--|--------|--------------------------------------------------------------------------------------------|-------|---------|----------|-----------------|------------------------------------------------|
|  | 706T   | <b>Lower Double Slim</b> Spring-loaded Handle w/ <b>Caps</b> for Doors (Square of 8x100mm) | PAR   | 6       | 2169     | Powder Painting | Also available w/ Square of 8x140mm (706TL)    |
|  | 33050  | Lock Shield for Cylinder                                                                   | UN    | 25      | 1578     | Powder Painting | -                                              |
|  | 716B   | <b>Double</b> Long Blind Mirror Handle for Doors (Square of 8x100mm)                       | PAR   | 6       | 5755     | Powder Painting | -                                              |
|  | 716BiD | <b>Right</b> Long Blind Mirror Handle for Doors (Square of 8x100mm)                        | UN    | 10      | -        | Powder Painting | -                                              |
|  | 716BiZ | <b>Left</b> Long Blind Mirror Handle for Doors (Square of 8x100mm)                         | UN    | 10      | -        | Powder Painting | -                                              |
|  | 716    | <b>Double</b> Long Mirror Handle for Doors for Cylinder (Square of 8x100mm)                | PAR   | 6       | 5710     | Powder Painting | Distance from the axle to the cylinder of 85mm |
|  | 716iD  | <b>Right</b> Long Mirror Handle for Doors for Cylinder (Square of 8x100mm)                 | UN    | 10      | -        | Powder Painting | Distance from the axle to the cylinder of 85mm |
|  | 716iZ  | <b>Left</b> Long Mirror Handle for Doors for Cylinder (Square of 8x100mm)                  | UN    | 10      | -        | Powder Painting | Distance from the axle to the cylinder of 85mm |
|  | 717    | <b>Double</b> Long Mirror Handle for Doors for Cylinder (Square of 8x100mm)                | PAR   | 6       | 5710     | Powder Painting | Distance from the axle to the cylinder of 92mm |
|  | 717iD  | <b>Right</b> Long Mirror Handle for Doors for Cylinder (Square of 8x100mm)                 | UN    | 10      | -        | Powder Painting | Distance from the axle to the cylinder of 92mm |
|  | 717iZ  | <b>Left</b> Long Mirror Handle for Doors for Cylinder (Square of 8x100mm)                  | UN    | 10      | -        | Powder Painting | Distance from the axle to the cylinder of 92mm |

Screws included except where indicated.



GRIZON  
LINE



2020  
AWARDS

|  | REF.  | DESIGNATION                                                            | UNITS | PACKING | PACK.GR. | FINISHING       | OBSERVATIONS |
|--|-------|------------------------------------------------------------------------|-------|---------|----------|-----------------|--------------|
|  | 790   | <b>Heavy</b> Handle for Sliding Doors for Cylinder (Square of 8x100mm) | UN    | 10      | -        | Powder Painting | -            |
|  | 790E  | <b>Outside Heavy</b> Handle for Sliding Doors for Cylinder             | UN    | 10      | -        | Powder Painting | -            |
|  | 790B  | <b>Blind Heavy</b> Handle for Sliding Doors (Square of 8x100mm)        | UN    | 10      | -        | Powder Painting | -            |
|  | 790BE | <b>Outside Blind Heavy</b> Handle for Sliding Doors                    | UN    | 10      | -        | Powder Painting | -            |
|  | 795   | <b>Lift and Slide</b> Handle (Square of 10x66mm)                       | UN    | 10      | 5729     | Powder Painting | -            |
|  | 795E  | <b>Outside Lift and Slide</b> Handle                                   | UN    | 10      | 5729     | Powder Painting | -            |
|  | 795K  | <b>Lift and Slide</b> Handle for Cylinder (Square of 10x66mm)          | UN    | 10      | 5690     | Powder Painting | -            |

Screws included except where indicated.


 ERIZON  
LINE


ALPHAX

|                                                                                     | REF.   | DESIGNATION                                                                               | UNITS | PACKING | PACK.GR. | FINISHING          | OBSERVATIONS                                                                                            |
|-------------------------------------------------------------------------------------|--------|-------------------------------------------------------------------------------------------|-------|---------|----------|--------------------|---------------------------------------------------------------------------------------------------------|
|    | 795KE  | <b>Outside Lift and Slide</b><br>Handle for Cylinder                                      | UN    | 10      | 5690     | Powder<br>Painting | -                                                                                                       |
|    | 793M4  | <b>Lift and Slide</b> Recessed<br>Finger Pull (f/ <b>M4 Screw</b> )                       | UN    | 10      | -        | Powder<br>Painting | -                                                                                                       |
|                                                                                     | 793M5  | <b>Lift and Slide</b> Recessed<br>Finger Pull (f/ <b>M5 Screw</b> )                       | UN    | 10      | -        | Powder<br>Painting | -                                                                                                       |
|                                                                                     | 793M6  | <b>Lift and Slide</b> Recessed<br>Finger Pull (f/ <b>M6 Screw</b> )                       | UN    | 10      | -        | Powder<br>Painting | -                                                                                                       |
|  | 707TE  | Reversible Closing Handle<br>w/ <b>Caps</b> for<br><b>Outwards Opening</b>                | UN    | 10      | 2421     | Powder<br>Painting | -                                                                                                       |
|  | 707TEK | Reversible Closing Handle<br>w/ <b>Key</b> and <b>Caps</b> for<br><b>Outwards Opening</b> | UN    | 10      | 2645     | Powder<br>Painting |  <b>Equal keys</b> |
|  | 707TI  | Reversible Closing Handle<br>w/ <b>Caps</b> for<br><b>Inwards Opening</b>                 | UN    | 10      | 2791     | Powder<br>Painting | -                                                                                                       |
|  | 707TIK | Reversible Closing Handle<br>w/ <b>Key</b> and <b>Caps</b> for<br><b>Inwards Opening</b>  | UN    | 10      | 3015     | Powder<br>Painting |  <b>Equal keys</b> |
|  | 737TE  | <b>Lower</b> Reversible Closing<br>Handle w/ <b>Caps</b> for<br><b>Outwards Opening</b>   | UN    | 10      | 2249     | Powder<br>Painting | -                                                                                                       |

Screws included except where indicated.



GRIZON  
LINE



2020  
AWARDS

ALPHA

|                                                                                     | REF.    | DESIGNATION                                                               | UNITS | PACKING | PACK.GR. | FINISHING       | OBSERVATIONS                                                                                          |
|-------------------------------------------------------------------------------------|---------|---------------------------------------------------------------------------|-------|---------|----------|-----------------|-------------------------------------------------------------------------------------------------------|
|    | 737TI   | <b>Lower</b> Reversible Closing Handle w/ Caps for <b>Inwards Opening</b> | UN    | 10      | 2594     | Powder Painting | -                                                                                                     |
|    | 712     | Cremona for <b>Outwards Opening</b> (Frontal Fixation)                    | UN    | 8       | 2324     | Powder Painting | -                                                                                                     |
|    | 712K    | Cremona for <b>Outwards Opening w/ Key</b> (Frontal Fixation)             | UN    | 8       | 2484     | Powder Painting |  <b>Equal keys</b> |
|  | 732     | <b>Lower</b> Cremona for <b>Outwards Opening</b> (Frontal Fixation)       | UN    | 8       | 2115     | Powder Painting | -                                                                                                     |
|  | 700-T15 | Chave T Torx T15                                                          | UN    | 1       | -        | -               | -                                                                                                     |
|  | 642P7   | <b>7mm</b> Connection Pin for 642/627                                     | UN    | 16      | 99       | Stainless Steel | For references 712 and 732                                                                            |
|                                                                                     | 642P10  | <b>10mm</b> Connection Pin for 642/627                                    | UN    | 16      | 110      | Stainless Steel | For references 712 and 732                                                                            |
|                                                                                     | 642P14  | <b>14mm</b> Connection Pin for 642/627                                    | UN    | 16      | 125      | Stainless Steel | For references 712 and 732                                                                            |
|                                                                                     | 642P16  | <b>16mm</b> Connection Pin for 642/627                                    | UN    | 16      | 132      | Stainless Steel | For references 712 and 732                                                                            |
|                                                                                     | 642P20  | <b>20mm</b> Connection Pin for 642/627                                    | UN    | 16      | 147      | Stainless Steel | For references 712 and 732                                                                            |
|                                                                                     | 642P26  | <b>26mm</b> Connection Pin for 642/627                                    | UN    | 16      | 169      | Stainless Steel | For references 712 and 732                                                                            |

Screws included except where indicated.



ERIZON  
LINE




ALPHA







## TILT AND TURN GLOBAL PLUS



### OBG60SC

| REF.                                                                               | DESIGNATION | UNITS                                                             | PACKING | PACK.GR. | OBSERVATIONS |
|------------------------------------------------------------------------------------|-------------|-------------------------------------------------------------------|---------|----------|--------------|
|   | OBG60SC     | Soft Tilt and Turn Basic Kit (4 Locking Points)                   | UN      | 1        | 1115         |
|  | OBG60KSC    | Soft Tilt and Turn Basic Kit w/ Cremona w/ Key (4 Locking Points) | UN      | 1        | 1136         |



normal opening



Standard EN 13126



### OBG60SC Accessories

| REF.                                                                                | DESIGNATION   | UNITS                             | PACKING | PACK.GR. | FINISHING | OBSERVATIONS    |               |
|-------------------------------------------------------------------------------------|---------------|-----------------------------------|---------|----------|-----------|-----------------|---------------|
|  | CPEQSC        | Soft Compass - Small Arm          | UN      | 1        | 238       | Zinc            | (435-700)     |
|  | CGDESC        | Soft Compass - Big Arm            | UN      | 1        | 331       | Zinc            | (563-1000)    |
|  | CSUP          | Additional Arm                    | UN      | 1        | 243       | Stainless Steel | 1000<L<1700mm |
|  | KITH/VSC      | Soft H/V Additional Locking Set   | UN      | 20       | -         | Zinc            | -             |
|  | PFSUPSC 18256 | Soft Additional Locking Point Set | UN      | 50       | -         | Zinc            | -             |

TILT AND TURN  
GLOBAL PLUS


ALPHA

## OBG60SC Accessories



|                                                                                     | REF.          | DESIGNATION                                                            | UNITS | PACKING | PACK.GR. | FINISHING       | OBSERVATIONS                                   |
|-------------------------------------------------------------------------------------|---------------|------------------------------------------------------------------------|-------|---------|----------|-----------------|------------------------------------------------|
|    | PFSUPSC 18258 | Soft Additional Locking Point Set                                      | UN    | 50      | -        | Zinc            | -                                              |
|    | OBG2          | Passive Leaf Hinge Set                                                 | UN    | 5       | 2376     | Powder Painting | With regulation                                |
|    | MICROVEN      | Microventilation Set                                                   | UN    | 20      | 1099     | Zinc            | With air intake regulation                     |
|   | 33051         | Passive Leaf Bi-directional Locking Drive Set w/ Simple Zamak Terminal | UN    | 10      | 3009     | Zinc            | In Zamak<br>Only for Central EG                |
|  | FALAV 18219   | Passive Leaf Zamak Lock Set                                            | UN    | 5       | 2115     | Zinc            | In Zamak<br>Only for Central EG                |
|  | FECRAMPA      | Adjustable Hidden Lock Ramp                                            | UN    | 50      | 1316     | Zinc            | -                                              |
|  | CAJUSTE 18221 | Leaf Support                                                           | UN    | 50      | 503      | Black Nylon     | -                                              |
|  | L150          | Regulable Limiting Arm w/ 150mm                                        | UN    | 40      | 3378     | Powder Painting | With pressure regulation. Stainless Steel Bolt |
|                                                                                     | L220          | Regulable Limiting Arm w/ 220mm                                        | UN    | 60      | 5538     | Powder Painting | With pressure regulation. Stainless Steel Bolt |
|                                                                                     | L300          | Regulable Limiting Arm w/ 300mm                                        | UN    | 40      | 4162     | Powder Painting | With pressure regulation. Stainless Steel Bolt |



## TILT AND TURN GLOBAL PLUS



### OBG60

| REF.                                                                               | DESIGNATION | UNITS                                                                     | PACKING | PACK.GR. | OBSERVATIONS                                                                                                                                                                                                                                                                                             |
|------------------------------------------------------------------------------------|-------------|---------------------------------------------------------------------------|---------|----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|   | OBG60       | Tilt and Turn Basic Kit<br>(4 Locking Points)                             | UN      | 1        | -                                                                                                                                                                                                                                                                                                        |
|  | OBG60K      | Tilt and Turn Basic Kit<br>w/ Cremona w/ <b>Key</b><br>(4 Locking Points) | UN      | 1        | -                                                                                                                                                                                                                                                                                                        |
|                                                                                    |             |                                                                           |         |          | <br><br>normal opening<br><br>Standard EN 13126 |

### OBG60 Accessories

| REF.                                                                                | DESIGNATION     | UNITS                        | PACKING | PACK.GR. | FINISHING | OBSERVATIONS    |
|-------------------------------------------------------------------------------------|-----------------|------------------------------|---------|----------|-----------|-----------------|
|  | CMIC            | Compass - Micro Arm          | UN      | 1        | 204       | Zinc            |
|  | CMINI           | Compass - Mini Arm           | UN      | 1        | 192       | Zinc            |
|  | CPEQ            | Compass - Small Arm          | UN      | 1        | 225       | Zinc            |
|  | CGDE            | Compass - Big Arm            | UN      | 1        | 316       | Zinc            |
|  | CSUP            | Additional Arm               | UN      | 1        | 243       | Stainless Steel |
|  | KITH/V<br>18220 | H/V Additional Locking Set   | UN      | 20       | 2814      | Zinc            |
|  | PFSUP<br>18222  | Additional Locking Point Set | UN      | 50       | 2510      | Zinc            |

TILT AND TURN  
GLOBAL PLUS


ALPHA

## OBG60 Accessories

|                                                                                     | REF.          | DESIGNATION                                                                   | UNITS | PACKING | PACK.GR. | FINISHING       | OBSERVATIONS                                   |
|-------------------------------------------------------------------------------------|---------------|-------------------------------------------------------------------------------|-------|---------|----------|-----------------|------------------------------------------------|
|    | OBG2          | Passive Leaf Hinge Set                                                        | UN    | 5       | 2376     | Powder Painting | With regulation                                |
|    | MICROVEN      | Microventilation Set                                                          | UN    | 20      | 1099     | Zinc            | With air intake regulation                     |
|    | 33051         | Passive Leaf Bi-directional Locking Drive Set w/ <b>Simple Zamak Terminal</b> | UN    | 10      | 3009     | Zinc            | In Zamak<br>Only for Central EG                |
|   | FALAV 18219   | Passive Leaf Zamak Lock Set                                                   | UN    | 5       | 2115     | Zinc            | In Zamak<br>Only for Central EG                |
|  | FECRAMPA      | Adjustable Hidden Lock Ramp                                                   | UN    | 50      | 1316     | Zinc            | -                                              |
|  | CAJUSTE 18221 | Leaf Support                                                                  | UN    | 50      | 503      | Black Nylon     | -                                              |
|  | F2FALUM 9310  | Passive Leaf Aluminium Lock Set                                               | UN    | 1       | 93       | Anodized 04     | In Aluminium<br>Only for Central EG            |
|  | L150          | Regulable Limiting Arm w/ <b>150mm</b>                                        | UN    | 40      | 3378     | Powder Painting | With pressure regulation. Stainless Steel Bolt |
|                                                                                     | L220          | Regulable Limiting Arm w/ <b>220mm</b>                                        | UN    | 60      | 5538     | Powder Painting | With pressure regulation. Stainless Steel Bolt |
|                                                                                     | L300          | Regulable Limiting Arm w/ <b>300mm</b>                                        | UN    | 40      | 4162     | Powder Painting | With pressure regulation. Stainless Steel Bolt |



## TILT AND TURN GLOBAL PLUS



### OBG60+ (PLUS)


| REF. | DESIGNATION | UNITS                                                               | PACKING | PACK.GR. | OBSERVATIONS |
|------|-------------|---------------------------------------------------------------------|---------|----------|--------------|
|      | OBG60+      | Tilt and Turn Kit<br>(6 Locking Points)                             | UN      | 1        | -            |
|      | OBG60K+     | Tilt and Turn Kit<br>w/ Cremona w/ <b>Key</b><br>(6 Locking Points) | UN      | 1        | -            |

normal opening

Standard EN 13126

### OBG60+ (PLUS) Accessories

| REF.                                                                                | DESIGNATION     | UNITS                        | PACKING | PACK.GR. | FINISHING | OBSERVATIONS    |               |
|-------------------------------------------------------------------------------------|-----------------|------------------------------|---------|----------|-----------|-----------------|---------------|
|  | CMIC            | Compass - Micro Arm          | UN      | 1        | 204       | Zinc            | (340-430)     |
|  | CMINI           | Compass - Mini Arm           | UN      | 1        | 192       | Zinc            | (370-550)     |
|  | CPEQ            | Compass - Small Arm          | UN      | 1        | 225       | Zinc            | (435-700)     |
|  | CGDE            | Compass - Big Arm            | UN      | 1        | 316       | Zinc            | (563-1000)    |
|  | CSUP            | Additional Arm               | UN      | 1        | 243       | Stainless Steel | 1000<L<1700mm |
|  | KITH/V<br>18220 | H/V Additional Locking Set   | UN      | 20       | 2814      | Zinc            | -             |
|  | PFSUP<br>18222  | Additional Locking Point Set | UN      | 50       | 2510      | Zinc            | -             |

TILT AND TURN  
GLOBAL PLUS


ALPHA

## OBG60+ (PLUS) Accessories

|                                                                                     | REF.              | DESIGNATION                                                                   | UNITS | PACKING | PACK.GR. | FINISHING       | OBSERVATIONS                                   |
|-------------------------------------------------------------------------------------|-------------------|-------------------------------------------------------------------------------|-------|---------|----------|-----------------|------------------------------------------------|
|    | OBG2              | Passive Leaf Hinge Set                                                        | UN    | 5       | 2376     | Powder Painting | With regulation                                |
|    | MICROVEN          | Microventilation Set                                                          | UN    | 20      | 1099     | Zinc            | With air intake regulation                     |
|    | 33051             | Passive Leaf Bi-directional Locking Drive Set w/ <b>Simple Zamak Terminal</b> | UN    | 10      | 3009     | Zinc            | In Zamak<br>Only for Central EG                |
|   | FALAVML<br>18246  | Passive Leaf Zamak Lock Set                                                   | UN    | 5       | 2086     | Zinc            | In Zamak<br>Only for Central EG                |
|  | FECRAMPA          | Adjustable Hidden Lock Ramp                                                   | UN    | 50      | 1316     | Zinc            | -                                              |
|  | CAJUSTE<br>18221  | Leaf Support                                                                  | UN    | 50      | 503      | Black Nylon     | -                                              |
|  | F2FALUM+<br>18245 | Passive Leaf Aluminium Lock Set                                               | UN    | 1       | 148      | Anodized 04     | In Aluminium<br>Only for Central EG            |
|  | L150              | Regulable Limiting Arm w/ <b>150mm</b>                                        | UN    | 40      | 3378     | Powder Painting | With pressure regulation. Stainless Steel Bolt |
|                                                                                     | L220              | Regulable Limiting Arm w/ <b>220mm</b>                                        | UN    | 60      | 5538     | Powder Painting | With pressure regulation. Stainless Steel Bolt |
|                                                                                     | L300              | Regulable Limiting Arm w/ <b>300mm</b>                                        | UN    | 40      | 4162     | Powder Painting | With pressure regulation. Stainless Steel Bolt |



## TILT AND TURN GLOBAL PLUS



### OBG60+ (LOGIC)

| REF. | DESIGNATION                                                                    | UNITS | PACKING | PACK.GR. | OBSERVATIONS                                           |
|------|--------------------------------------------------------------------------------|-------|---------|----------|--------------------------------------------------------|
|      | OBG60+<br>Tilt and turn Kit<br>(6 Locking Points)                              | UN    | 1       | -        |                                                        |
|      | OBG60K+<br>Tilt and turn Kit<br>w/ Cremona w/ <b>Key</b><br>(6 Locking Points) | UN    | 1       | -        | <p>opening logic maneuver</p> <p>Standard EN 13126</p> |

### OBG60+ (LOGIC) Accessories

| REF. | DESIGNATION                                    | UNITS | PACKING | PACK.GR. | FINISHING       | OBSERVATIONS  |
|------|------------------------------------------------|-------|---------|----------|-----------------|---------------|
|      | CPEQML<br><b>TBT</b> Compass - Small Arm       | UN    | 1       | 226      | Zinc            | (435-700)     |
|      | CGDEML<br><b>TBT</b> Compass - Big Arm         | UN    | 1       | 329      | Zinc            | (563-1000)    |
|      | CSUPML<br>Additional Arm                       | UN    | 1       | 243      | Stainless Steel | 1000<L<1700mm |
|      | KITH/V<br>18220<br>H/V Additional Locking Set  | UN    | 20      | 2814     | Zinc            | -             |
|      | PFSUP<br>18222<br>Additional Locking Point Set | UN    | 50      | 2510     | Zinc            | -             |

TILT AND TURN  
GLOBAL PLUS


ALPHA

## OBG60+ (LOGIC) Accessories

|                                                                                     | REF.           | DESIGNATION                                                                   | UNITS | PACKING | PACK.GR. | FINISHING       | OBSERVATIONS                                   |
|-------------------------------------------------------------------------------------|----------------|-------------------------------------------------------------------------------|-------|---------|----------|-----------------|------------------------------------------------|
|    | OBG2           | Passive Leaf Hinge Set                                                        | UN    | 5       | 2376     | Powder Painting | With regulation                                |
|    | MICROVEN       | Microventilation Set                                                          | UN    | 20      | 1099     | Zinc            | With air intake regulation                     |
|    | 33051          | Passive Leaf Bi-directional Locking Drive Set w/ <b>Simple Zamak Terminal</b> | UN    | 10      | 3009     | Zinc            | In Zamak<br>Only for Central EG                |
|   | FALAVML 18246  | Passive Leaf Zamak Lock Set                                                   | UN    | 5       | 2086     | Zinc            | In Zamak<br>Only for Central EG                |
|  | FECRAMPA       | Adjustable Hidden Lock Ramp                                                   | UN    | 50      | 1316     | Zinc            | -                                              |
|  | CAJUSTE 18221  | Leaf Support                                                                  | UN    | 50      | 503      | Black Nylon     | -                                              |
|  | F2FALUM+ 18245 | Passive Leaf Aluminium Lock Set                                               | UN    | 1       | 148      | Anodized 04     | In Aluminium<br>Only for Central EG            |
|  | L150           | Regulable Limiting Arm w/ <b>150mm</b>                                        | UN    | 40      | 3378     | Powder Painting | With pressure regulation. Stainless Steel Bolt |
|                                                                                     | L220           | Regulable Limiting Arm w/ <b>220mm</b>                                        | UN    | 60      | 5538     | Powder Painting | With pressure regulation. Stainless Steel Bolt |
|                                                                                     | L300           | Regulable Limiting Arm w/ <b>300mm</b>                                        | UN    | 40      | 4162     | Powder Painting | With pressure regulation. Stainless Steel Bolt |



## TILT AND TURN GLOBAL PLUS



### OBG60+S (LOGIC)

| REF. | DESIGNATION                                                            | UNITS | PACKING | PACK.GR. | OBSERVATIONS                                                                                             |
|------|------------------------------------------------------------------------|-------|---------|----------|----------------------------------------------------------------------------------------------------------|
|      | OBG60+SD<br>Tilt before turn Kit<br>(Right) w/ Security<br>Key Cremona | UN    | 1       | -        | <br><br>Only tilts when locked<br>opening logic maneuver<br>Opens only unlocked<br><br>Standard EN 13126 |
|      | OBG60+SE<br>Tilt before turn Kit<br>(Left) w/ Security<br>Key Cremona  | UN    | 1       | -        |                                                                                                          |

### OBG60+S (LOGIC) Accessories


| REF. | DESIGNATION                                    | UNITS | PACKING | PACK.GR. | FINISHING       | OBSERVATIONS    |
|------|------------------------------------------------|-------|---------|----------|-----------------|-----------------|
|      | CPEQML<br><b>TBT</b> Compass - Small Arm       | UN    | 1       | 226      | Zinc            | (435-700)       |
|      | CGDEML<br><b>TBT</b> Compass - Big Arm         | UN    | 1       | 329      | Zinc            | (563-1000)      |
|      | CSUPML<br>Additional Arm                       | UN    | 1       | 243      | Stainless Steel | 1000<L<1700mm   |
|      | KITH/V<br>18220<br>H/V Additional Locking Set  | UN    | 20      | 2814     | Zinc            | -               |
|      | PFSUP<br>18222<br>Additional Locking Point Set | UN    | 50      | 2510     | Zinc            | -               |
|      | OBG2<br>Passive Leaf Hinge Set                 | UN    | 5       | 2376     | Powder Painting | With regulation |

TILT AND TURN  
GLOBAL PLUS



ALPHA

## OBG60+S (LOGIC) Accessories


|                                                                                     | REF.              | DESIGNATION                                                               | UNITS | PACKING | PACK.GR. | FINISHING       | OBSERVATIONS                                   |
|-------------------------------------------------------------------------------------|-------------------|---------------------------------------------------------------------------|-------|---------|----------|-----------------|------------------------------------------------|
|    | MICROVEN          | Microventilation Set                                                      | UN    | 20      | 1099     | Zinc            | With air intake regulation                     |
|    | 33051             | Passive Leaf Bi-directional Locking Drive Set<br>w/ Simple Zamak Terminal | UN    | 10      | 3009     | Zinc            | In Zamak<br>Only for Central EG                |
|   | FALAVML<br>18246  | Passive Leaf Zamak Lock Set                                               | UN    | 5       | 2086     | Zinc            | In Zamak<br>Only for Central EG                |
|  | FECRAMPA          | Adjustable Hidden Lock Ramp                                               | UN    | 50      | 1316     | Zinc            | -                                              |
|  | CAJUSTE<br>18221  | Leaf Support                                                              | UN    | 50      | 503      | Black Nylon     | -                                              |
|  | F2FALUM+<br>18245 | Passive Leaf Aluminium Lock Set                                           | UN    | 1       | 148      | Anodized 04     | In Aluminium<br>Only for Central EG            |
|  | L150              | Regulable Limiting Arm<br>w/ 150mm                                        | UN    | 40      | 3378     | Powder Painting | With pressure regulation. Stainless Steel Bolt |
|                                                                                     | L220              | Regulable Limiting Arm<br>w/ 220mm                                        | UN    | 60      | 5538     | Powder Painting | With pressure regulation. Stainless Steel Bolt |
|                                                                                     | L300              | Regulable Limiting Arm<br>w/ 300mm                                        | UN    | 40      | 4162     | Powder Painting | With pressure regulation. Stainless Steel Bolt |



## OBG60G

| REF.                                                                              | DESIGNATION | UNITS                                                              | PACKING | PACK.GR. | OBSERVATIONS                                                                                                                                                                                                                                                                                                                                                      |
|-----------------------------------------------------------------------------------|-------------|--------------------------------------------------------------------|---------|----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | OBG60G      | Tilt and turn Basic Kit<br>f/ <b>Gearbox</b><br>(4 Locking Points) | UN      | 1        | -                                                                                                                                                                                                                                                                                                                                                                 |
|                                                                                   |             |                                                                    |         |          |  <p><b>Gearbox Mechanism</b><br/>sold separately.</p>  <p>normal opening</p>  <p>Standard EN 13126</p> |


## OBG60G Accessories

|                                                                                     | REF.         | DESIGNATION                     | UNITS | PACKING | PACK.GR. | FINISHING       | OBSERVATIONS                            |
|-------------------------------------------------------------------------------------|--------------|---------------------------------|-------|---------|----------|-----------------|-----------------------------------------|
|  | 9322         | Gearbox Mechanism (7mm Axis)    | UN    | 10      | -        | Zinc            | Also available for channel 14x19 - 9327 |
|                                                                                     | 9323         | Gearbox Mechanism (11mm Axis)   | UN    | 10      | -        | Zinc            | Also available for channel 14x19 - 9328 |
|                                                                                     | 9324         | Gearbox Mechanism (13,5mm Axis) | UN    | 10      | -        | Zinc            | Also available for channel 14x19 - 9329 |
|  | CMIC         | Compass - Micro Arm             | UN    | 1       | 204      | Zinc            | (340-430)                               |
|  | CMINI        | Compass - Mini Arm              | UN    | 1       | 192      | Zinc            | (370-550)                               |
|  | CPEQ         | Compass - Small Arm             | UN    | 1       | 225      | Zinc            | (435-700)                               |
|  | CGDE         | Compass - Big Arm               | UN    | 1       | 316      | Zinc            | (563-1000)                              |
|  | CSUP         | Additional Arm                  | UN    | 1       | 243      | Stainless Steel | 1000<L<1700mm                           |
|  | KITH/V 18220 | H/V Additional Locking Set      | UN    | 20      | 2814     | Zinc            | -                                       |

TILT AND TURN  
GLOBAL PLUS


ALPHA

## OBG60G Accessories



|                                                                                     | REF.             | DESIGNATION                                                                         | UNITS | PACKING | PACK.GR. | FINISHING          | OBSERVATIONS                                   |
|-------------------------------------------------------------------------------------|------------------|-------------------------------------------------------------------------------------|-------|---------|----------|--------------------|------------------------------------------------|
|    | PFSUP<br>18222   | Additional Locking Point Set                                                        | UN    | 50      | 2510     | Zinc               | -                                              |
|    | OBG2             | Passive Leaf Hinge Set                                                              | UN    | 5       | 2376     | Powder<br>Painting | With regulation                                |
|    | MICROVEN         | Microventilation Set                                                                | UN    | 20      | 1099     | Zinc               | With air intake regulation                     |
|   | 33051            | Passive Leaf Bi-directional<br>Locking Drive Set<br>w/ <b>Simple Zamak Terminal</b> | UN    | 10      | 3009     | Zinc               | In Zamak<br>Only for Central EG                |
|  | FALAV<br>18219   | Passive Leaf Zamak<br>Lock Set                                                      | UN    | 5       | 2115     | Zinc               | In Zamak<br>Only for Central EG                |
|  | FECRAMPA         | Adjustable Hidden<br>Lock Ramp                                                      | UN    | 50      | 1316     | Zinc               | -                                              |
|  | CAJUSTE<br>18221 | Leaf Support                                                                        | UN    | 50      | 503      | Black Nylon        | -                                              |
|  | F2FALUM<br>9310  | Passive Leaf Aluminium<br>Lock Set                                                  | UN    | 1       | 93       | Anodized 04        | In Aluminium<br>Only for Central EG            |
|  | L150             | Regulable Limiting Arm<br>w/ <b>150mm</b>                                           | UN    | 40      | 3378     | Powder<br>Painting | With pressure regulation. Stainless Steel Bolt |
|                                                                                     | L220             | Regulable Limiting Arm<br>w/ <b>220mm</b>                                           | UN    | 60      | 5538     | Powder<br>Painting | With pressure regulation. Stainless Steel Bolt |
|                                                                                     | L300             | Regulable Limiting Arm<br>w/ <b>300mm</b>                                           | UN    | 40      | 4162     | Powder<br>Painting | With pressure regulation. Stainless Steel Bolt |



## TILT AND TURN GLOBAL PLUS



### OBG60G+ (PLUS)

| REF. | DESIGNATION | UNITS | PACKING | PACK.GR. | OBSERVATIONS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|------|-------------|-------|---------|----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|      |             |       |         |          |  <p>OBG60G+</p> <p>Tilt and turn Kit<br/>f/ <b>Gearbox</b><br/>(6 Locking Points)</p> <p>UN 1 -</p> <p>  <br/> <b>Gearbox Mechanism</b><br/>sold separately </p> <p>  <br/> normal opening </p> <p>  <br/> Standard EN 13126 </p> |

### OBG60G+ (PLUS) Accessories

|                                                                                     | REF.            | DESIGNATION                        | UNITS | PACKING | PACK.GR. | FINISHING       | OBSERVATIONS                            |
|-------------------------------------------------------------------------------------|-----------------|------------------------------------|-------|---------|----------|-----------------|-----------------------------------------|
|  | 9322            | Gearbox Mechanism<br>(7mm Axis)    | UN    | 10      | -        | Zinc            | Also available for channel 14x19 - 9327 |
|                                                                                     | 9323            | Gearbox Mechanism<br>(11mm Axis)   | UN    | 10      | -        | Zinc            | Also available for channel 14x19 - 9328 |
|                                                                                     | 9324            | Gearbox Mechanism<br>(13,5mm Axis) | UN    | 10      | -        | Zinc            | Also available for channel 14x19 - 9329 |
|  | CMIC            | Compass - Micro Arm                | UN    | 1       | 204      | Zinc            | (340-430)                               |
|  | CMINI           | Compass - Mini Arm                 | UN    | 1       | 192      | Zinc            | (370-550)                               |
|  | CPEQ            | Compass - Small Arm                | UN    | 1       | 225      | Zinc            | (435-700)                               |
|  | CGDE            | Compass - Big Arm                  | UN    | 1       | 316      | Zinc            | (563-1000)                              |
|  | CSUP            | Additional Arm                     | UN    | 1       | 243      | Stainless Steel | 1000<L<1700mm                           |
|  | KITH/V<br>18220 | H/V Additional Locking Set         | UN    | 20      | 2814     | Zinc            | -                                       |

TILT AND TURN  
GLOBAL PLUS


ALPHA

## OBG60G+ (PLUS) Accessories

|                                                                                     | REF.              | DESIGNATION                                                                         | UNITS | PACKING | PACK.GR. | FINISHING          | OBSERVATIONS                                   |
|-------------------------------------------------------------------------------------|-------------------|-------------------------------------------------------------------------------------|-------|---------|----------|--------------------|------------------------------------------------|
|    | PFSUP<br>18222    | Additional Locking Point Set                                                        | UN    | 50      | 2510     | Zinc               | -                                              |
|    | OBG2              | Passive Leaf Hinge Set                                                              | UN    | 5       | 2376     | Powder<br>Painting | With regulation                                |
|    | MICROVEN          | Microventilation Set                                                                | UN    | 20      | 1099     | Zinc               | With air intake regulation                     |
|   | 33051             | Passive Leaf Bi-directional<br>Locking Drive Set<br>w/ <b>Simple Zamak Terminal</b> | UN    | 10      | 3009     | Zinc               | In Zamak<br>Only for Central EG                |
|  | FALAVML<br>18246  | Passive Leaf Zamak<br>Lock Set                                                      | UN    | 5       | 2086     | Zinc               | In Zamak<br>Only for Central EG                |
|  | FECRAMPA          | Adjustable Hidden<br>Lock Ramp                                                      | UN    | 50      | 1316     | Zinc               | -                                              |
|  | CAJUSTE<br>18221  | Leaf Support                                                                        | UN    | 50      | 503      | Black Nylon        | -                                              |
|  | F2FALUM+<br>18245 | Passive Leaf Aluminium<br>Lock Set                                                  | UN    | 1       | 148      | Anodized 04        | In Aluminium<br>Only for Central EG            |
|  | L150              | Regulable Limiting Arm<br>w/ <b>150mm</b>                                           | UN    | 40      | 3378     | Powder<br>Painting | With pressure regulation. Stainless Steel Bolt |
|                                                                                     | L220              | Regulable Limiting Arm<br>w/ <b>220mm</b>                                           | UN    | 60      | 5538     | Powder<br>Painting | With pressure regulation. Stainless Steel Bolt |
|                                                                                     | L300              | Regulable Limiting Arm<br>w/ <b>300mm</b>                                           | UN    | 40      | 4162     | Powder<br>Painting | With pressure regulation. Stainless Steel Bolt |



## TILT AND TURN GLOBAL PLUS



### OBG60G+ (LOGIC)

| REF. | DESIGNATION                                                                 | UNITS | PACKING | PACK.GR. | OBSERVATIONS                                                                                           |
|------|-----------------------------------------------------------------------------|-------|---------|----------|--------------------------------------------------------------------------------------------------------|
|      | OBG60G+<br><br>Tilt and turn Kit<br>f/ <b>Gearbox</b><br>(6 Locking Points) | UN    | 1       | -        | <br><b>Gearbox Mechanism</b><br>sold separately<br><br>opening logic maneuver<br><br>Standard EN 13126 |

### OBG60+S (LOGIC) Accessories

| REF. | DESIGNATION                                    | UNITS | PACKING | PACK.GR. | FINISHING       | OBSERVATIONS                            |
|------|------------------------------------------------|-------|---------|----------|-----------------|-----------------------------------------|
|      | 9322<br>Gearbox Mechanism<br>(7mm Axis)        | UN    | 10      | -        | Zinc            | Also available for channel 14x19 - 9327 |
|      | 9323<br>Gearbox Mechanism<br>(11mm Axis)       | UN    | 10      | -        | Zinc            | Also available for channel 14x19 - 9328 |
|      | 9324<br>Gearbox Mechanism<br>(13,5mm Axis)     | UN    | 10      | -        | Zinc            | Also available for channel 14x19 - 9329 |
|      | CPEQML<br><b>TBT</b> Compass - Small Arm       | UN    | 1       | 226      | Zinc            | (435-700)                               |
|      | CGDEML<br><b>TBT</b> Compass - Big Arm         | UN    | 1       | 329      | Zinc            | (563-1000)                              |
|      | CSUPML<br>Additional Arm                       | UN    | 1       | 243      | Stainless Steel | 1000<L<1700mm                           |
|      | KITH/V<br>18220<br>H/V Additional Locking Set  | UN    | 20      | 2814     | Zinc            | -                                       |
|      | PFSUP<br>18222<br>Additional Locking Point Set | UN    | 50      | 2510     | Zinc            | -                                       |

TILT AND TURN  
GLOBAL PLUS


ALPHA

## OBG60+S (LOGIC) Accessories

|                                                                                     | REF.              | DESIGNATION                                                                      | UNITS | PACKING | PACK.GR. | FINISHING       | OBSERVATIONS                                   |
|-------------------------------------------------------------------------------------|-------------------|----------------------------------------------------------------------------------|-------|---------|----------|-----------------|------------------------------------------------|
|    | OBG2              | Passive Leaf Hinge Set                                                           | UN    | 5       | 2376     | Powder Painting | With regulation                                |
|    | MICROVEN          | Microventilation Set                                                             | UN    | 20      | 1099     | Zinc            | With air intake regulation                     |
|   | 33051             | Passive Leaf Bi-directional Locking Drive Set<br>w/ <b>Simple Zamak Terminal</b> | UN    | 10      | 3009     | Zinc            | In Zamak<br>Only for Central EG                |
|  | FALAVML<br>18246  | Passive Leaf Zamak Lock Set                                                      | UN    | 5       | 2086     | Zinc            | In Zamak<br>Only for Central EG                |
|  | FECRAMPA          | Adjustable Hidden Lock Ramp                                                      | UN    | 50      | 1316     | Zinc            | -                                              |
|  | CAJUSTE<br>18221  | Leaf Support                                                                     | UN    | 50      | 503      | Black Nylon     | -                                              |
|  | F2FALUM+<br>18245 | Passive Leaf Aluminium Lock Set                                                  | UN    | 1       | 148      | Anodized 04     | In Aluminium<br>Only for Central EG            |
|  | L150              | Regulable Limiting Arm<br>w/ <b>150mm</b>                                        | UN    | 40      | 3378     | Powder Painting | With pressure regulation. Stainless Steel Bolt |
|                                                                                     | L220              | Regulable Limiting Arm<br>w/ <b>220mm</b>                                        | UN    | 60      | 5538     | Powder Painting | With pressure regulation. Stainless Steel Bolt |
|                                                                                     | L300              | Regulable Limiting Arm<br>w/ <b>300mm</b>                                        | UN    | 40      | 4162     | Powder Painting | With pressure regulation. Stainless Steel Bolt |



## TILT AND TURN GLOBAL PLUS



### OBG60C10

| REF.                          | DESIGNATION | UNITS                                                                     | PACKING | PACK.GR. | OBSERVATIONS |
|-------------------------------|-------------|---------------------------------------------------------------------------|---------|----------|--------------|
|                               | OBG60C10    | Tilt and turn Basic Kit<br>(4 Locking Points)                             | UN      | 1        | -            |
|                               | OBG60C10    | Tilt and turn Basic Kit<br>w/ <b>Cremona w/ Key</b><br>(4 Locking Points) | UN      | 1        | -            |
| <br><br><br>Standard EN 13126 |             |                                                                           |         |          |              |


### OBG6C10 Accessories

| REF. | DESIGNATION     | UNITS                      | PACKING | PACK.GR. | FINISHING | OBSERVATIONS    |
|------|-----------------|----------------------------|---------|----------|-----------|-----------------|
|      | CMIC            | Compass - Micro Arm        | UN      | 1        | 204       | Zinc            |
|      | CMINI           | Compass - Mini Arm         | UN      | 1        | 192       | Zinc            |
|      | CPEQ            | Compass - Small Arm        | UN      | 1        | 225       | Zinc            |
|      | CGDE            | Compass - Big Arm          | UN      | 1        | 316       | Zinc            |
|      | CSUP            | Additional Arm             | UN      | 1        | 243       | Stainless Steel |
|      | KITH/V<br>18286 | H/V Additional Locking Set | UN      | 20       | 2814      | Zinc            |

TILT AND TURN  
GLOBAL PLUS


ALPHA

## OBG6C10 Accessories

|                                                                                     | REF.             | DESIGNATION                                                                         | UNITS | PACKING | PACK.GR. | FINISHING          | OBSERVATIONS                                   |
|-------------------------------------------------------------------------------------|------------------|-------------------------------------------------------------------------------------|-------|---------|----------|--------------------|------------------------------------------------|
|    | PFSUP<br>18255   | Additional Locking Point Set                                                        | UN    | 50      | 2488     | Zinc               | -                                              |
|    | OBG2             | Passive Leaf Hinge Set                                                              | UN    | 5       | 2376     | Powder<br>Painting | With regulation                                |
|   | 33051            | Passive Leaf Bi-directional<br>Locking Drive Set<br>w/ <b>Simple Zamak Terminal</b> | UN    | 10      | 3009     | Zinc               | In Zamak<br>Only for Central EG                |
|  | CAJUSTE<br>18221 | Leaf Support                                                                        | UN    | 50      | 503      | Black Nylon        | -                                              |
|  | F2FALUM<br>9310  | Passive Leaf Aluminium<br>Lock Set                                                  | UN    | 1       | 93       | Anodized 04        | In Aluminium<br>Only for Central EG            |
|  | L150             | Regulable Limiting Arm<br>w/ <b>150mm</b>                                           | UN    | 40      | 3378     | Powder<br>Painting | With pressure regulation. Stainless Steel Bolt |
|                                                                                     | L220             | Regulable Limiting Arm<br>w/ <b>220mm</b>                                           | UN    | 60      | 5538     | Powder<br>Painting | With pressure regulation. Stainless Steel Bolt |
|                                                                                     | L300             | Regulable Limiting Arm<br>w/ <b>300mm</b>                                           | UN    | 40      | 4162     | Powder<br>Painting | With pressure regulation. Stainless Steel Bolt |



## TILT AND TURN GLOBAL PLUS



### OBG60+SC10 (LOGIC)

| REF. | DESIGNATION | UNITS                                                          | PACKING | PACK.GR. | OBSERVATIONS                                                                                                 |
|------|-------------|----------------------------------------------------------------|---------|----------|--------------------------------------------------------------------------------------------------------------|
|      | OBG60+SDC10 | Tilt before turn Kit C10<br>(Right) w/ Security<br>Key Cremona | UN      | 1        | -                                                                                                            |
|      | OBG60+SEC10 | Tilt before turn Kit C10<br>(Left) w/ Security<br>Key Cremona  | UN      | 1        | -                                                                                                            |
|      |             |                                                                |         |          | <br><br>Only tilts when locked      opening logic maneuver      Opens only unlocked<br><br>Standard EN 13126 |

### OBG60+SC10 (LOGIC) Accessories

| REF. | DESIGNATION     | UNITS                        | PACKING | PACK.GR. | FINISHING | OBSERVATIONS    |
|------|-----------------|------------------------------|---------|----------|-----------|-----------------|
|      | CPEQML          | TBT Compass - Small Arm      | UN      | 1        | 226       | Zinc            |
|      | CGDEML          | TBT Compass - Big Arm        | UN      | 1        | 329       | Zinc            |
|      | CSUPML          | Additional Arm               | UN      | 1        | 243       | Stainless Steel |
|      | KITH/V<br>18286 | H/V Additional Locking Set   | UN      | 20       | 2814      | Zinc            |
|      | PFSUP<br>18255  | Additional Locking Point Set | UN      | 50       | 2488      | Zinc            |

TILT AND TURN  
GLOBAL PLUS

ALPHA

## OBG60+SC10 (LOGIC) Accessories

| REF.                                                                                | DESIGNATION    | UNITS                                  | PACKING | PACK.GR. | FINISHING | OBSERVATIONS    |                                                |
|-------------------------------------------------------------------------------------|----------------|----------------------------------------|---------|----------|-----------|-----------------|------------------------------------------------|
|    | OBG2           | Passive Leaf Hinge Set                 | UN      | 5        | 2376      | Powder Painting | With regulation                                |
|    | CAJUSTE 18221  | Leaf Support                           | UN      | 50       | 503       | Black Nylon     | -                                              |
|   | F2FALUM+ 18245 | Passive Leaf Aluminium Lock Set        | UN      | 1        | 148       | Anodized 04     | In Aluminium Only for Central EG               |
|  | L150           | Regulable Limiting Arm w/ <b>150mm</b> | UN      | 40       | 3378      | Powder Painting | With pressure regulation. Stainless Steel Bolt |
|                                                                                     | L220           | Regulable Limiting Arm w/ <b>220mm</b> | UN      | 60       | 5538      | Powder Painting | With pressure regulation. Stainless Steel Bolt |
|                                                                                     | L300           | Regulable Limiting Arm w/ <b>300mm</b> | UN      | 40       | 4162      | Powder Painting | With pressure regulation. Stainless Steel Bolt |

|                                                                                     |       |                                            |    |   |   |                                        |
|-------------------------------------------------------------------------------------|-------|--------------------------------------------|----|---|---|----------------------------------------|
|  | MAQ01 | Manual Machine with Roller for Tilt & Turn | UN | 1 | - | Available for all tilt-and-turn models |
|-------------------------------------------------------------------------------------|-------|--------------------------------------------|----|---|---|----------------------------------------|



|  | REF.   | DESIGNATION                                                                        | UNITS | PACKING | PACK.GR. | FINISHING       | OBSERVATIONS                                                  |
|--|--------|------------------------------------------------------------------------------------|-------|---------|----------|-----------------|---------------------------------------------------------------|
|  | 6020   | Cremona for Euro Groove (Euro Fixation)                                            | UN    | 12      | .        | Powder Painting | Also available w/ M and L pales                               |
|  | 6020K  | Cremona for Euro Groove w/ <b>Key</b> (Euro Fixation)                              | UN    | 10      | .        | Powder Painting | Also available w/ M and L pales<br><b>Equal Keys</b>          |
|  | 6045S  | Cremona for Tilt-turn Euro Groove - <b>12mm</b> Pale (Euro Fixation)               | UN    | 10      | .        | Powder Painting | -                                                             |
|  | 6045SK | Cremona for Tilt-turn Euro Groove w/ <b>Key</b> - <b>12mm</b> Pale (Euro Fixation) | UN    | 10      | .        | Powder Painting | <b>Equal Keys</b>                                             |
|  | 6008   | Handle 3 Positions (Square of 7mm x <b>32mm</b> )                                  | UN    | 10      | .        | Powder Painting | Also available w/ Square of 7x23mm (6008C) and 7x60mm (6008L) |
|  | 6008DO | <b>Double</b> Handle 3 Positions (Square of 7mm x <b>33 a 45mm</b> )               | PAR   | 6       | .        | Powder Painting | -                                                             |
|  | 6015   | <b>Double</b> Spring-loaded Handle for Doors (Square of 8mm x <b>100mm</b> )       | PAR   | 12      | .        | Powder Painting | Also available w/ Square of 8x140mm (6015L)                   |
|  | 33069  | Lock Shield for Cylinder                                                           | UN    | 25      | -        | Powder Painting | -                                                             |

NOTE: Screws included except where indicated.

GLOBAL PLUS  
LINE




ALPHA

# GLOBAL PLUS







## TILT AND TURN GLOBAL



### OBG6SC

| REF.                                                                                | DESIGNATION | UNITS                                                                        | PACKING | PACK.GR. | OBSERVATIONS |
|-------------------------------------------------------------------------------------|-------------|------------------------------------------------------------------------------|---------|----------|--------------|
|    | OBG6SC      | Soft Tilt and turn Basic Kit (4 Locking Points)                              | UN      | 1        | 1115         |
|   | OBG6KSC     | Soft Tilt and turn Basic Kit w/ <b>Cremona w/ Key</b> (4 Locking Points)     | UN      | 1        | 1136         |
|  | OBG6PSC     | Soft Tilt and turn Basic Kit w/ <b>Cremona w/o Handle</b> (4 Locking Points) | UN      | 1        | 1030         |



normal opening



Standard EN 13126



Handle for OBG6P - 47P (Chapter Global Line - Pág. F2)

### OBG6SC Accessories

| REF. | DESIGNATION   | UNITS                             | PACKING | PACK.GR. | FINISHING | OBSERVATIONS                     |
|------|---------------|-----------------------------------|---------|----------|-----------|----------------------------------|
|      | CPEQSC        | Soft Compass - Small Arm          | UN      | 1        | 238       | Zinc<br>(435-700)                |
|      | CGDESC        | Soft Compass - Big Arm            | UN      | 1        | 331       | Zinc<br>(563-1000)               |
|      | CSUP          | Additional Arm                    | UN      | 1        | 243       | Stainless Steel<br>1000<L<1700mm |
|      | KITH/VSC      | Soft H/V Additional Locking Set   | UN      | 20       | -         | Zinc<br>-                        |
|      | PFSUPSC 18256 | Soft Additional Locking Point Set | UN      | 50       | -         | Zinc<br>-                        |

TILT AND TURN  
GLOBAL


ALPHA

## OBG6SC Accessories



|                                                                                     | REF.          | DESIGNATION                                                                      | UNITS | PACKING | PACK.GR. | FINISHING       | OBSERVATIONS                                   |
|-------------------------------------------------------------------------------------|---------------|----------------------------------------------------------------------------------|-------|---------|----------|-----------------|------------------------------------------------|
|    | PFSUPSC 18258 | <b>Soft</b> Additional Locking Point Set                                         | UN    | 50      | -        | Zinc            | -                                              |
|    | OBG2          | Passive Leaf Hinge Set                                                           | UN    | 5       | 2376     | Powder Painting | With regulation                                |
|    | MICROVEN      | Microventilation Set                                                             | UN    | 20      | 1099     | Zinc            | With air intake regulation                     |
|   | 33051         | Passive Leaf Bi-directional Locking Drive Set<br>w/ <b>Simple Zamak Terminal</b> | UN    | 10      | 3009     | Zinc            | In Zamak<br>Only for Central EG                |
|  | FALAV 18219   | Passive Leaf Zamak Lock Set                                                      | UN    | 5       | 2115     | Zinc            | In Zamak<br>Only for Central EG                |
|  | FECRAMPA      | Adjustable Hidden Lock Ramp                                                      | UN    | 50      | 1316     | Zinc            | -                                              |
|  | CAJUSTE 18221 | Leaf Support                                                                     | UN    | 50      | 503      | Black Nylon     | -                                              |
|  | L150          | Regulable Limiting Arm<br>w/ <b>150mm</b>                                        | UN    | 40      | 3378     | Powder Painting | With pressure regulation. Stainless Steel Bolt |
|                                                                                     | L220          | Regulable Limiting Arm<br>w/ <b>220mm</b>                                        | UN    | 60      | 5538     | Powder Painting | With pressure regulation. Stainless Steel Bolt |
|                                                                                     | L300          | Regulable Limiting Arm<br>w/ <b>300mm</b>                                        | UN    | 40      | 4162     | Powder Painting | With pressure regulation. Stainless Steel Bolt |




## TILT AND TURN GLOBAL



### OBG6

| REF.                                                                               | DESIGNATION | UNITS                                                                             | PACKING | PACK.GR. | OBSERVATIONS |                                                                                                                                                                                                                                                                                                                                                                                 |
|------------------------------------------------------------------------------------|-------------|-----------------------------------------------------------------------------------|---------|----------|--------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|   | OBG6        | Tilt and turn Basic Kit<br>(4 Locking Points)                                     | UN      | 1        | 1092         | <br><br><br>normal opening<br><br><br>Standard EN 13126<br><br>Handle for OBG6P - 47P (Chapter Global Line - Pág. F2) |
|   | OBG6K       | Tilt and turn Basic Kit<br>w/ <b>Cremona w/ Key</b><br>(4 Locking Points)         | UN      | 1        | 1125         |                                                                                                                                                                                                                                                                                                                                                                                 |
|  | OBG6P       | Tilt and turn Basic<br>Kit w/ <b>Cremona w/o<br/>Handle</b><br>(4 Locking Points) | UN      | 1        | 1030         |                                                                                                                                                                                                                                                                                                                                                                                 |

### OBG6 Accessories

|                                                                                     | REF.            | DESIGNATION                  | UNITS | PACKING | PACK.GR. | FINISHING       | OBSERVATIONS  |
|-------------------------------------------------------------------------------------|-----------------|------------------------------|-------|---------|----------|-----------------|---------------|
|  | CMIC            | Compass - Micro Arm          | UN    | 1       | 204      | Zinc            | (340-430)     |
|  | CMINI           | Compass - Mini Arm           | UN    | 1       | 192      | Zinc            | (370-550)     |
|  | CPEQ            | Compass - Small Arm          | UN    | 1       | 225      | Zinc            | (435-700)     |
|  | CGDE            | Compass - Big Arm            | UN    | 1       | 316      | Zinc            | (563-1000)    |
|  | CSUP            | Additional Arm               | UN    | 1       | 243      | Stainless Steel | 1000<L<1700mm |
|  | KITH/V<br>18220 | H/V Additional Locking Set   | UN    | 20      | 2814     | Zinc            | -             |
|  | PFSUP<br>18222  | Additional Locking Point Set | UN    | 50      | 2510     | Zinc            | -             |


TILT AND TURN  
GLOBAL

## OBG6 Accessories



|                                                                                     | REF.             | DESIGNATION                                                                      | UNITS | PACKING | PACK.GR. | FINISHING       | OBSERVATIONS                                   |
|-------------------------------------------------------------------------------------|------------------|----------------------------------------------------------------------------------|-------|---------|----------|-----------------|------------------------------------------------|
|    | OBG2             | Passive Leaf Hinge Set                                                           | UN    | 5       | 2376     | Powder Painting | With regulation                                |
|    | MICROVEN         | Microventilation Set                                                             | UN    | 20      | 1099     | Zinc            | With air intake regulation                     |
|    | 33051            | Passive Leaf Bi-directional Locking Drive Set<br>w/ <b>Simple Zamak Terminal</b> | UN    | 10      | 3009     | Zinc            | In Zamak<br>Only for Central EG                |
|   | FALAV<br>18219   | Passive Leaf Zamak Lock Set                                                      | UN    | 5       | 2115     | Zinc            | In Zamak<br>Only for Central EG                |
|  | FECRAMPA         | Adjustable Hidden Lock Ramp                                                      | UN    | 50      | 1316     | Zinc            | -                                              |
|  | CAJUSTE<br>18221 | Leaf Support                                                                     | UN    | 50      | 503      | Black Nylon     | -                                              |
|  | F2FALUM<br>9310  | Passive Leaf Aluminium Lock Set                                                  | UN    | 1       | 93       | Anodized 04     | In Aluminium<br>Only for Central EG            |
|  | L150             | Regulable Limiting Arm<br>w/ <b>150mm</b>                                        | UN    | 40      | 3378     | Powder Painting | With pressure regulation. Stainless Steel Bolt |
|                                                                                     | L220             | Regulable Limiting Arm<br>w/ <b>220mm</b>                                        | UN    | 60      | 5538     | Powder Painting | With pressure regulation. Stainless Steel Bolt |
|                                                                                     | L300             | Regulable Limiting Arm<br>w/ <b>300mm</b>                                        | UN    | 40      | 4162     | Powder Painting | With pressure regulation. Stainless Steel Bolt |



## TILT AND TURN GLOBAL



### OBG6+ (PLUS)

| REF.                                                                                | DESIGNATION | UNITS                                                                   | PACKING | PACK.GR. | OBSERVATIONS |                                                                                                                                                                                                                                                                                                                                                                                 |
|-------------------------------------------------------------------------------------|-------------|-------------------------------------------------------------------------|---------|----------|--------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|    | OBG6+       | Tilt and turn Kit<br>(6 Locking Points)                                 | UN      | 1        | 1234         | <br><br><br>normal opening<br><br><br>Standard EN 13126<br><br>Handle for OBG+P - 47P (Chapter Global Line - Pág. F2) |
|   | OBG6K+      | Tilt and turn Kit<br>w/ <b>Cremona w/ Key</b><br>(6 Locking Points)     | UN      | 1        | 1267         |                                                                                                                                                                                                                                                                                                                                                                                 |
|  | OBG+P       | Tilt and turn Kit w/<br><b>Cremona w/o Handle</b><br>(6 Locking Points) | UN      | 1        | 1172         |                                                                                                                                                                                                                                                                                                                                                                                 |

### OBG6+ (PLUS) Accessories

| REF.                                                                                | DESIGNATION     | UNITS                        | PACKING | PACK.GR. | FINISHING | OBSERVATIONS    |               |
|-------------------------------------------------------------------------------------|-----------------|------------------------------|---------|----------|-----------|-----------------|---------------|
|  | CMIC            | Compass - Micro Arm          | UN      | 1        | 204       | Zinc            | (340-430)     |
|  | CMINI           | Compass - Mini Arm           | UN      | 1        | 192       | Zinc            | (370-550)     |
|  | CPEQ            | Compass - Small Arm          | UN      | 1        | 225       | Zinc            | (435-700)     |
|  | CGDE            | Compass - Big Arm            | UN      | 1        | 316       | Zinc            | (563-1000)    |
|  | CSUP            | Additional Arm               | UN      | 1        | 243       | Stainless Steel | 1000<L<1700mm |
|  | KITH/V<br>18220 | H/V Additional Locking Set   | UN      | 20       | 2814      | Zinc            | -             |
|  | PFSUP<br>18222  | Additional Locking Point Set | UN      | 50       | 2510      | Zinc            | -             |


TILT AND TURN  
GLOBAL

## OBG6+ (PLUS) Accessories



|                                                                                     | REF.           | DESIGNATION                                                                   | UNITS | PACKING | PACK.GR. | FINISHING       | OBSERVATIONS                                   |
|-------------------------------------------------------------------------------------|----------------|-------------------------------------------------------------------------------|-------|---------|----------|-----------------|------------------------------------------------|
|    | OBG2           | Passive Leaf Hinge Set                                                        | UN    | 5       | 2376     | Powder Painting | With regulation                                |
|    | MICROVEN       | Microventilation Set                                                          | UN    | 20      | 1099     | Zinc            | With air intake regulation                     |
|    | 33051          | Passive Leaf Bi-directional Locking Drive Set w/ <b>Simple Zamak Terminal</b> | UN    | 10      | 3009     | Zinc            | In Zamak<br>Only for Central EG                |
|   | FALAVML 18246  | Passive Leaf Zamak Lock Set                                                   | UN    | 5       | 2086     | Zinc            | In Zamak<br>Only for Central EG                |
|  | FECRAMPA       | Adjustable Hidden Lock Ramp                                                   | UN    | 50      | 1316     | Zinc            | -                                              |
|  | CAJUSTE 18221  | Leaf Support                                                                  | UN    | 50      | 503      | Black Nylon     | -                                              |
|  | F2FALUM+ 18245 | Passive Leaf Aluminium Lock Set                                               | UN    | 1       | 148      | Anodized 04     | In Aluminium<br>Only for Central EG            |
|  | L150           | Regulable Limiting Arm w/ <b>150mm</b>                                        | UN    | 40      | 3378     | Powder Painting | With pressure regulation. Stainless Steel Bolt |
|                                                                                     | L220           | Regulable Limiting Arm w/ <b>220mm</b>                                        | UN    | 60      | 5538     | Powder Painting | With pressure regulation. Stainless Steel Bolt |
|                                                                                     | L300           | Regulable Limiting Arm w/ <b>300mm</b>                                        | UN    | 40      | 4162     | Powder Painting | With pressure regulation. Stainless Steel Bolt |




## TILT AND TURN GLOBAL



### OBG6+ (LOGIC)

| REF.                                                                                | DESIGNATION                                                                          | UNITS | PACKING | PACK.GR. | OBSERVATIONS                                                                                                                                                                                                                                                                                                                                                                            |
|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|-------|---------|----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|    | OBG6+<br><br>Tilt and turn Kit<br>(6 Locking Points)                                 | UN    | 1       | 1234     | <br><br><br>opening logic maneuver<br><br><br>Standard EN 13126<br><br>Handle for OBG+P - 47P (Chapter Global Line - Pág. F2) |
|   | OBG6K+<br><br>Tilt and turn Kit<br>w/ <b>Cremona w/ Key</b><br>(6 Locking Points)    | UN    | 1       | 1267     |                                                                                                                                                                                                                                                                                                                                                                                         |
|  | OBG+P<br><br>Tilt and turn Kit<br>w/ <b>Cremona w/o Handle</b><br>(6 Locking Points) | UN    | 1       | 1172     |                                                                                                                                                                                                                                                                                                                                                                                         |

### OBG6+ (LOGIC) Accessories

| REF.                                                                                | DESIGNATION     | UNITS                        | PACKING | PACK.GR. | FINISHING | OBSERVATIONS    |               |
|-------------------------------------------------------------------------------------|-----------------|------------------------------|---------|----------|-----------|-----------------|---------------|
|  | CPEQML          | TBT Compass - Small Arm      | UN      | 1        | 226       | Zinc            | (435-700)     |
|  | CGDEML          | TBT Compass - Big Arm        | UN      | 1        | 329       | Zinc            | (563-1000)    |
|  | CSUPML          | Additional Arm               | UN      | 1        | 243       | Stainless Steel | 1000<L<1700mm |
|  | KITH/V<br>18220 | H/V Additional Locking Set   | UN      | 20       | 2814      | Zinc            | -             |
|  | PFSUP<br>18222  | Additional Locking Point Set | UN      | 50       | 2510      | Zinc            | -             |


TILT AND TURN  
GLOBAL

## OBG6+ (LOGIC) Accessories

|                                                                                     | REF.              | DESIGNATION                                                               | UNITS | PACKING | PACK.GR. | FINISHING       | OBSERVATIONS                                   |
|-------------------------------------------------------------------------------------|-------------------|---------------------------------------------------------------------------|-------|---------|----------|-----------------|------------------------------------------------|
|    | OBG2              | Passive Leaf Hinge Set                                                    | UN    | 5       | 2376     | Powder Painting | With regulation                                |
|    | MICROVEN          | Microventilation Set                                                      | UN    | 20      | 1099     | Zinc            | With air intake regulation                     |
|    | 33051             | Passive Leaf Bi-directional Locking Drive Set<br>w/ Simple Zamak Terminal | UN    | 10      | 3009     | Zinc            | In Zamak<br>Only for Central EG                |
|   | FALAVML<br>18246  | Passive Leaf Zamak Lock Set                                               | UN    | 5       | 2086     | Zinc            | In Zamak<br>Only for Central EG                |
|  | FECRAMPA          | Adjustable Hidden Lock Ramp                                               | UN    | 50      | 1316     | Zinc            | -                                              |
|  | CAJUSTE<br>18221  | Leaf Support                                                              | UN    | 50      | 503      | Black Nylon     | -                                              |
|  | F2FALUM+<br>18245 | Passive Leaf Aluminium Lock Set                                           | UN    | 1       | 148      | Anodized 04     | In Aluminium<br>Only for Central EG            |
|  | L150              | Regulable Limiting Arm<br>w/ 150mm                                        | UN    | 40      | 3378     | Powder Painting | With pressure regulation. Stainless Steel Bolt |
|                                                                                     | L220              | Regulable Limiting Arm<br>w/ 220mm                                        | UN    | 60      | 5538     | Powder Painting | With pressure regulation. Stainless Steel Bolt |
|                                                                                     | L300              | Regulable Limiting Arm<br>w/ 300mm                                        | UN    | 40      | 4162     | Powder Painting | With pressure regulation. Stainless Steel Bolt |



## TILT AND TURN GLOBAL



### OBG6+S (LOGIC)

| REF. | DESIGNATION                                                          | UNITS | PACKING | PACK.GR. | OBSERVATIONS                  |
|------|----------------------------------------------------------------------|-------|---------|----------|-------------------------------|
|      | OBG+SD<br>Tilt before turn Kit<br>(Right) w/ Security<br>Key Cremona | UN    | 1       | 1252     | <br><br><br>Standard EN 13126 |
|      | OBG+SE<br>Tilt before turn Kit<br>(Left) w/ Security<br>Key Cremona  | UN    | 1       | 1252     |                               |

### OBG6+S (LOGIC) Accessories


| REF. | DESIGNATION                                    | UNITS | PACKING | PACK.GR. | FINISHING       | OBSERVATIONS    |
|------|------------------------------------------------|-------|---------|----------|-----------------|-----------------|
|      | CPEQML<br><b>TBT</b> Compass - Small Arm       | UN    | 1       | 226      | Zinc            | (435-700)       |
|      | CGDEML<br><b>TBT</b> Compass - Big Arm         | UN    | 1       | 329      | Zinc            | (563-1000)      |
|      | CSUPML<br>Additional Arm                       | UN    | 1       | 243      | Stainless Steel | 1000<L<1700mm   |
|      | KITH/V<br>18220<br>H/V Additional Locking Set  | UN    | 20      | 2814     | Zinc            | -               |
|      | PFSUP<br>18222<br>Additional Locking Point Set | UN    | 50      | 2510     | Zinc            | -               |
|      | OBG2<br>Passive Leaf Hinge Set                 | UN    | 5       | 2376     | Powder Painting | With regulation |



TILT AND TURN  
GLOBAL

ALPHA


## OBG6+S (LOGIC) Accessories

|                                                                                     | REF.           | DESIGNATION                                                                   | UNITS | PACKING | PACK.GR. | FINISHING       | OBSERVATIONS                                   |
|-------------------------------------------------------------------------------------|----------------|-------------------------------------------------------------------------------|-------|---------|----------|-----------------|------------------------------------------------|
|    | MICROVEN       | Microventilation Set                                                          | UN    | 20      | 1099     | Zinc            | With air intake regulation                     |
|    | 33051          | Passive Leaf Bi-directional Locking Drive Set w/ <b>Simple Zamak Terminal</b> | UN    | 10      | 3009     | Zinc            | In Zamak<br>Only for Central EG                |
|   | FALAVML 18246  | Passive Leaf Zamak Lock Set                                                   | UN    | 5       | 2086     | Zinc            | In Zamak<br>Only for Central EG                |
|  | FECRAMPA       | Adjustable Hidden Lock Ramp                                                   | UN    | 50      | 1316     | Zinc            | -                                              |
|  | CAJUSTE 18221  | Leaf Support                                                                  | UN    | 50      | 503      | Black Nylon     | -                                              |
|  | F2FALUM+ 18245 | Passive Leaf Aluminium Lock Set                                               | UN    | 1       | 148      | Anodized 04     | In Aluminium<br>Only for Central EG            |
|  | L150           | Regulable Limiting Arm w/ <b>150mm</b>                                        | UN    | 40      | 3378     | Powder Painting | With pressure regulation. Stainless Steel Bolt |
|                                                                                     | L220           | Regulable Limiting Arm w/ <b>220mm</b>                                        | UN    | 60      | 5538     | Powder Painting | With pressure regulation. Stainless Steel Bolt |
|                                                                                     | L300           | Regulable Limiting Arm w/ <b>300mm</b>                                        | UN    | 40      | 4162     | Powder Painting | With pressure regulation. Stainless Steel Bolt |


**TILT AND TURN  
GLOBAL**
**ALPHA**

**OBG6C10**

| REF.                                                                               | DESIGNATION | UNITS                                                                         | PACKING | PACK.GR. | OBSERVATIONS |                                                                                                                                                                                                                                                                                                                                                                                    |
|------------------------------------------------------------------------------------|-------------|-------------------------------------------------------------------------------|---------|----------|--------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|   | OBG6C10     | Tilt and turn Basic Kit<br>(4 Locking Points)                                 | UN      | 1        | 1092         | <br><br><br>normal opening<br><br><br>Standard EN 13126<br><br>Handle for OBG6PC10 - 47P (Chapter Global Line - Pág. F2) |
|   | OB6KC10     | Tilt and turn Basic Kit<br>w/ <b>Cremona w/ Key</b><br>(4 Locking Points)     | UN      | 1        | 1125         |                                                                                                                                                                                                                                                                                                                                                                                    |
|  | OB6PC10     | Tilt and turn Basic Kit<br>w/ <b>Cremona w/o Handle</b><br>(4 Locking Points) | UN      | 1        | 1030         |                                                                                                                                                                                                                                                                                                                                                                                    |

**OBG6C10 Accessories**


| REF.                                                                                | DESIGNATION     | UNITS                      | PACKING | PACK.GR. | FINISHING | OBSERVATIONS    |               |
|-------------------------------------------------------------------------------------|-----------------|----------------------------|---------|----------|-----------|-----------------|---------------|
|  | CMIC            | Compass - Micro Arm        | UN      | 1        | 204       | Zinc            | (340-430)     |
|  | CMINI           | Compass - Mini Arm         | UN      | 1        | 192       | Zinc            | (370-550)     |
|  | CPEQ            | Compass - Small Arm        | UN      | 1        | 225       | Zinc            | (435-700)     |
|  | CGDE            | Compass - Big Arm          | UN      | 1        | 316       | Zinc            | (563-1000)    |
|  | CSUP            | Additional Arm             | UN      | 1        | 243       | Stainless Steel | 1000<L<1700mm |
|  | KITH/V<br>18286 | H/V Additional Locking Set | UN      | 20       | 2814      | Zinc            | -             |

TILT AND TURN  
GLOBAL


ALPHA


## OBG6C10 Accessories

|                                                                                     | REF.             | DESIGNATION                                                                         | UNITS | PACKING | PACK.GR. | FINISHING          | OBSERVATIONS                                   |
|-------------------------------------------------------------------------------------|------------------|-------------------------------------------------------------------------------------|-------|---------|----------|--------------------|------------------------------------------------|
|    | PFSUP<br>18255   | Additional Locking Point Set                                                        | UN    | 50      | 2488     | Zinc               | -                                              |
|    | OBG2             | Passive Leaf Hinge Set                                                              | UN    | 5       | 2376     | Powder<br>Painting | With regulation                                |
|   | 33051            | Passive Leaf Bi-directional<br>Locking Drive Set<br>w/ <b>Simple Zamak Terminal</b> | UN    | 10      | 3009     | Zinc               | In Zamak<br>Only for Central EG                |
|  | CAJUSTE<br>18221 | Leaf Support                                                                        | UN    | 50      | 503      | Black Nylon        | -                                              |
|  | F2FALUM<br>9310  | Passive Leaf Aluminium<br>Lock Set                                                  | UN    | 1       | 93       | Anodized 04        | In Aluminium<br>Only for Central EG            |
|  | L150             | Regulable Limiting Arm<br>w/ <b>150mm</b>                                           | UN    | 40      | 3378     | Powder<br>Painting | With pressure regulation. Stainless Steel Bolt |
|                                                                                     | L220             | Regulable Limiting Arm<br>w/ <b>220mm</b>                                           | UN    | 60      | 5538     | Powder<br>Painting | With pressure regulation. Stainless Steel Bolt |
|                                                                                     | L300             | Regulable Limiting Arm<br>w/ <b>300mm</b>                                           | UN    | 40      | 4162     | Powder<br>Painting | With pressure regulation. Stainless Steel Bolt |


**TILT AND TURN  
GLOBAL**
**ALPHA**

**OBG6+SC10 (LOGIC)**

| REF.                                                                               | DESIGNATION | UNITS                                                              | PACKING | PACK.GR. | OBSERVATIONS |
|------------------------------------------------------------------------------------|-------------|--------------------------------------------------------------------|---------|----------|--------------|
|   | OBG+SDC10   | Tilt before turn Kit C10<br><b>(Right) w/ Security Key Cremona</b> | UN      | 1        | 1252         |
|  | OBG+SEC10   | Tilt before turn Kit C10<br><b>(Left) w/ Security Key Cremona</b>  | UN      | 1        | 1252         |





Only tilts when locked

opening logic maneuver

Opens only unlocked



Standard EN 13126

**OBG6+SC10 (LOGIC) Accessories**

| REF.                                                                                | DESIGNATION     | UNITS                        | PACKING | PACK.GR. | FINISHING | OBSERVATIONS    |                 |
|-------------------------------------------------------------------------------------|-----------------|------------------------------|---------|----------|-----------|-----------------|-----------------|
|  | CPEQML          | TBT Compass - Small Arm      | UN      | 1        | 226       | Zinc            | (435-700)       |
|  | CGDEML          | TBT Compass - Big Arm        | UN      | 1        | 329       | Zinc            | (563-1000)      |
|  | CSUPML          | Additional Arm               | UN      | 1        | 243       | Stainless Steel | 1000<L<1700mm   |
|  | KITH/V<br>18286 | H/V Additional Locking Set   | UN      | 20       | 2814      | Zinc            | -               |
|  | PFSUP<br>18255  | Additional Locking Point Set | UN      | 50       | 2488      | Zinc            | -               |
|  | OBG2            | Passive Leaf Hinge Set       | UN      | 5        | 2376      | Powder Painting | With regulation |

TILT AND TURN  
GLOBAL

ALPHA

## OBG6+SC10 (LOGIC) Accessories

|                                                                                     | REF.              | DESIGNATION                               | UNITS | PACKING | PACK.GR. | FINISHING          | OBSERVATIONS                                   |
|-------------------------------------------------------------------------------------|-------------------|-------------------------------------------|-------|---------|----------|--------------------|------------------------------------------------|
|    | CAJUSTE<br>18221  | Leaf Support                              | UN    | 50      | 503      | Black Nylon        | -                                              |
|   | F2FALUM+<br>18245 | Passive Leaf Aluminium<br>Lock Set        | UN    | 1       | 148      | Anodized 04        | In Aluminium<br>Only for Central EG            |
|  | L150              | Regulable Limiting Arm<br>w/ <b>150mm</b> | UN    | 40      | 3378     | Powder<br>Painting | With pressure regulation. Stainless Steel Bolt |
|                                                                                     | L220              | Regulable Limiting Arm<br>w/ <b>220mm</b> | UN    | 60      | 5538     | Powder<br>Painting | With pressure regulation. Stainless Steel Bolt |
|                                                                                     | L300              | Regulable Limiting Arm<br>w/ <b>300mm</b> | UN    | 40      | 4162     | Powder<br>Painting | With pressure regulation. Stainless Steel Bolt |

|                                                                                     |       |                                               |    |   |   |                                               |  |
|-------------------------------------------------------------------------------------|-------|-----------------------------------------------|----|---|---|-----------------------------------------------|--|
|  | MAQ01 | Manual Machine with Roller<br>for Tilt & Turn | UN | 1 | - | <b>Available for all tilt-and-turn models</b> |  |
|-------------------------------------------------------------------------------------|-------|-----------------------------------------------|----|---|---|-----------------------------------------------|--|



|  | REF. | DESIGNATION                                              | UNITS | PACKING | PACK.GR. | FINISHING       | OBSERVATIONS                                         |
|--|------|----------------------------------------------------------|-------|---------|----------|-----------------|------------------------------------------------------|
|  | 620  | Cremona for Euro Groove (Euro Fixation)                  | UN    | 12      | 4006     | Powder Painting | Also available w/ M and L pales                      |
|  | 620K | Cremona for Euro Groove w/ <b>Key</b> (Euro Fixation)    | UN    | 10      | 3514     | Powder Painting | Also available w/ M and L pales<br><b>Equal Keys</b> |
|  | 610  | Cremona for Euro Groove (Frontal Fixation)               | UN    | 12      | 3906     | Powder Painting | Also available w/ M and L pales                      |
|  | 610K | Cremona for Euro Groove w/ <b>Key</b> (Frontal Fixation) | UN    | 10      | 3429     | Powder Painting | Also available w/ M and L pales<br><b>Equal Keys</b> |
|  | 624  | Cremona w/ <b>Detachable Cover</b> (Frontal Fixation)    | UN    | 10      | 2880     | Powder Painting | Also available w/ M and L pales                      |
|  | 621  | <b>Slim</b> Cremona for Euro Groove (Euro Fixation)      | UN    | 10      | 3319     | Powder Painting | Also available w/ L pales (27,5mm)                   |
|  | 611  | <b>Slim</b> Cremona for Euro Groove (Frontal Fixation)   | UN    | 10      | 3162     | Powder Painting | Also available w/ L pales (27,5mm)                   |
|  | 633  | <b>Lower</b> Cremona for Euro Groove (Euro Fixation)     | UN    | 10      | 3664     | Powder Painting | Also available w/ L pales (27,5mm)                   |
|  | 630  | <b>Lower</b> Cremona for Euro Groove (Frontal Fixation)  | UN    | 10      | 3518     | Powder Painting | Also available w/ L pales (27,5mm)                   |
|  | 660  | Cremona for <b>Curtain Wall</b> (Euro Fixation)          | UN    | 12      | 4441     | Powder Painting | Also available w/ M and L pales                      |
|  | 650  | Cremona for <b>Curtain Wall</b> (Frontal Fixation)       | UN    | 12      | 4334     | Powder Painting | Also available w/ M and L pales                      |
|  | 699  | Set of Cremona for Tube (Frontal Fixation)               | PAR   | 5       | 4145     | Powder Painting | Also available w/ M and L pales                      |

NOTE: Screws included except where indicated.



|                                                                                     | REF.    | DESIGNATION                                                                                 | UNITS | PACKING | PACK.GR. | FINISHING       | OBSERVATIONS                                                                                            |
|-------------------------------------------------------------------------------------|---------|---------------------------------------------------------------------------------------------|-------|---------|----------|-----------------|---------------------------------------------------------------------------------------------------------|
|    | 699T1,0 | Tube w/ <b>1,0 mt</b> long for 699 Cremona                                                  | UN    | 5       | 2680     | Powder Painting | -                                                                                                       |
|                                                                                     | 699T1,5 | Tube w/ <b>1,5 mt</b> long for 699 Cremona                                                  | UN    | 5       | 4020     | Powder Painting | -                                                                                                       |
|                                                                                     | 699T2,0 | Tube w/ <b>2,0 mt</b> long for 699 Cremona                                                  | UN    | 5       | 5360     | Powder Painting | -                                                                                                       |
|    | 680     | Security Cremona for Euro Groove <b>w/o Handle</b> (Euro Fixation)                          | UN    | 10      | 2626     | Powder Painting | Also available w/ M and L pales                                                                         |
|    | 670     | Security Cremona for Euro Groove <b>w/o Handle</b> (Frontal Fixation)                       | UN    | 10      | 2546     | Powder Painting | Also available w/ M and L pales                                                                         |
|   | 47P     | Handle for Cremona 670, 680                                                                 | UN    | 10      | 741      | Powder Painting | -                                                                                                       |
|  | 645S    | Cremona for Tilt-turn Euro Groove - <b>12mm</b> Pale (Euro Fixation)                        | UN    | 10      | 3091     | Powder Painting | -                                                                                                       |
|  | 645SK   | Cremona for Tilt-turn Euro Groove <b>w/ Key - 12mm</b> Pale (Euro Fixation)                 | UN    | 10      | 3314     | Powder Painting |  <b>Equal Keys</b> |
|  | 635S    | Cremona for Tilt-turn Euro Groove - <b>12mm</b> Pale (Frontal Fixation)                     | UN    | 10      | 3060     | Powder Painting | -                                                                                                       |
|  | 635SK   | Cremona for Tilt-turn Euro Groove <b>w/ Key - 12mm</b> Pale (Frontal Fixation)              | UN    | 10      | 3110     | Powder Painting |  <b>Equal Keys</b> |
|  | 625S    | Cremona for Tilt-turn Euro Groove <b>w/ Detachable Cover - 12mm</b> Pale (Frontal Fixation) | UN    | 10      | 2685     | Powder Painting | -                                                                                                       |
|  | 685S    | Security Cremona for Tilt-turn Euro Groove <b>w/o Handle - 12mm</b> Pale (Euro Fixation)    | UN    | 10      | 2380     | Powder Painting | -                                                                                                       |

NOTE: Screws included except where indicated.



|                                                                                     | REF.  | DESIGNATION                                                                                                       | UNITS | PACKING | PACK.GR. | FINISHING       | OBSERVATIONS                                                |
|-------------------------------------------------------------------------------------|-------|-------------------------------------------------------------------------------------------------------------------|-------|---------|----------|-----------------|-------------------------------------------------------------|
|    | 675S  | Security Cremona for Tilt-turn Euro Groove<br><b>w/o Handle - 12mm</b> Pale<br>(Frontal Fixation)                 | UN    | 10      | 2350     | Powder Painting | -                                                           |
|    | 608   | Handle 3 Positions<br>(Square of 7mm x <b>32mm</b> )                                                              | UN    | 10      | 2214     | Powder Painting | Also available w/ Square of 7x23mm (608C) and 7x60mm (608L) |
|    | 609   | <b>Double</b> Handle 3 Positions<br>(Square of 7mm x <b>33 a 45mm</b> )                                           | PAR   | 6       | 2298     | Powder Painting | -                                                           |
|    | 628   | Handle 3 Positions w/<br><b>Detachable Cover</b><br>(Square of 7mm x <b>25mm</b> )<br>(Frontal Fixation)          | UN    | 10      | 2654     | Powder Painting | -                                                           |
|  | 508G  | <b>Slim</b> Handle 3 Positions<br>(Square of 7mm x <b>26mm</b> )                                                  | UN    | 10      | 1890     | Powder Painting | Also available w/ Square of 7x56mm (508GL)                  |
|  | 508GD | <b>Double Slim</b> Handle<br>3 Positions<br>(Square of 7mm x <b>33 a 45mm</b> )                                   | PAR   | 6       | 2190     | Powder Painting | Also available w/ Square of 7x22mm to 34mm (508GDC)         |
|  | 508CA | Wedge for 508 Handle<br>3 Positions                                                                               | UN    | 10      | 445      | Powder Painting | -                                                           |
|  | 615   | <b>Double</b> Spring-loaded<br>Handle for Doors (Square of<br>8mm x <b>100mm</b> )                                | PAR   | 12      | 5581     | Powder Painting | Also available w/ Square of 8x140mm (615L)                  |
|  | 614   | <b>Double</b> Spring-loaded<br>Handle for Doors<br>(Square of 8mm x <b>100mm</b> )                                | PAR   | 6       | 3252     | Powder Painting | Also available w/ Square of 8x140mm (614L)                  |
|  | 605   | <b>Double Slim</b> Spring-loaded<br>Handle for Doors<br>(Square of 8mm x <b>100mm</b> )                           | PAR   | 6       | 2371     | Powder Painting | -                                                           |
|  | 605T  | <b>Double Slim</b> Spring-loaded<br>Handle w/ <b>Plastic Caps</b><br>for Doors<br>(Square of 8mm x <b>100mm</b> ) | PAR   | 6       | 2302     | Powder Painting | -                                                           |
|  | 33042 | Lock Shield for Cylinder                                                                                          | UN    | 25      | 726      | Powder Painting | -                                                           |
|  | 616T  | <b>Double</b> Long Mirror Handle<br>for Doors for Cylinder<br>(Square of 8mm x <b>100mm</b> )                     | PAR   | 6       | 3112     | Powder Painting | Distance from the axle to the cylinder of 85mm              |

NOTE: Screws included except where indicated.




|  | REF.   | DESIGNATION                                                                             | UNITS | PACKING | PACK.GR. | FINISHING       | OBSERVATIONS                                   |
|--|--------|-----------------------------------------------------------------------------------------|-------|---------|----------|-----------------|------------------------------------------------|
|  | 617T   | <b>Double</b> Long Mirror Handle for Doors for Cylinder (Square of 8mm x <b>100mm</b> ) | PAR   | 6       | 3139     | Powder Painting | Distance from the axle to the cylinder of 92mm |
|  | 607    | Reversible Closing Handle                                                               | UN    | 10      | 2656     | Powder Painting | -                                              |
|  | 607T   | Reversible Closing Handle w/ <b>Plastic Caps</b>                                        | UN    | 10      | 2589     | Powder Painting | -                                              |
|  | 606G   | Maxim-air Handle w/ Reversible Latch for <b>GOLD</b> Series                             | UN    | 20      | 3368     | Powder Painting | -                                              |
|  | 606S   | Maxim-air Handle w/ Reversible Latch for <b>SUPREMA</b> Series                          | UN    | 20      | 3368     | Powder Painting | -                                              |
|  | 642    | Cremona for <b>Outwards Opening</b> (Frontal Fixation)                                  | UN    | 8       | 2550     | Powder Painting | -                                              |
|  | 642K   | Cremona for <b>Outwards Opening w/ Key</b> (Frontal Fixation)                           | UN    | 8       | 2756     | Powder Painting | <b>Equal Keys</b>                              |
|  | 627    | Cremona for <b>Outwards Opening w/ Detachable Cover</b> (Frontal Fixation)              | UN    | 8       | 2416     | Powder Painting | -                                              |
|  | 642P7  | <b>7mm</b> Connection Pin for 642/627                                                   | UN    | 16      | 99       | Stainless Steel | -                                              |
|  | 642P10 | <b>10mm</b> Connection Pin for 642/627                                                  | UN    | 16      | 110      | Stainless Steel | -                                              |
|  | 642P14 | <b>14mm</b> Connection Pin for 642/627                                                  | UN    | 16      | 125      | Stainless Steel | -                                              |
|  | 642P16 | <b>16mm</b> Connection Pin for 642/627                                                  | UN    | 16      | 132      | Stainless Steel | -                                              |
|  | 642P20 | <b>20mm</b> Connection Pin for 642/627                                                  | UN    | 16      | 147      | Stainless Steel | -                                              |
|  | 642P26 | <b>26mm</b> Connection Pin for 642/627                                                  | UN    | 16      | 169      | Stainless Steel | -                                              |

NOTE: Screws included except where indicated.




HINGES



Frame groove 14

| REF.                                                                                | DESIGNATION                                                                      | UNITS | PACKING | PACK.GR. | FINISHING       | OBSERVATIONS                                                                                                                                                            |
|-------------------------------------------------------------------------------------|----------------------------------------------------------------------------------|-------|---------|----------|-----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|    | 2XLD<br>Extra Large 3D Door Hinge                                                | UN    | 4       | 1654     | Powder Painting |   |
|    | 2XL<br>Extra Large Door Hinge                                                    | UN    | 4       | 1625     | Powder Painting |                                                                                      |
|    | 2XD<br>Extra 3D Door Hinge                                                       | UN    | 4       | 1335     | Powder Painting |   |
|    | 2X<br>Extra Door Hinge                                                           | UN    | 4       | 1311     | Powder Painting |                                                                                      |
|  | CE2F<br>Reversible Hinge EG Series - <b>Adjustable</b> Stainless Axle            | UN    | 50      | 6023     | Powder Painting | <br>Windows of 1/2 leafs                                                            |
|                                                                                     | CE2N<br>Reversible Hinge EG Series - Stainless Axle                              | UN    | 50      | 5998     | Powder Painting | <br>Windows of 1/2 leafs                                                           |
|  | CE3F<br>Reversible Hinge Third Leaf EG Series - <b>Adjustable</b> Stainless Axle | UN    | 50      | 6244     | Powder Painting | <br>Windows of 3/4 leafs                                                           |
|                                                                                     | CE3N<br>Reversible Hinge Third Leaf EG Series - Stainless Axle                   | UN    | 50      | 6244     | Powder Painting | <br>Windows of 3/4 leafs                                                           |

NOTE: Screws included except where indicated.



## HINGES



ALPHA

## Blinds

|                                                                                   | REF. | DESIGNATION                                   | UNITS | PACKING | PACK.GR. | FINISHING       | OBSERVATIONS                                                                                                                             |
|-----------------------------------------------------------------------------------|------|-----------------------------------------------|-------|---------|----------|-----------------|------------------------------------------------------------------------------------------------------------------------------------------|
|  | HPBA | Hinge for Exterior Opening - <b>HP</b> Series | UN    | 25      | 5098     | Powder Painting | <br>Windows of 1/2 leafs<br>Ø8mm stainless steel axle |
|  | HPA  | Hinge for Exterior Opening - <b>HP</b> Series | UN    | 50      | 6558     | Powder Painting | <br>Windows of 1/2 leafs<br>Ø8mm stainless steel axle |
|  | HPBF | Hinge for Exterior Opening - <b>HP</b> Series | UN    | 25      | 5165     | Powder Painting | <br>Windows of 3/4 leafs<br>Ø8mm stainless steel axle |
|  | HPF  | Hinge for Exterior Opening - <b>HP</b> Series | UN    | 50      | 6665     | Powder Painting | <br>Windows of 3/4 leafs<br>Ø8mm stainless steel axle |


## Other series

|                                                                                     | REF.    | DESIGNATION                                | UNITS | PACKING | PACK.GR. | FINISHING       | OBSERVATIONS                                                                                                  |
|-------------------------------------------------------------------------------------|---------|--------------------------------------------|-------|---------|----------|-----------------|---------------------------------------------------------------------------------------------------------------|
|  | GOLD2F  | Reversible Hinge for <b>GOLD</b> Series    | UN    | 50      | 5095     | Powder Painting |                          |
|  | SUP2F   | Reversible Hinge for <b>SUPREMA</b> Series | UN    | 50      | 4720     | Powder Painting |                          |
|  | INOVA2F | Reversible Hinge for <b>INOVA</b> Series   | UN    | 50      | 4950     | Powder Painting |                          |
|  | S38312F | Reversible Hinge for <b>38/31</b> Series   | UN    | 50      | 4120     | Powder Painting | <br>Windows of 1/2 leafs |
|  | S40202F | Reversible Hinge for <b>40/20</b> Series   | UN    | 50      | 6500     | Powder Painting | <br>Windows of 1/2 leafs |

NOTE: Screws included except where indicated.




HINGES



Frame groove 12

| REF.                                                                               | DESIGNATION                                                              | UNITS | PACKING | PACK.GR. | FINISHING       | OBSERVATIONS                                                                                                                                                            |
|------------------------------------------------------------------------------------|--------------------------------------------------------------------------|-------|---------|----------|-----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|   | 2XLD12<br>Extra Large 3D Door Hinge                                      | UN    | 4       | 1311     | Powder Painting |   |
|   | 2XL12<br>Extra Large Door Hinge                                          | UN    | 4       | 1311     | Powder Painting |                                                                                      |
|   | 2XD12<br>Extra 3D Door Hinge                                             | UN    | 4       | 1311     | Powder Painting |   |
|   | 2X12<br>Extra Door Hinge                                                 | UN    | 4       | 1311     | Powder Painting |                                                                                      |
|  | CE2G<br>Reversible Hinge EG Series<br>- <b>Adjustable</b> Stainless Axle | UN    | 50      | 5998     | Powder Painting | <br>Windows of 1/2 leafs                                                            |

NOTE: Screws included except where indicated.



## Frame groove 10

### HINGES




|                                                                                    | REF.    | DESIGNATION                                                      | UNITS | PACKING | PACK.GR. | FINISHING       | OBSERVATIONS                                                                                                                                                            |
|------------------------------------------------------------------------------------|---------|------------------------------------------------------------------|-------|---------|----------|-----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|   | 2XLD10  | Extra Large 3D Door Hinge                                        | UN    | 4       | 1311     | Powder Painting |   |
|   | 2XL10   | Extra Large Door Hinge                                           | UN    | 4       | 1311     | Powder Painting |                                                                                      |
|   | 2XD10   | Extra 3D Door Hinge                                              | UN    | 4       | 1311     | Powder Painting |   |
|   | 2X10    | Extra Door Hinge                                                 | UN    | 4       | 1311     | Powder Painting |                                                                                      |
|  | CE2FC10 | Reversible Hinge EG Series<br>- <b>Adjustable Stainless Axle</b> | UN    | 50      | 6023     | Powder Painting | <br>Windows of 1/2 leafs                                                            |

NOTE: Screws included except where indicated.




## KITS AND COMPLEMENTS



### Frame groove 14

|  | REF.  | DESIGNATION                                                                                   | UNITS | PACKING | PACK.GR. | FINISHING   | OBSERVATIONS |
|--|-------|-----------------------------------------------------------------------------------------------|-------|---------|----------|-------------|--------------|
|  | 33039 | <b>Zamak</b> Cremona Connection Kit w/o Terminal                                              | CONJ  | 20      | 2553     | Zinc        | -            |
|  | 33013 | <b>Nylon</b> Cremona Connection Kit - Terminal w/ <b>Tuning Tip</b> and Locking Meeting       | UN    | 30      | 2188     | Black Nylon | -            |
|  | S2i   | <b>Nylon</b> Cremona Connection Kit - Terminal and Locking Meeting                            | UN    | 20      | 1123     | Black Nylon | -            |
|  | S2    | <b>Nylon</b> Cremona Connection Kit - Terminal and Locking Meeting                            | UN    | 20      | 997      | Black Nylon | -            |
|  | 33034 | Passive Leaf Kit w/ <b>Zamak</b> Terminal for EG Series (w/o Locking Meeting)                 | UN    | 50      | 2331     | Zinc        | -            |
|  | 33040 | Basic Kit for 1st and 2nd Leaf for EG Series - w/ <b>Zamak</b> Terminal (w/o Locking Meeting) | CONJ  | 20      | 3485     | Zinc        | -            |

NOTE: Screws included except where indicated.

KITS AND  
COMPLEMENTS



Frame groove 14

|  | REF.  | DESIGNATION                                                                                                          | UNITS | PACKING | PACK.GR. | FINISHING   | OBSERVATIONS |
|--|-------|----------------------------------------------------------------------------------------------------------------------|-------|---------|----------|-------------|--------------|
|  | 33001 | <b>Nylon</b> Passive Leaf Kit for EG Series - w/ <b>Zamak</b> Locking Meeting                                        | UN    | 50      | 2218     | Black Nylon | -            |
|  | 33003 | <b>Nylon</b> Passive Leaf Kit for EG Series - w/ <b>Zamak Low</b> Locking Meeting                                    | UN    | 50      | 2145     | Black Nylon | -            |
|  | 33015 | <b>Nylon</b> Passive Leaf Kit for EG Series - Terminal w/ <b>Tuning Tip</b> and <b>Zamak</b> Locking Meeting         | UN    | 50      | 2682     | Black Nylon | -            |
|  | 33041 | <b>Nylon</b> Passive Leaf Kit for EG Series - Terminal w/ <b>Tuning Tip</b> and <b>Zamak Low</b> Locking Meeting     | UN    | 50      | 2597     | Black Nylon | -            |
|  | 33024 | <b>Nylon</b> Passive Leaf Kit - Terminal w/ <b>Tuning Tip</b> (w/o Locking Meeting)                                  | UN    | 50      | 1788     | Black Nylon | -            |
|  | 33038 | <b>Nylon</b> Passive Leaf Kit - Terminal w/ <b>Stainless Steel</b> Ø8 Tip for EG Series (w/o Locking Meeting)        | UN    | 50      | 1934     | Black Nylon | -            |
|  | 33025 | <b>Nylon</b> Kit for 1st and 2nd Leaf for EG Series - Terminal w/ <b>Tuning Tip</b> and <b>Nylon</b> Locking Meeting | UN    | 20      | 3023     | Black Nylon | -            |
|  | 33014 | <b>Nylon</b> Kit for 1st and 2nd Leaf for EG Series - Terminal w/ <b>Tuning Tip</b> and <b>Zamak</b> Locking Meeting | UN    | 20      | 3057     | Black Nylon | -            |

NOTE: Screws included except where indicated.




## KITS AND COMPLEMENTS











### Frame groove 14

|  | REF.  | DESIGNATION                                                                                               | UNITS | PACKING | PACK.GR. | FINISHING   | OBSERVATIONS |
|--|-------|-----------------------------------------------------------------------------------------------------------|-------|---------|----------|-------------|--------------|
|  | 33043 | <b>Nylon</b> Kit for 1st and 2nd Leaf for EG Series - Terminal w/ <b>Tuning Tip</b> (w/o Locking Meeting) | UN    | 20      | 2360     | Black Nylon | -            |
|  | 33008 | <b>Nylon</b> Cremona Connection Kit                                                                       | PAR   | 100     | 1566     | Black Nylon | -            |
|  | 33033 | <b>Zamak</b> Cremona Connection Kit                                                                       | PAR   | 20      | 1239     | Zinc        | -            |
|  | 33005 | <b>Nylon</b> Terminal                                                                                     | UN    | 50      | 435      | Black Nylon | -            |
|  | 33007 | <b>Nylon</b> Terminal w/ <b>Tuning Tip</b>                                                                | UN    | 50      | 896      | Black Nylon | -            |
|  | 33006 | Terminal w/ <b>Stainless Steel</b> Ø8 Tip                                                                 | UN    | 50      | 1039     | Black Nylon | -            |
|  | 33017 | Terminal w/ <b>Stainless Steel</b> Ø6 Tip                                                                 | UN    | 50      | 941      | Black Nylon | -            |
|  | 33012 | <b>Zamak</b> Terminal                                                                                     | UN    | 100     | 2789     | Zinc        | -            |
|  | 33035 | <b>Zamak</b> Door Lock for Passive Leaf                                                                   | UN    | 10      | 1742     | Zinc        | -            |

NOTE: Screws included except where indicated.

KITS AND  
COMPLEMENTS


Frame groove 14

|                                                                                     | REF.  | DESIGNATION                                              | UNITS | PACKING | PACK.GR. | FINISHING       | OBSERVATIONS                                                                          |
|-------------------------------------------------------------------------------------|-------|----------------------------------------------------------|-------|---------|----------|-----------------|---------------------------------------------------------------------------------------|
|    | 33055 | Passive Leaf Bi-directional Locking Drive                | UN    | 10      | -        | Stainless Steel | -                                                                                     |
|    | 33023 | Double <b>Zamak</b> Locking Meeting                      | UN    | 50      | 1451     | Zinc            |    |
|    | 18234 | <b>Zamak</b> Double Locking Meeting w/ <b>Regulation</b> | UN    | 30      | 1820     | Zinc            |   |
|  | 33004 | <b>Low</b> Double <b>Zamak</b> Locking Meeting           | UN    | 100     | 1663     | Zinc            |  |
|                                                                                     | 33022 | Double <b>Zamak</b> Locking Meeting                      | UN    | 100     | 1872     | Zinc            |  |
|  | 33009 | <b>Nylon</b> Locking Meeting                             | UN    | 200     | 2368     | Black Nylon     |  |
|  | 33018 | <b>Low</b> <b>Nylon</b> Locking Meeting                  | UN    | 200     | 1573     | Black Nylon     |  |
|                                                                                     | 33019 | <b>Nylon</b> Locking Meeting                             | UN    | 200     | 1796     | Black Nylon     |  |
|  | 33020 | <b>Low</b> <b>Nylon</b> Locking Meeting                  | UN    | 200     | 2700     | Black Nylon     |  |

NOTE: Screws included except where indicated.




## KITS AND COMPLEMENTS



### Frame groove 14

|  | REF.           | DESIGNATION                                       | UNITS | PACKING | PACK.GR. | FINISHING       | OBSERVATIONS                            |
|--|----------------|---------------------------------------------------|-------|---------|----------|-----------------|-----------------------------------------|
|  | 33021          | Nylon Locking Meeting                             | UN    | 200     | 3543     | Black Nylon     |                                         |
|  | 9312           | Corner Transmission w/<br>Locking Point           | UN    | 30      | 2915     | Zinc            | -                                       |
|  | 9315           | Corner Transmission                               | UN    | 30      | 2885     | Zinc            | -                                       |
|  | 9319           | Security Locking Point                            | UN    | 50      | 2240     | Stainless Steel |                                         |
|  | 9322           | Gearbox Mechanism<br>(7mm Axis)                   | UN    | 10      | -        | Zinc            | Also available for channel 14x19 - 9327 |
|  | 9323           | Gearbox Mechanism<br>(11mm Axis)                  | UN    | 10      | -        | Zinc            | Also available for channel 14x19 - 9328 |
|  | 9324           | Gearbox Mechanism<br>(13,5mm Axis)                | UN    | 10      | -        | Zinc            | Also available for channel 14x19 - 9329 |
|  | 9331           | 22,4mm Octagonal Nut                              | PAR   | 10      | 120      | Zinc            | -                                       |
|  | 9332           | 90° Stopper f/ Gearbox<br>Mechanism               | UN    | 10      | -        | Black Nylon     | -                                       |
|  | PFSUP<br>18222 | Additional <b>Adjustable</b><br>Locking Point Set | UN    | 50      | 2510     | Zinc            |                                         |
|  | PTSUP<br>18252 | Additional Locking Point                          | UN    | 100     | 2532     | Zinc            | -                                       |

NOTE: Screws included except where indicated.

KITS AND  
COMPLEMENTS



Frame groove 14

|  | REF.          | DESIGNATION                                        | UNITS | PACKING | PACK.GR. | FINISHING       | OBSERVATIONS |
|--|---------------|----------------------------------------------------|-------|---------|----------|-----------------|--------------|
|  | ENREG 18253   | Adjustable Keeper                                  | UN    | 100     | 2241     | Zinc            |              |
|  | 9316          | Additional <b>Adjustable</b> Locking Point         | UN    | 100     | 800      | Zinc            | -            |
|  | 70077         | Transmission Cremona Cover                         | UN    | 30      | 1144     | Zinc            | -            |
|  | CAJUSTE 18221 | Leaf Support                                       | UN    | 50      | 503      | Black Nylon     |              |
|  | MICROVEN      | Microventilation Set                               | UN    | 20      | 1099     | Zinc            |              |
|  | 33011 (2FAT)  | Automatic Passive Leaf Stop                        | UN    | 50      | 1324     | -               | -            |
|  | FECRAMPA      | Adjustable Hidden Lock Ramp                        | UN    | 50      | 1316     | Zinc            |              |
|  | 33042         | Lock Shield for Cylinder                           | UN    | 25      | 726      | Powder Painting | -            |
|  | 33050         | Lock Shield for Cylinder                           | UN    | 25      | 1578     | Powder Painting | -            |
|  | 33069         | Lock Shield for Cylinder                           | UN    | 25      | -        | Powder Painting | -            |
|  | KIT-33056     | Fixation Kit f/ Double Handle (Profile 22 to 33mm) | UN    | 6       | -        | Zinc            | -            |
|  | KIT-33057     | Fixation Kit f/ Double Handle (Profile 33 to 45mm) | UN    | 6       | -        | Zinc            | -            |
|  | KIT-33067     | Fixation Kit f/ Double Handle (Profile 45 to 55mm) | UN    | 6       | -        | Zinc            | -            |
|  | KIT-33068     | Fixation Kit f/ Double Handle (Profile 65 to 75mm) | UN    | 6       | -        | Zinc            | -            |

NOTE: Screws included except where indicated.



## KITS AND COMPLEMENTS



### Frame groove 14


|  | REF.      | DESIGNATION                        | UNITS | PACKING | PACK.GR. | FINISHING | OBSERVATIONS |
|--|-----------|------------------------------------|-------|---------|----------|-----------|--------------|
|  | DIV-70067 | 8x80mm Square                      | UN    | 6       | 233      | Zinc      | -            |
|  | DIV-70058 | 8x100mm Square                     | UN    | 6       | 292      | Zinc      | -            |
|  | DIV-70089 | 8x140mm Square                     | UN    | 6       | -        | Zinc      | -            |
|  | DIV-70068 | 8x100mm Square<br>Misaligned 2,5mm | UN    | 6       | 292      | Zinc      | -            |
|  | DIV-70088 | 8x115mm Square<br>Misaligned 2,5mm | UN    | 6       | 334      | Zinc      | -            |

### Other series

|  | REF.   | DESIGNATION                                                               | UNITS | PACKING | PACK.GR. | FINISHING   | OBSERVATIONS                                                                |
|--|--------|---------------------------------------------------------------------------|-------|---------|----------|-------------|-----------------------------------------------------------------------------|
|  | S12    | Connection Mechanism for<br>Exterior Opening                              | UN    | 20      | 1182     | Black Nylon | Also available in a kit with a 32 mm bolt (S12P32) or a 15 mm bolt (S12P15) |
|  | S6     | Connection Kit for Exterior<br>Opening                                    | PAR   | 40      | 1949     | Black Nylon | -                                                                           |
|  | S8     | Connection Kit for Exterior<br>Opening                                    | PAR   | 40      | 1595     | Black Nylon | For A.07 series                                                             |
|  | S11    | Connection Kit for Exterior<br>Opening                                    | PAR   | 40      | 1646     | Black Nylon | For HP series                                                               |
|  | S14P16 | Forks Extender w/<br>Connection Pins                                      | PAR   | 50      | 2700     | Zinc        | 16mm Pins                                                                   |
|  | S14P23 | Forks Extender w/<br>Connection Pins                                      | PAR   | 50      | 2940     | Zinc        | 23mm Pins                                                                   |
|  | S4     | <b>Nylon</b> Cremona Connection<br>Kit w/ Terminal and Locking<br>Meeting | UN    | 20      | 1008     | Black Nylon | For BP/A1/A6 series                                                         |

NOTE: Screws included except where indicated.


KITS AND  
COMPLEMENTS

| REF.                                                                                | DESIGNATION                                                               | UNITS | PACKING | PACK.GR. | FINISHING   | OBSERVATIONS                                                                                         |
|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------|-------|---------|----------|-------------|------------------------------------------------------------------------------------------------------|
|    | S1<br><b>Nylon</b> Cremona Connection Kit w/ Terminal and Locking Meeting | UN    | 20      | 1348     | Black Nylon | For 40/20 series                                                                                     |
|    | 33010<br><b>Nylon</b> Double Locking Meeting                              | UN    | 50      | 924      | -           | <br>For HP series |
|   | 9334<br>Curtains Wall Cremona Connection Kit                              | PAR   | 50      | -        | Zinc        | -                                                                                                    |
|  | 9313<br>Additional Locking Point for Curtain Wall Series                  | UN    | 50      | 1778     | Zinc        | -                                                                                                    |
|  | 9317<br>Additional Locking Point for Curtain Wall Series                  | UN    | 50      | 2700     | Zinc        | -                                                                                                    |
|  | 9330<br>Additional Locking Point for Curtain Wall Series                  | UN    | 50      | -        | Zinc        | -                                                                                                    |
|  | 9312<br>Corner Transmission w/ Locking Point                              | UN    | 30      | 2915     | Zinc        | -                                                                                                    |
|  | 9315<br>Corner Transmission                                               | UN    | 30      | 2885     | Zinc        | -                                                                                                    |
|  | 33011 (2FAT)<br>Automatic Passive Leaf Stop                               | UN    | 50      | 1324     | -           | For BP/A1/A6 series                                                                                  |

NOTE: Screws included except where indicated.




## KITS AND COMPLEMENTS



### Frame groove 12

|                                                                                     | REF.  | DESIGNATION                                                                                                      | UNITS | PACKING | PACK.GR. | FINISHING   | OBSERVATIONS |
|-------------------------------------------------------------------------------------|-------|------------------------------------------------------------------------------------------------------------------|-------|---------|----------|-------------|--------------|
|    | 33039 | <b>Zamak</b> Cremona Connection Kit w/o Terminal                                                                 | CONJ  | 20      | 2553     | Zinc        | -            |
|    | 33034 | Passive Leaf Kit w/ <b>Zamak</b> Terminal for EG Series (w/o Locking Meeting)                                    | UN    | 50      | 2331     | Zinc        | -            |
|   | 33040 | Basic Kit for 1st and 2nd Leaf for EG Series - w/ <b>Zamak</b> Terminal (w/o Locking Meeting)                    | CONJ  | 20      | 3485     | Zinc        | -            |
|  | 33001 | <b>Nylon</b> Passive Leaf Kit for EG Series - w/ <b>Zamak</b> Locking Meeting                                    | UN    | 50      | 2218     | Black Nylon | -            |
|                                                                                     | 33003 | <b>Nylon</b> Passive Leaf Kit for EG Series - w/ <b>Zamak Low</b> Locking Meeting                                | UN    | 50      | 2145     | Black Nylon | -            |
|  | 33015 | <b>Nylon</b> Passive Leaf Kit for EG Series - Terminal w/ <b>Tuning Tip</b> and <b>Zamak</b> Locking Meeting     | UN    | 50      | 2682     | Black Nylon | -            |
|                                                                                     | 33041 | <b>Nylon</b> Passive Leaf Kit for EG Series - Terminal w/ <b>Tuning Tip</b> and <b>Zamak Low</b> Locking Meeting | UN    | 50      | 2597     | Black Nylon | -            |
|  | 33024 | <b>Nylon</b> Passive Leaf Kit - Terminal w/ <b>Tuning Tip</b> (w/o Locking Meeting)                              | UN    | 50      | 1788     | Black Nylon | -            |

NOTE: Screws included except where indicated.

KITS AND  
COMPLEMENTS



Frame groove 12

|  | REF.  | DESIGNATION                                                                                                          | UNITS | PACKING | PACK.GR. | FINISHING   | OBSERVATIONS |
|--|-------|----------------------------------------------------------------------------------------------------------------------|-------|---------|----------|-------------|--------------|
|  | 33038 | <b>Nylon</b> Passive Leaf Kit - Terminal w/ <b>Stainless Steel</b> Ø8 Tip for EG Series (w/o Locking Meeting)        | UN    | 50      | 1934     | Black Nylon | -            |
|  | 33014 | <b>Nylon</b> Kit for 1st and 2nd Leaf for EG Series - Terminal w/ <b>Tuning Tip</b> and <b>Zamak</b> Locking Meeting | UN    | 20      | 3057     | Black Nylon | -            |
|  | 33043 | Nylon Kit for 1st and 2nd Leaf for EG Series - Terminal w/ <b>Tuning Tip</b> (w/o Locking Meeting)                   | UN    | 20      | 2360     | Black Nylon | -            |
|  | 33008 | <b>Nylon</b> Cremona Connection Kit                                                                                  | PAR   | 100     | 1566     | Black Nylon | -            |
|  | 33033 | <b>Zamak</b> Cremona Connection Kit                                                                                  | PAR   | 20      | 1239     | Zinc        | -            |
|  | 33005 | <b>Nylon</b> Terminal                                                                                                | UN    | 50      | 435      | Black Nylon | -            |
|  | 33007 | <b>Nylon</b> Terminal w/ <b>Tuning Tip</b>                                                                           | UN    | 50      | 896      | Black Nylon | -            |
|  | 33006 | Terminal w/ <b>Stainless Steel</b> Ø8 Tip                                                                            | UN    | 50      | 1039     | Black Nylon | -            |
|  | 33017 | Terminal w/ <b>Stainless Steel</b> Ø6 Tip                                                                            | UN    | 50      | 941      | Black Nylon | -            |
|  | 33012 | <b>Zamak</b> Terminal                                                                                                | UN    | 100     | 2789     | Zinc        | -            |

NOTE: Screws included except where indicated.



## KITS AND COMPLEMENTS




### Frame groove 12

|  | REF.  | DESIGNATION                                    | UNITS | PACKING | PACK.GR. | FINISHING       | OBSERVATIONS                            |
|--|-------|------------------------------------------------|-------|---------|----------|-----------------|-----------------------------------------|
|  | 33035 | <b>Zamak</b> Door Lock for Passive Leaf        | UN    | 10      | 1742     | Zinc            | -                                       |
|  | 33055 | Passive Leaf Bi-directional Locking Drive      | UN    | 10      | -        | Stainless Steel | -                                       |
|  | 33023 | Double <b>Zamak</b> Locking Meeting            | UN    | 50      | 1451     | Zinc            |                                         |
|  | 33004 | <b>Low</b> Double <b>Zamak</b> Locking Meeting | UN    | 100     | 1663     | Zinc            |                                         |
|  | 33022 | Double <b>Zamak</b> Locking Meeting            | UN    | 100     | 1872     | Zinc            |                                         |
|  | 9312  | Corner Transmission w/ Locking Point           | UN    | 30      | 2915     | Zinc            | -                                       |
|  | 9315  | Corner Transmission                            | UN    | 30      | 2885     | Zinc            | -                                       |
|  | 9322  | Gearbox Mechanism (7mm Axis)                   | UN    | 10      | -        | Zinc            | Also available for channel 14x19 - 9327 |
|  | 9323  | Gearbox Mechanism (11mm Axis)                  | UN    | 10      | -        | Zinc            | Also available for channel 14x19 - 9328 |
|  | 9324  | Gearbox Mechanism (13,5mm Axis)                | UN    | 10      | -        | Zinc            | Also available for channel 14x19 - 9329 |
|  | 9331  | 22,4mm Octagonal Nut                           | PAR   | 10      | 120      | Zinc            | -                                       |
|  | 9332  | 90° Stopper f/ Gearbox Mechanism               | UN    | 10      | -        | Black Nylon     | -                                       |

NOTE: Screws included except where indicated.

KITS AND  
COMPLEMENTS

ALPHA




Frame groove 12

|  | REF.          | DESIGNATION                                        | UNITS | PACKING | PACK.GR. | FINISHING       | OBSERVATIONS |
|--|---------------|----------------------------------------------------|-------|---------|----------|-----------------|--------------|
|  | PFSUP 18222   | Additional <b>Adjustable</b> Locking Point Set     | UN    | 50      | 2510     | Zinc            |              |
|  | PTSUP 18252   | Additional Locking Point                           | UN    | 100     | 2532     | Zinc            | -            |
|  | ENREG 18253   | Adjustable Keeper                                  | UN    | 100     | 2241     | Zinc            |              |
|  | 9316          | Additional <b>Adjustable</b> Locking Point         | UN    | 100     | 800      | Zinc            | -            |
|  | 70077         | Transmission Cremona Cover                         | UN    | 30      | 1144     | Zinc            | -            |
|  | CAJUSTE 18221 | Leaf Support                                       | UN    | 50      | 503      | Black Nylon     |              |
|  | MICROVEN      | Microventilation Set                               | UN    | 20      | 1099     | Zinc            |              |
|  | 33011 (2FAT)  | Automatic Passive Leaf Stop                        | UN    | 50      | 1324     | -               | -            |
|  | FECRAMPA      | Adjustable Hidden Lock Ramp                        | UN    | 50      | 1316     | Zinc            |              |
|  | 33042         | Lock Shield for Cylinder                           | UN    | 25      | 726      | Powder Painting | -            |
|  | 33050         | Lock Shield for Cylinder                           | UN    | 25      | 1578     | Powder Painting | -            |
|  | 33069         | Lock Shield for Cylinder                           | UN    | 25      | -        | Powder Painting | -            |
|  | KIT-33056     | Fixation Kit f/ Double Handle (Profile 22 to 33mm) | UN    | 6       | -        | Zinc            | -            |
|  | KIT-33057     | Fixation Kit f/ Double Handle (Profile 33 to 45mm) | UN    | 6       | -        | Zinc            | -            |
|  | KIT-33067     | Fixation Kit f/ Double Handle (Profile 45 to 55mm) | UN    | 6       | -        | Zinc            | -            |
|  | KIT-33068     | Fixation Kit f/ Double Handle (Profile 65 to 75mm) | UN    | 6       | -        | Zinc            | -            |

NOTE: Screws included except where indicated.



## KITS AND COMPLEMENTS




### Frame groove 12

|  | REF.      | DESIGNATION                        | UNITS | PACKING | PACK.GR. | FINISHING | OBSERVATIONS |
|--|-----------|------------------------------------|-------|---------|----------|-----------|--------------|
|  | DIV-70067 | 8x80mm Square                      | UN    | 6       | 233      | Zinc      | -            |
|  | DIV-70058 | 8x100mm Square                     | UN    | 6       | 292      | Zinc      | -            |
|  | DIV-70089 | 8x140mm Square                     | UN    | 6       | -        | Zinc      | -            |
|  | DIV-70068 | 8x100mm Square<br>Misaligned 2,5mm | UN    | 6       | 292      | Zinc      | -            |
|  | DIV-70088 | 8x115mm Square<br>Misaligned 2,5mm | UN    | 6       | 334      | Zinc      | -            |

### Frame groove 10

|  | REF.  | DESIGNATION                                                                                            | UNITS | PACKING | PACK.GR. | FINISHING   | OBSERVATIONS |
|--|-------|--------------------------------------------------------------------------------------------------------|-------|---------|----------|-------------|--------------|
|  | 33039 | <b>Zamak</b> Cremona Connection<br>Kit w/o Terminal                                                    | CONJ  | 20      | 2553     | Zinc        | -            |
|  | 33034 | Passive Leaf Kit w/ <b>Zamak</b><br>Terminal for EG Series (w/o<br>Locking Meeting)                    | UN    | 50      | 2331     | Zinc        | -            |
|  | 33040 | Basic Kit for 1st and 2nd<br>Leaf for EG Series - w/<br><b>Zamak</b> Terminal (w/o<br>Locking Meeting) | CONJ  | 20      | 3485     | Zinc        | -            |
|  | 33001 | <b>Nylon</b> Passive Leaf Kit<br>for EG Series - w/ <b>Zamak</b><br>Locking Meeting                    | UN    | 50      | 2218     | Black Nylon | -            |
|  | 33003 | <b>Nylon</b> Passive Leaf Kit for<br>EG Series - w/ <b>Zamak Low</b><br>Locking Meeting                | UN    | 50      | 2145     | Black Nylon | -            |

NOTE: Screws included except where indicated.

KITS AND  
COMPLEMENTS



Frame groove 10

|  | REF.  | DESIGNATION                                                                                                          | UNITS | PACKING | PACK.GR. | FINISHING   | OBSERVATIONS |
|--|-------|----------------------------------------------------------------------------------------------------------------------|-------|---------|----------|-------------|--------------|
|  | 33015 | <b>Nylon</b> Passive Leaf Kit for EG Series - Terminal w/ <b>Tuning Tip</b> and <b>Zamak</b> Locking Meeting         | UN    | 50      | 2682     | Black Nylon | -            |
|  | 33041 | <b>Nylon</b> Passive Leaf Kit for EG Series - Terminal w/ Tuning Tip and <b>Zamak Low</b> Locking Meeting            | UN    | 50      | 2597     | Black Nylon | -            |
|  | 33024 | <b>Nylon</b> Passive Leaf Kit - Terminal w/ <b>Tuning Tip</b> (w/o Locking Meeting)                                  | UN    | 50      | 1788     | Black Nylon | -            |
|  | 33038 | <b>Nylon</b> Passive Leaf Kit - Terminal w/ <b>Stainless Steel</b> Ø8 Tip for EG Series (w/o Locking Meeting)        | UN    | 50      | 1934     | Black Nylon | -            |
|  | 33014 | <b>Nylon</b> Kit for 1st and 2nd Leaf for EG Series - Terminal w/ <b>Tuning Tip</b> and <b>Zamak</b> Locking Meeting | UN    | 20      | 3057     | Black Nylon | -            |
|  | 33043 | <b>Nylon</b> Kit for 1st and 2nd Leaf for EG Series - Terminal w/ <b>Tuning Tip</b> (w/o Locking Meeting)            | UN    | 20      | 2360     | Black Nylon | -            |
|  | 33008 | <b>Nylon</b> Cremona Connection Kit                                                                                  | PAR   | 100     | 1566     | Black Nylon | -            |
|  | 33033 | <b>Zamak</b> Cremona Connection Kit                                                                                  | PAR   | 20      | 1239     | Zinc        | -            |
|  | 33005 | <b>Nylon</b> Terminal                                                                                                | UN    | 50      | 435      | Black Nylon | -            |




NOTE: Screws included except where indicated.




## KITS AND COMPLEMENTS



### Frame groove 10

|                                                                                     | REF.  | DESIGNATION                                    | UNITS | PACKING | PACK.GR. | FINISHING       | OBSERVATIONS                                                                          |
|-------------------------------------------------------------------------------------|-------|------------------------------------------------|-------|---------|----------|-----------------|---------------------------------------------------------------------------------------|
|    | 33007 | <b>Nylon Terminal w/ Tuning Tip</b>            | UN    | 50      | 896      | Black Nylon     | -                                                                                     |
|    | 33006 | Terminal w/ <b>Stainless Steel</b> Ø8 Tip      | UN    | 50      | 1039     | Black Nylon     | -                                                                                     |
|    | 33017 | Terminal w/ <b>Stainless Steel</b> Ø6 Tip      | UN    | 50      | 941      | Black Nylon     | -                                                                                     |
|   | 33012 | <b>Zamak</b> Terminal                          | UN    | 100     | 2789     | Zinc            | -                                                                                     |
|  | 33035 | <b>Zamak</b> Door Lock for Passive Leaf        | UN    | 10      | 1742     | Zinc            | -                                                                                     |
|  | 33055 | Passive Leaf Bi-directional Locking Drive      | UN    | 10      | -        | Stainless Steel | -                                                                                     |
|  | 33023 | Double <b>Zamak</b> Locking Meeting            | UN    | 50      | 1451     | Zinc            |  |
|  | 33004 | <b>Low</b> Double <b>Zamak</b> Locking Meeting | UN    | 100     | 1663     | Zinc            |  |
|                                                                                     | 33022 | Double <b>Zamak</b> Locking Meeting            | UN    | 100     | 1872     | Zinc            |  |
|  | 9312  | Corner Transmission w/ Locking Point           | UN    | 30      | 2915     | Zinc            | -                                                                                     |

NOTE: Screws included except where indicated.

KITS AND  
COMPLEMENTS



Frame groove 10

|  | REF.          | DESIGNATION                                | UNITS | PACKING | PACK.GR. | FINISHING       | OBSERVATIONS                            |
|--|---------------|--------------------------------------------|-------|---------|----------|-----------------|-----------------------------------------|
|  | 9315          | Corner Transmission                        | UN    | 30      | 2885     | Zinc            | -                                       |
|  | 9322          | Gearbox Mechanism (7mm Axis)               | UN    | 10      | -        | Zinc            | Also available for channel 14x19 - 9327 |
|  | 9323          | Gearbox Mechanism (11mm Axis)              | UN    | 10      | -        | Zinc            | Also available for channel 14x19 - 9328 |
|  | 9324          | Gearbox Mechanism (13,5mm Axis)            | UN    | 10      | -        | Zinc            | Also available for channel 14x19 - 9329 |
|  | 9331          | 22,4mm Octagonal Nut                       | PAR   | 10      | 120      | Zinc            | -                                       |
|  | 9332          | 90° Stopper f/ Gearbox Mechanism           | UN    | 10      | -        | Black Nylon     | -                                       |
|  | PFSUP 18255   | Additional Adjustable Locking Point Set    | UN    | 50      | 2488     | Zinc            |                                         |
|  | PTSUP 18252   | Additional Locking Point                   | UN    | 100     | 2532     | Zinc            | -                                       |
|  | 9316          | Additional <b>Adjustable</b> Locking Point | UN    | 100     | 800      | Zinc            | -                                       |
|  | 70077         | Transmission Cremona Cover                 | UN    | 30      | 1144     | Zinc            | -                                       |
|  | CAJUSTE 18221 | Leaf Support                               | UN    | 50      | 503      | Black Nylon     |                                         |
|  | 33011 (2FAT)  | Automatic Passive Leaf Stop                | UN    | 50      | 1324     | -               | -                                       |
|  | 33042         | Lock Shield for Cylinder                   | UN    | 25      | 726      | Powder Painting | -                                       |
|  | 33050         | Lock Shield for Cylinder                   | UN    | 25      | 1578     | Powder Painting | -                                       |

NOTE: Screws included except where indicated.



KITS AND  
COMPLEMENTS



Frame groove 10

|                                                                                     | REF.      | DESIGNATION                                           | UNITS | PACKING | PACK.GR. | FINISHING          | OBSERVATIONS |
|-------------------------------------------------------------------------------------|-----------|-------------------------------------------------------|-------|---------|----------|--------------------|--------------|
|    | 33069     | Lock Shield for Cylinder                              | UN    | 25      | -        | Powder<br>Painting | -            |
|    | KIT-33056 | Fixation Kit f/ Double Handle<br>(Profile 22 to 33mm) | UN    | 6       | -        | Zinc               | -            |
|                                                                                     | KIT-33057 | Fixation Kit f/ Double Handle<br>(Profile 33 to 45mm) | UN    | 6       | -        | Zinc               | -            |
|                                                                                     | KIT-33067 | Fixation Kit f/ Double Handle<br>(Profile 45 to 55mm) | UN    | 6       | -        | Zinc               | -            |
|                                                                                     | KIT-33068 | Fixation Kit f/ Double Handle<br>(Profile 65 to 75mm) | UN    | 6       | -        | Zinc               | -            |
|  | DIV-70067 | 8x80mm Square                                         | UN    | 6       | 233      | Zinc               | -            |
|                                                                                     | DIV-70058 | 8x100mm Square                                        | UN    | 6       | 292      | Zinc               | -            |
|                                                                                     | DIV-70089 | 8x140mm Square                                        | UN    | 6       | -        | Zinc               | -            |
|  | DIV-70068 | 8x100mm Square<br>Misaligned 2,5mm                    | UN    | 6       | 292      | Zinc               | -            |
|                                                                                     | DIV-70088 | 8x115mm Square<br>Misaligned 2,5mm                    | UN    | 6       | 334      | Zinc               | -            |

NOTE: Screws included except where indicated.

## KITS AND COMPLEMENTS



ALPHA





## LOCKS AND ARMS

ALPHA®

|                                                                                     | REF. | DESIGNATION                                                 | UNITS | PACKING | PACK.GR. | FINISHING       | OBSERVATIONS                                   |
|-------------------------------------------------------------------------------------|------|-------------------------------------------------------------|-------|---------|----------|-----------------|------------------------------------------------|
|    | 509R | Adjustable Finger Catch                                     | UN    | 25      | 2474     | Powder Painting | For EG Series                                  |
|    | C150 | Arms for Bottom-Hung Windows w/ <b>150mm</b><br>- EG Series | PAR   | 20      | 3378     | Powder Painting | With opening limiter.                          |
|                                                                                     | C220 | Arms for Bottom-Hung Windows w/ <b>220mm</b><br>- EG Series | PAR   | 30      | 5538     | Powder Painting | With opening limiter.                          |
|                                                                                     | C300 | Arms for Bottom-Hung Windows w/ <b>300mm</b><br>- EG Series | PAR   | 20      | 4162     | Powder Painting | With opening limiter.                          |
|  | L150 | Regulable Limiting Arm w/ <b>150mm</b>                      | UN    | 40      | 3378     | Powder Painting | With pressure regulation. Stainless Steel Bolt |
|                                                                                     | L220 | Regulable Limiting Arm w/ <b>220mm</b>                      | UN    | 60      | 5538     | Powder Painting | With pressure regulation. Stainless Steel Bolt |
|                                                                                     | L300 | Regulable Limiting Arm w/ <b>300mm</b>                      | UN    | 40      | 4162     | Powder Painting | With pressure regulation. Stainless Steel Bolt |
|  | 612i | <b>Stainless Steel</b> Arms for Bottom-Hung Windows         | PAR   | 20      | 4150     | Stainless Steel | Screws not included. For Conventional Series   |



## PIVOT

|                                                                                     | REF. | DESIGNATION                                       | UNITS | PACKING | PACK.GR. | FINISHING       | OBSERVATIONS |
|-------------------------------------------------------------------------------------|------|---------------------------------------------------|-------|---------|----------|-----------------|--------------|
|  | 601  | Pivot Hinge for Horizontal/Vertical Pivot Windows | PAR   | 1       | 607      | Powder Painting | -            |


## MULTIPOINT LOCKS



ALPHA


### MAC

| DESIGNATION                                                 | UNITS | PACKING | FINISHING                     | OBSERVATIONS                                                                       |
|-------------------------------------------------------------|-------|---------|-------------------------------|------------------------------------------------------------------------------------|
| Multipoint Systems for Cremona<br>- <b>Adjustable Hooks</b> | UN    | 10      | Stainless Steel 304 and Zamak | Integrated anti-lift mechanism and false maneuver.<br><b>With adjustable nuts.</b> |



### MFC

| DESIGNATION                                            | UNITS | PACKING | FINISHING                     | OBSERVATIONS                                                                       |
|--------------------------------------------------------|-------|---------|-------------------------------|------------------------------------------------------------------------------------|
| Multipoint Systems for Cremona<br>- <b>Fixed Hooks</b> | UN    | 10      | Stainless Steel 304 and Zamak | Integrated anti-lift mechanism and false maneuver.<br><b>With adjustable nuts.</b> |





## MULTIPOINT LOCKS

ALPHA

### MACK

| DESIGNATION | UNITS | PACKING | FINISHING | OBSERVATIONS |
|-------------|-------|---------|-----------|--------------|
|-------------|-------|---------|-----------|--------------|

Multipoint Systems for  
Cremona and Cylinder  
- **Adjustable** Hooks

UN

10

Stainless  
Steel 304  
and Zamak

Integrated anti-lift  
mechanism and  
false maneuver.  
**With  
adjustable nuts.**



### MFCK

| DESIGNATION | UNITS | PACKING | FINISHING | OBSERVATIONS |
|-------------|-------|---------|-----------|--------------|
|-------------|-------|---------|-----------|--------------|

Multipoint Systems for  
Cremona and Cylinder  
- **Fixed** Hooks

UN

10

Stainless  
Steel 304  
and Zamak

Integrated anti-lift  
mechanism and  
false maneuver.  
**With  
adjustable nuts.**




## MULTIPOINT LOCKS



ALPHA


### MAE

| DESIGNATION                                                   | UNITS | PACKING | FINISHING                     | OBSERVATIONS |
|---------------------------------------------------------------|-------|---------|-------------------------------|--------------|
| Multipoint Systems for Sliding Lock - <b>Adjustable</b> Hooks | UN    | 10      | Stainless Steel 304 and Zamak | -            |



### MFE

| DESIGNATION                                              | UNITS | PACKING | FINISHING                     | OBSERVATIONS |
|----------------------------------------------------------|-------|---------|-------------------------------|--------------|
| Multipoint Systems for Sliding Lock - <b>Fixed</b> Hooks | UN    | 10      | Stainless Steel 304 and Zamak | -            |





## MULTIPOINT LOCKS

ALPHA

### Multipoint Accessories

|                                                                                     | REF.   | DESIGNATION                                                             | UNITS | PACKING | PACK.GR. | FINISHING                           | OBSERVATIONS                                                                       |
|-------------------------------------------------------------------------------------|--------|-------------------------------------------------------------------------|-------|---------|----------|-------------------------------------|------------------------------------------------------------------------------------|
|   | MAXT10 | Multipoint Extender<br>- <b>Adjustable</b> Hooks<br>(1 Locking Point)   | UN    | 10      | -        | Stainless<br>Steel 304 and<br>Zamak | F/ MAC16+ e MACK16+                                                                |
|  | MAC16+ | Multipoint for <b>Adjustable<br/>Hook Extender</b><br>(3 Locking Point) | UN    | 10      | 7836     | Stainless<br>Steel 304 and<br>Zamak | Mechanism with integrated anti-lift, false<br>maneuver, and <b>adjustable nuts</b> |
|  | MMM1   | Minimalist Handle f/ MFE                                                | UN    | 10      | 208      | Powder<br>Painting                  | -                                                                                  |
|  | 33070  | Multipoint False Maneuver<br>Deactivator                                | UN    | 10      | -        | Stainless<br>Steel                  | F/ MFC, MAC, MFCK and MACK                                                         |

MULTIPOINT  
LOCKS

## Multipoint / Sliding Locks Connection Hooks

|  | REF. | DESIGNATION                | UNITS | PACKING | PACK.GR. | FINISHING | OBSERVATIONS |
|--|------|----------------------------|-------|---------|----------|-----------|--------------|
|  | GMA  | Hook for Multipoint System | UN    | 25      | 208      | Zinc      |              |
|  | GMB  | Hook for Multipoint System | UN    | 25      | 190      | Zinc      |              |
|  | GMC  | Hook for Multipoint System | UN    | 25      | 286      | Zinc      |              |













## Multipoint Shims

|  | REF. | DESIGNATION                                   | UNITS | PACKING | PACK.GR. | FINISHING   | OBSERVATIONS |
|--|------|-----------------------------------------------|-------|---------|----------|-------------|--------------|
|  | CM0  | Set of Wedges for Multipoint                  | UN    | 100     | 760      | Black Nylon |              |
|  | CM1  | Wedge for Thermoline series                   | UN    | 100     | 299      | Black Nylon |              |
|  | CM2  | Wedge for RTC / B055 / LCP-90 / TC4000 series | UN    | 100     | 607      | Black Nylon |              |
|  | CM3  | Wedge for Slide 84 series                     | UN    | 100     | 305      | Black Nylon |              |
|  | CM4  | Wedge for L64000 series                       | UN    | 100     | 800      | Black Nylon |              |
|  | CM5  | Wedge for EasySlide (Perim.) / TC4000 series  | UN    | 100     | 300      | Black Nylon |              |
|  | CM6  | Wedge for S300 series                         | UN    | 100     | 1000     | Black Nylon |              |
|  | CM7  | Wedge for S350 series                         | UN    | 100     | 700      | Black Nylon |              |



## MULTIPOINT LOCKS










### Multipoint Shims

|                                                                                     | REF. | DESIGNATION                                       | UNITS | PACKING | PACK.GR. | FINISHING   | OBSERVATIONS                                                                          |
|-------------------------------------------------------------------------------------|------|---------------------------------------------------|-------|---------|----------|-------------|---------------------------------------------------------------------------------------|
|    | CM8  | Wedge for 7300 series                             | UN    | 100     | 600      | Black Nylon |    |
|    | CM9  | Wedge for LCP-90 RPT / JT / TC600 / TC4200 series | UN    | 100     | 350      | Black Nylon |    |
|    | CM10 | Wedge for 4600 RPT series                         | UN    | 100     | 800      | Black Nylon |    |
|   | CM11 | Wedge for N25000 series                           | UN    | 100     | 390      | Black Nylon |   |
|  | CM12 | Wedge for CT / 4200 RPT / Cobalt series           | UN    | 100     | 401      | Black Nylon |  |
|  | CM13 | Wedge for L60000 series                           | UN    | 100     | 369      | Black Nylon |  |
|  | CM14 | Wedge for CP / LCP-60 / SP / TC600 series         | UN    | 100     | 423      | Black Nylon |  |
|  | CM15 | Wedge for Gold series                             | UN    | 100     | 100      | Black Nylon |  |
|  | CM16 | Wedge for 2000 series                             | UN    | 100     | 400      | Black Nylon |  |
|  | CM17 | Wedge for Brosh series                            | UN    | 100     | 600      | Black Nylon |  |
|  | CM18 | Wedge for RT 90 / ES+ (Perim.) series             | UN    | 100     | 400      | Black Nylon |  |
|  | CM19 | Wedge for 61Cor Evo / L63000 / PB60 series        | UN    | 100     | 400      | Black Nylon |  |

MULTIPOINT  
LOCKS

ALPHA

## Multipoint Shims









|                                                                                     | REF. | DESIGNATION                             | UNITS | PACKING | PACK.GR. | FINISHING   | OBSERVATIONS                                                                          |
|-------------------------------------------------------------------------------------|------|-----------------------------------------|-------|---------|----------|-------------|---------------------------------------------------------------------------------------|
|    | CM20 | Wedge for Modena (Perim.) / PB04 series | UN    | 100     | 277      | Black Nylon |    |
|    | CM21 | Wedge for 4000 / 4600 / S80 series      | UN    | 100     | 528      | Black Nylon |    |
|    | CM22 | Wedge for 10000 / S150 series           | UN    | 100     | 744      | Black Nylon |    |
|   | CM23 | Wedge for PA80 series                   | UN    | 100     | 300      | Black Nylon |   |
|  | CM24 | Wedge for PA110 series                  | UN    | 100     | 900      | Black Nylon |  |
|  | CM25 | Wedge for S7 series                     | UN    | 100     | 600      | Black Nylon |  |
|  | CM26 | Wedge for VamCor series                 | UN    | 100     | 300      | Black Nylon |  |
|  | CM28 | Wedge for HA110 / JE series             | UN    | 100     | -        | Black Nylon |  |
|  | CM29 | Wedge for TG-60 series                  | UN    | 100     | -        | Black Nylon |  |



## MULTIPOINT LOCKS

ALPHA

### Multipoint Shims

|                                                                                     | REF. | DESIGNATION                        | UNITS | PACKING | PACK.GR. | FINISHING   | OBSERVATIONS                                                                          |
|-------------------------------------------------------------------------------------|------|------------------------------------|-------|---------|----------|-------------|---------------------------------------------------------------------------------------|
|    | CM30 | Wedge for J100 / LCB-95 RPT series | UN    | 100     | 600      | Black Nylon |    |
|    | CM32 | Wedge for Galisur series           | UN    | 100     | 442      | Black Nylon |    |
|    | CM33 | Wedge for SlimSlide series         | UN    | 100     | 100      | Black Nylon |    |
|  | CM35 | Wedge for A300 series              | UN    | 100     | 760      | Black Nylon |  |
|  | CM36 | Wedge for Koncept100 series        | UN    | 100     | 1123     | Black Nylon |  |
|  | CM37 | Wedge for Softslide series         | UN    | 100     | -        | Black Nylon |  |
|  | CM38 | Wedge for TC6200 series            | UN    | 100     | -        | Black Nylon |  |
|  | CM40 | Wedge for N23000 series            | UN    | 100     | -        | Black Nylon |  |

MULTIPOINT  
LOCKS



ALPHA





## SLIDING ACCESSORIES



|  | REF.  | DESIGNATION                                                                                        | UNITS | PACKING | PACK.GR. | FINISHING       | OBSERVATIONS                                  |
|--|-------|----------------------------------------------------------------------------------------------------|-------|---------|----------|-----------------|-----------------------------------------------|
|  | 33048 | Adjustable Locking for Sliding with EG Chamber                                                     | UN    | 25      | 894      | Zinc            | -                                             |
|  | 33058 | <b>Short</b> Adjustable Locking for Sliding with EG Chamber                                        | UN    | 25      | 864      | Zinc            | -                                             |
|  | 33066 | <b>Long</b> Adjustable Locking for Sliding with EG Chamber                                         | UN    | 25      | 924      | Zinc            | -                                             |
|  | N70   | <b>Stainless Steel</b> Counterplate                                                                | UN    | 25      | 283      | Stainless Steel | -                                             |
|  | N77   | <b>Stainless Steel</b> Counterplate                                                                | UN    | 25      | 325      | Stainless Steel | -                                             |
|  | 9322  | Gearbox Mechanism (7mm Axis)                                                                       | UN    | 10      | -        | Zinc            | Also available for channel 14x19 - 9327       |
|  | 9323  | Gearbox Mechanism (11mm Axis)                                                                      | UN    | 10      | -        | Zinc            | Also available for channel 14x19 - 9328       |
|  | 9324  | Gearbox Mechanism (13,5mm Axis)                                                                    | UN    | 10      | -        | Zinc            | Also available for channel 14x19 - 9329       |
|  | 709D  | <b>Right Offset</b> Handle 3 Positions (Square of 7x32mm)                                          | UN    | 10      | 3155     | Powder Painting | -                                             |
|  | 709E  | <b>Left Offset</b> Handle 3 Positions (Square of 7x32mm)                                           | UN    | 10      | 3155     | Powder Painting | -                                             |
|  | 9326  | <b>Flush</b> Handle 3 Positions (Square of 7x32mm)                                                 | UN    | 10      | -        | Powder Painting | Also available w/ Square of 7x23mm and 7x60mm |
|  | 70077 | Transmission Cremona Cover                                                                         | UN    | 30      | 1144     | Zinc            | -                                             |
|  | 735S  | <b>Lower</b> Cremona for Tilt-turn Euro Groove - <b>12mm</b> Pale (Frontal Fixation)               | UN    | 10      | 2584     | Powder Painting | -                                             |
|  | 635S  | Cremona for Tilt-turn Euro Groove - <b>12mm</b> Pale (Frontal Fixation)                            | UN    | 10      | 3060     | Powder Painting | -                                             |
|  | 635SK | Cremona for Tilt-turn Euro Groove w/ <b>Key</b> - <b>12mm</b> Pale (Frontal Fixation)              | UN    | 10      | 3110     | Powder Painting | -                                             |
|  | 625S  | Cremona for Tilt-turn Euro Groove w/ <b>Detachable Cover</b> - <b>12mm</b> Pale (Frontal Fixation) | UN    | 10      | 2685     | Powder Painting | -                                             |



## Conventional Series

EXO LINE




ALPHA

|  | REF.   | DESIGNATION                                                          | UNITS | PACKING | PACK.GR. | FINISHING       | OBSERVATIONS   |
|--|--------|----------------------------------------------------------------------|-------|---------|----------|-----------------|----------------|
|  | 2047i  | Sliding Lock (Invisible Fixation)                                    | UN    | 25      | -        | Powder Painting |                |
|  | 2047G  | Sliding Lock                                                         | UN    | 25      | -        | Powder Painting |                |
|  | 2050iX | Sliding Lock w/ <b>Hook Extension</b> (Invisible Fixation)           | UN    | 25      | -        | Powder Painting |                |
|  | 2050GX | Sliding Lock w/ <b>Hook Extension</b>                                | UN    | 25      | -        | Powder Painting |                |
|  | 2048i  | Sliding Lock - <b>Manual</b> (Invisible Fixation)                    | UN    | 25      | -        | Powder Painting |                |
|  | 2048G  | Sliding Lock - <b>Manual</b>                                         | UN    | 25      | -        | Powder Painting |                |
|  | 2051iX | Sliding Lock w/ <b>Hook Extension - Manual</b> (Invisible Fixation)  | UN    | 25      | -        | Powder Painting |                |
|  | 2051GX | Sliding Lock w/ <b>Hook Extension - Manual</b>                       | UN    | 25      | -        | Powder Painting |                |
|  | 2046i  | Sliding Lock w/ <b>Security System - Manual</b> (Invisible Fixation) | UN    | 25      | -        | Powder Painting |                |
|  | 2046G  | Sliding Lock w/ <b>Security System - Manual</b>                      | UN    | 25      | -        | Powder Painting |                |
|  | 2045i  | Sliding Lock w/ <b>Key</b> (Invisible Fixation)                      | UN    | 25      | -        | Powder Painting | Equal keys     |
|  | 2045iU | Sliding Lock w/ <b>Key</b> (Invisible Fixation)                      | UN    | 25      | -        | Powder Painting | Different keys |
|  | 2045G  | Sliding Lock w/ <b>Key</b>                                           | UN    | 25      | -        | Powder Painting | Equal keys     |
|  | 2045GU | Sliding Lock w/ <b>Key</b>                                           | UN    | 25      | -        | Powder Painting | Different keys |

NOTE: Nibs and Counterplates not included.



EXO LINE



## Conventional Series

|                                                                                     | REF.    | DESIGNATION                                                                                                 | UNITS | PACKING | PACK.GR. | FINISHING       | OBSERVATIONS                                                                                                                                                                                  |
|-------------------------------------------------------------------------------------|---------|-------------------------------------------------------------------------------------------------------------|-------|---------|----------|-----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|    | 2053iX  | Sliding Lock w/ <b>Key</b> and <b>Hook Extension</b> (Invisible Fixation)                                   | UN    | 25      | -        | Powder Painting |  <b>Equal keys</b>      |
|                                                                                     | 2053iXU | Sliding Lock w/ <b>Key</b> and <b>Hook Extension</b> (Invisible Fixation)                                   | UN    | 25      | -        | Powder Painting |  <b>Different keys</b>  |
|                                                                                     | 2053GX  | Sliding Lock w/ <b>Key</b> and <b>Hook Extension</b>                                                        | UN    | 25      | -        | Powder Painting |  <b>Equal keys</b>      |
|                                                                                     | 2053GXU | Sliding Lock w/ <b>Key</b> and <b>Hook Extension</b>                                                        | UN    | 25      | -        | Powder Painting |  <b>Different keys</b>  |
|  | 2044    | Sliding Lock w/ <b>Shell</b> and <b>Key</b> - For Profiles of Width between 27-36mm                         | PAR   | 12      | -        | Powder Painting |  <b>Different keys</b>                                                                                    |
|                                                                                     | 2044i   | Sliding Lock w/ <b>Shell</b> and <b>Key</b> - For Profiles of Width between 27-36mm                         | PAR   | 12      | -        | Powder Painting |  <b>Equal keys</b>                                                                                       |
|                                                                                     | 2044C   | Sliding Lock w/ <b>Shell</b> and <b>Key</b> - For Profiles of Width between 27-29mm                         | PAR   | 12      | -        | Powder Painting |  <b>Different keys</b>                                                                                   |
|                                                                                     | 2044E   | Sliding Lock w/ <b>Shell</b> and <b>Key</b> - For Profiles of Width between 30-32mm                         | PAR   | 12      | -        | Powder Painting |  <b>Different keys</b>                                                                                   |
|                                                                                     | 2044L   | Sliding Lock w/ <b>Shell</b> and <b>Key</b> - For Profiles of Width between 36-48mm                         | PAR   | 12      | -        | Powder Painting |  <b>Different keys</b>                                                                                   |
|  | 2052LX  | Sliding Lock w/ <b>Shell</b> , <b>Key</b> and <b>Hook Extension</b> - For Profiles of Width between 36-48mm | PAR   | 12      | -        | Powder Painting |  <b>Different keys</b>                                                                                   |



EXO LINE



ALPHA

## Perimetral Series

|                                                                                     | REF.   | DESIGNATION                                                                  | UNITS | PACKING | PACK.GR. | FINISHING       | OBSERVATIONS                                                                                                                                                                               |
|-------------------------------------------------------------------------------------|--------|------------------------------------------------------------------------------|-------|---------|----------|-----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|    | 2057i  | Sliding Lock<br>(Invisible Fixation)                                         | UN    | 25      | -        | Powder Painting |                                                                                                         |
|                                                                                     | 2057G  | Sliding Lock                                                                 | UN    | 25      | -        | Powder Painting |                                                                                                         |
|    | 2058i  | Sliding Lock - <b>Manual</b><br>(Invisible Fixation)                         | UN    | 25      | -        | Powder Painting |                                                                                                         |
|                                                                                     | 2058G  | Sliding Lock - <b>Manual</b>                                                 | UN    | 25      | -        | Powder Painting |                                                                                                         |
|   | 2056i  | Sliding Lock w/ <b>Security System - Manual</b><br>(Invisible Fixation)      | UN    | 25      | -        | Powder Painting |                                                                                                         |
|                                                                                     | 2056G  | Sliding Lock w/ <b>Security System - Manual</b>                              | UN    | 25      | -        | Powder Painting |                                                                                                       |
|  | 2055G  | Sliding Lock w/ <b>Key</b>                                                   | UN    | 25      | -        | Powder Painting |  Equal keys      |
|                                                                                     | 2055GU | Sliding Lock w/ <b>Key</b>                                                   | UN    | 25      | -        | Powder Painting |  Different keys  |
|  | 2054   | Sliding Lock w/ <b>Shell and Key</b> - For Profiles of Width between 27-36mm | PAR   | 12      | -        | Powder Painting |  Different keys                                                                                       |
|                                                                                     | 2054C  | Sliding Lock w/ <b>Shell and Key</b> - For Profiles of Width between 27-29mm | PAR   | 12      | -        | Powder Painting |  Different keys                                                                                       |
|                                                                                     | 2054E  | Sliding Lock w/ <b>Shell and Key</b> - For Profiles of Width between 30-32mm | PAR   | 12      | -        | Powder Painting |  Different keys                                                                                       |
|                                                                                     | 2054L  | Sliding Lock w/ <b>Shell and Key</b> - For Profiles of Width between 36-48mm | PAR   | 12      | -        | Powder Painting |  Different keys                                                                                       |
|                                                                                     | 2054XL | Sliding Lock w/ <b>Shell and Key</b> - For Profiles of Width between 40-52mm | PAR   | 12      | -        | Powder Painting |  Different keys                                                                                       |

NOTE: Nibs and Counterplates not included.



EXO LINE

Accessories for Sliding Locks

























|                                                                                     | REF.  | DESIGNATION                           | UNITS | PACKING | PACK.GR. | FINISHING       | OBSERVATIONS                                                                          |
|-------------------------------------------------------------------------------------|-------|---------------------------------------|-------|---------|----------|-----------------|---------------------------------------------------------------------------------------|
|    | 700   | Handle f/ Sliding Doors               | UN    | 10      | -        | Powder Painting | Fixing: aluminium crimping nuts                                                       |
|    | 701   | Handle f/ Sliding Lock                | UN    | 10      | -        | Powder Painting | Use with 2047G.                                                                       |
|    | 2043  | Shell f/ Sliding Lock in <b>Zamak</b> | UN    | 25      | -        | Powder Painting | -                                                                                     |
|  | 2043i | Shell f/ Sliding Doors                | UN    | 25      | -        | Powder Painting |  |

EXO LINE



ALPHA

## Stainless Steel Nibs for Sliding Lock

|                                                                                                                                                                                    |                                                                                                                                                                                    |                                                                                                                                                                                     | REF. | UNITS | PACK | PACK.GR. |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-------|------|----------|
| <p>G1A</p>       | <p>G1B</p>       | <p>G1C</p>        | G1A  | UN    | 25   | 209      |
|                                                                                                                                                                                    |                                                                                                                                                                                    |                                                                                                                                                                                     | G1B  | UN    | 25   | 213      |
| <p>G1D</p>       | <p>G1E</p>       | <p>G1F</p>        | G1C  | UN    | 25   | 212      |
|                                                                                                                                                                                    |                                                                                                                                                                                    |                                                                                                                                                                                     | G1D  | UN    | 25   | 193      |
| <p>G1G</p>    | <p>G1H</p>    | <p>G1i</p>     | G1E  | UN    | 25   | 196      |
|                                                                                                                                                                                    |                                                                                                                                                                                    |                                                                                                                                                                                     | G1F  | UN    | 25   | 197      |
| <p>G1J</p>   | <p>G1L</p>   | <p>G1M</p>   | G1G  | UN    | 25   | 232      |
|                                                                                                                                                                                    |                                                                                                                                                                                    |                                                                                                                                                                                     | G1H  | UN    | 25   | 221      |
| <p>G1N</p>   | <p>G1P</p>   | <p>G1Q</p>   | G1i  | UN    | 25   | 217      |
|                                                                                                                                                                                    |                                                                                                                                                                                    |                                                                                                                                                                                     | G1J  | UN    | 25   | 183      |
| <p>G1N</p>   | <p>G1P</p>   | <p>G1Q</p>   | G1L  | UN    | 25   | 187      |
|                                                                                                                                                                                    |                                                                                                                                                                                    |                                                                                                                                                                                     | G1M  | UN    | 25   | 172      |
| <p>G1N</p>   | <p>G1P</p>   | <p>G1Q</p>   | G1N  | UN    | 25   | 177      |
|                                                                                                                                                                                    |                                                                                                                                                                                    |                                                                                                                                                                                     | G1P  | UN    | 25   | 174      |
| <p>G1N</p>   | <p>G1P</p>   | <p>G1Q</p>   | G1Q  | UN    | 25   | 265      |



EXO LINE

ALPHA
















|  | REF.  | DESIGNATION                                                     | UNITS | PACKING | PACK.GR. | FINISHING          | OBSERVATIONS                               |
|--|-------|-----------------------------------------------------------------|-------|---------|----------|--------------------|--------------------------------------------|
|  | 2067i | Sliding Lock w/ <b>25mm</b><br>(Invisible Fixation)             | UN    | 100     | -        | Powder<br>Painting |                                            |
|  | 2062  | Set of Sliding Lock<br>w/ Handle                                | UN    | 10      | -        | Powder<br>Painting | <br>Handle with aluminium<br>crimping nuts |
|  | 2087i | <b>Long</b> Sliding Lock w/ <b>25mm</b><br>(Invisible Fixation) | UN    | 100     | -        | Powder<br>Painting |                                            |
|  | 2087G | <b>Long</b> Sliding Lock w/ <b>25mm</b>                         | UN    | 100     | -        | Powder<br>Painting |                                            |
|  | 2063i | Shell for Sliding Doors                                         | UN    | 25      | -        | Powder<br>Painting |                                            |

EXO LINE



ALPHA

## Nickel Steel Nibs for Sliding Lock

|                                                                                                                                                                                    |                                                                                                                                                                                    |                                                                                                                                                                                     | REF. | UNITS | PACK | PACK.GR. |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-------|------|----------|
| <p>G5A</p>       | <p>G5B</p>       | <p>G5C</p>        | G5A  | UN    | 25   | 218      |
|                                                                                                                                                                                    |                                                                                                                                                                                    |                                                                                                                                                                                     | G5B  | UN    | 25   | 225      |
| <p>G5D</p>       | <p>G5E</p>       | <p>G5F</p>        | G5C  | UN    | 25   | 224      |
|                                                                                                                                                                                    |                                                                                                                                                                                    |                                                                                                                                                                                     | G5D  | UN    | 25   | 205      |
| <p>G5G</p>    | <p>G5H</p>    | <p>G5i</p>     | G5E  | UN    | 25   | 205      |
|                                                                                                                                                                                    |                                                                                                                                                                                    |                                                                                                                                                                                     | G5F  | UN    | 25   | 208      |
| <p>G5J</p>   | <p>G5L</p>   | <p>G5M</p>    | G5G  | UN    | 25   | 219      |
|                                                                                                                                                                                    |                                                                                                                                                                                    |                                                                                                                                                                                     | G5H  | UN    | 25   | 226      |
| <p>G5N</p>   | <p>G5P</p>   | <p>G5Q</p>   | G5i  | UN    | 25   | 226      |
|                                                                                                                                                                                    |                                                                                                                                                                                    |                                                                                                                                                                                     | G5J  | UN    | 25   | 185      |
|                                                                                                                                                                                    |                                                                                                                                                                                    |                                                                                                                                                                                     | G5L  | UN    | 25   | 191      |
|                                                                                                                                                                                    |                                                                                                                                                                                    |                                                                                                                                                                                     | G5M  | UN    | 25   | 182      |
|                                                                                                                                                                                    |                                                                                                                                                                                    |                                                                                                                                                                                     | G5N  | UN    | 25   | 183      |
|                                                                                                                                                                                    |                                                                                                                                                                                    |                                                                                                                                                                                     | G5P  | UN    | 25   | 175      |
|                                                                                                                                                                                    |                                                                                                                                                                                    |                                                                                                                                                                                     | G5Q  | UN    | 25   | 265      |



EXO LINE

ALPHA

























|                                                                                     | REF.  | DESIGNATION                                                           | UNITS | PACKING | PACK.GR. | FINISHING          | OBSERVATIONS                                                                          |
|-------------------------------------------------------------------------------------|-------|-----------------------------------------------------------------------|-------|---------|----------|--------------------|---------------------------------------------------------------------------------------|
|    | 2097i | Sliding Lock<br>(Invisible Fixation)                                  | UN    | 100     | 5678     | Powder<br>Painting |    |
|                                                                                     | 2097P | Sliding Lock                                                          | UN    | 100     | 5678     | Powder<br>Painting |    |
|    | 2098P | Sliding Lock Mec. 156/120                                             | UN    | 100     | 5480     | Powder<br>Painting |    |
|   | 2099P | Sliding Lock Mec. 180/120                                             | UN    | 100     | 5390     | Powder<br>Painting |  |
|  | 2093i | Shell for Sliding Lock in<br><b>Aluminium</b><br>(Invisible Fixation) | UN    | 100     | 5678     | Powder<br>Painting |  |
|                                                                                     | 2093P | Shell for Sliding Lock in<br><b>Aluminium</b>                         | UN    | 100     | 5678     | Powder<br>Painting |  |
|  | 2092P | Shell for Sliding Lock in<br><b>Aluminium</b> Mec. 156/120            | UN    | 100     | 5480     | Powder<br>Painting |  |
|  | 2091P | Shell for Sliding Lock in<br><b>Aluminium</b> Mec. 180/120            | UN    | 100     | 5390     | Powder<br>Painting |  |

EXO LINE



ALPHA

## Nickel Steel Nibs for Sliding Lock








|                                                                                                                                                                                    |                                                                                                                                                                                    |                                                                                                                                                                                      | REF. | UNITS | PACK | PACK.GR. |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-------|------|----------|
| <p>G5A</p>       | <p>G5B</p>       | <p>G5C</p>        | G5A  | UN    | 25   | 218      |
|                                                                                                                                                                                    |                                                                                                                                                                                    |                                                                                                                                                                                      | G5B  | UN    | 25   | 225      |
| <p>G5D</p>       | <p>G5E</p>       | <p>G5F</p>        | G5C  | UN    | 25   | 224      |
|                                                                                                                                                                                    |                                                                                                                                                                                    |                                                                                                                                                                                      | G5D  | UN    | 25   | 205      |
| <p>G5G</p>    | <p>G5H</p>    | <p>G5i</p>     | G5E  | UN    | 25   | 205      |
|                                                                                                                                                                                    |                                                                                                                                                                                    |                                                                                                                                                                                      | G5F  | UN    | 25   | 208      |
| <p>G5J</p>   | <p>G5L</p>   | <p>G5M</p>   | G5G  | UN    | 25   | 219      |
|                                                                                                                                                                                    |                                                                                                                                                                                    |                                                                                                                                                                                      | G5H  | UN    | 25   | 226      |
| <p>G5N</p>   | <p>G5P</p>   | <p>G5Q</p>   | G5i  | UN    | 25   | 226      |
|                                                                                                                                                                                    |                                                                                                                                                                                    |                                                                                                                                                                                      | G5J  | UN    | 25   | 185      |
| <p>G5N</p>   | <p>G5P</p>   | <p>G5Q</p>   | G5L  | UN    | 25   | 191      |
|                                                                                                                                                                                    |                                                                                                                                                                                    |                                                                                                                                                                                      | G5M  | UN    | 25   | 182      |
| <p>G5N</p>   | <p>G5P</p>   | <p>G5Q</p>   | G5N  | UN    | 25   | 183      |
|                                                                                                                                                                                    |                                                                                                                                                                                    |                                                                                                                                                                                      | G5P  | UN    | 25   | 175      |
| <p>G5N</p>   | <p>G5P</p>   | <p>G5Q</p>   | G5Q  | UN    | 25   | 265      |



EXO LINE

ALPHA

## Counterplates for Sliding Lock

|                                                                                     | REF. | DESIGNATION                               | UNITS | PACKING | PACK.GR. | FINISHING | OBSERVATIONS                                                                          |
|-------------------------------------------------------------------------------------|------|-------------------------------------------|-------|---------|----------|-----------|---------------------------------------------------------------------------------------|
|    | N28  | Counterplates                             | UN    | 25      | 379      | Zinc      |    |
|    | N29  | Counterplates                             | UN    | 25      | 338      | Zinc      |    |
|    | N33  | Counterplates                             | UN    | 25      | 204      | Zinc      |    |
|    | N34  | Counterplates                             | UN    | 25      | 822      | Zinc      |    |
|  | N36  | <b>Zamak Nib</b><br>for Perimetral Series | UN    | 25      | 314      | Zinc      |  |
|  | N37  | <b>Zamak Nib</b><br>for Perimetral Series | UN    | 25      | 493      | Zinc      |  |
|  | N38  | <b>Zamak Nib</b><br>for Perimetral Series | UN    | 25      | 369      | Zinc      |  |
|  | N44  | <b>Zamak Nib</b><br>for Perimetral Series | UN    | 25      | 507      | Zinc      |  |



STAR LINE



ALPHA


## Conventional Series

|  | REF.  | DESIGNATION                                                          | UNITS | PACKING | PACK.GR. | FINISHING       | OBSERVATIONS          |
|--|-------|----------------------------------------------------------------------|-------|---------|----------|-----------------|-----------------------|
|  | 247i  | Sliding Lock (Invisible Fixation)                                    | UN    | 25      | 3218     | Powder Painting |                       |
|  | 247G  | Sliding Lock                                                         | UN    | 25      | 2911     | Powder Painting |                       |
|  | 250iX | Sliding Lock w/ <b>Hook Extension</b> (Invisible Fixation)           | UN    | 25      | 3762     | Powder Painting |                       |
|  | 250GX | Sliding Lock w/ <b>Hook Extension</b>                                | UN    | 25      | 3375     | Powder Painting |                       |
|  | 248i  | Sliding Lock - <b>Manual</b> (Invisible Fixation)                    | UN    | 25      | 3134     | Powder Painting |                       |
|  | 248G  | Sliding Lock - <b>Manual</b>                                         | UN    | 25      | 2898     | Powder Painting |                       |
|  | 251iX | Sliding Lock w/ <b>Hook Extension - Manual</b> (Invisible Fixation)  | UN    | 25      | 3762     | Powder Painting |                       |
|  | 251GX | Sliding Lock w/ <b>Hook Extension - Manual</b>                       | UN    | 25      | 3375     | Powder Painting |                       |
|  | 246i  | Sliding Lock w/ <b>Security System - Manual</b> (Invisible Fixation) | UN    | 25      | 3219     | Powder Painting |                       |
|  | 246G  | Sliding Lock w/ <b>Security System - Manual</b>                      | UN    | 25      | 2852     | Powder Painting |                       |
|  | 245i  | Sliding Lock w/ <b>Key</b> (Invisible Fixation)                      | UN    | 25      | 3834     | Powder Painting | <b>Equal keys</b>     |
|  | 245iU | Sliding Lock w/ <b>Key</b> (Invisible Fixation)                      | UN    | 25      | 3834     | Powder Painting | <b>Different keys</b> |
|  | 245G  | Sliding Lock w/ <b>Key</b>                                           | UN    | 25      | 3571     | Powder Painting | <b>Equal keys</b>     |
|  | 245GU | Sliding Lock w/ <b>Key</b>                                           | UN    | 25      | 3571     | Powder Painting | <b>Different keys</b> |

NOTE: Nibs and Counterplates not included.



STAR LINE



## Conventional Series

|                                                                                     | REF.   | DESIGNATION                                                                                         | UNITS | PACKING | PACK.GR. | FINISHING       | OBSERVATIONS                                                                                                                                                                                  |
|-------------------------------------------------------------------------------------|--------|-----------------------------------------------------------------------------------------------------|-------|---------|----------|-----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|    | 253IX  | Sliding Lock w/ <b>Key</b> and <b>Hook Extension</b> (Invisible Fixation)                           | UN    | 25      | 4350     | Powder Painting |  <b>Equal keys</b>      |
|                                                                                     | 253IXU | Sliding Lock w/ <b>Key</b> and <b>Hook Extension</b> (Invisible Fixation)                           | UN    | 25      | 4350     | Powder Painting |  <b>Different keys</b>  |
|                                                                                     | 253GX  | Sliding Lock w/ <b>Key</b> and <b>Hook Extension</b>                                                | UN    | 25      | 4050     | Powder Painting |  <b>Equal keys</b>      |
|                                                                                     | 253GXU | Sliding Lock w/ <b>Key</b> and <b>Hook Extension</b>                                                | UN    | 25      | 4050     | Powder Painting |  <b>Different keys</b>  |
|  | 244    | Sliding Lock w/ <b>Shell</b> and <b>Key</b> - For Profiles of Width between 27-36mm                 | PAR   | 12      | 2825     | Powder Painting |  <b>Different keys</b>                                                                                     |
|                                                                                     | 244i   | Sliding Lock w/ <b>Shell</b> and <b>Key</b> - For Profiles of Width between 27-36mm                 | PAR   | 12      | 2790     | Powder Painting |  <b>Equal keys</b>                                                                                        |
|                                                                                     | 244N   | Sliding Lock w/ <b>Shell</b> and <b>Key</b> - For Profiles of Width between 22-31mm                 | PAR   | 12      | 3456     | Powder Painting |  <b>Different keys</b>                                                                                   |
|                                                                                     | 244C   | Sliding Lock w/ <b>Shell</b> and <b>Key</b> - For Profiles of Width between 27-29mm                 | PAR   | 12      | 2780     | Powder Painting |  <b>Different keys</b>                                                                                   |
|                                                                                     | 244E   | Sliding Lock w/ <b>Shell</b> and <b>Key</b> - For Profiles of Width between 30-32mm                 | PAR   | 12      | 2786     | Powder Painting |  <b>Different keys</b>                                                                                   |
|                                                                                     | 244L   | Sliding Lock w/ <b>Shell</b> and <b>Key</b> - For Profiles of Width between 36-48mm                 | PAR   | 12      | 2844     | Powder Painting |  <b>Different keys</b>                                                                                   |
|  | 252LX  | Sliding Lock w/ <b>Shell, Key</b> and <b>Hook Extension</b> - For Profiles of Width between 36-48mm | PAR   | 12      | 3096     | Powder Painting |  <b>Different keys</b>                                                                                   |
|  | 244W   | Wedge for Locks w/ Shell                                                                            | UN    | 12      | 616      | Powder Painting | For 244 and 254                                                                                                                                                                               |

NOTE: Nibs and Counterplates not included.



STAR LINE



ALPHA

## Perimetral Series

|                                                                                     | REF.  | DESIGNATION                                                                  | UNITS | PACKING | PACK.GR. | FINISHING          | OBSERVATIONS                                                                                                                                                                                                                                                |
|-------------------------------------------------------------------------------------|-------|------------------------------------------------------------------------------|-------|---------|----------|--------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|    | 257i  | Sliding Lock<br>(Invisible Fixation)                                         | UN    | 25      | 2601     | Powder<br>Painting |    |
|                                                                                     | 257G  | Sliding Lock                                                                 | UN    | 25      | 2836     | Powder<br>Painting |    |
|    | 258i  | Sliding Lock - <b>Manual</b><br>(Invisible Fixation)                         | UN    | 25      | 3134     | Powder<br>Painting |                                                                                       |
|                                                                                     | 258G  | Sliding Lock - <b>Manual</b>                                                 | UN    | 25      | 2898     | Powder<br>Painting |                                                                                       |
|    | 256i  | Sliding Lock w/ <b>Security System - Manual</b><br>(Invisible Fixation)      | UN    | 25      | 2577     | Powder<br>Painting |                                                                                       |
|                                                                                     | 256G  | Sliding Lock w/ <b>Security System - Manual</b>                              | UN    | 25      | 2822     | Powder<br>Painting |                                                                                       |
|   | 255G  | Sliding Lock w/ <b>Key</b>                                                   | UN    | 25      | 3478     | Powder<br>Painting |  <b>Equal keys</b>                                                                  |
|                                                                                     | 255GU | Sliding Lock w/ <b>Key</b>                                                   | UN    | 25      | 3478     | Powder<br>Painting |  <b>Different keys</b>                                                            |
|  | 254   | Sliding Lock w/ <b>Shell and Key</b> - For Profiles of Width between 27-36mm | PAR   | 12      | 2760     | Powder<br>Painting |  <b>Different keys</b>                                                                                                                                                 |
|                                                                                     | 254C  | Sliding Lock w/ <b>Shell and Key</b> - For Profiles of Width between 27-29mm | PAR   | 12      | 2748     | Powder<br>Painting |  <b>Different keys</b>                                                                                                                                                 |
|                                                                                     | 254E  | Sliding Lock w/ <b>Shell and Key</b> - For Profiles of Width between 30-32mm | PAR   | 12      | 2748     | Powder<br>Painting |  <b>Different keys</b>                                                                                                                                                 |
|                                                                                     | 254M  | Sliding Lock w/ <b>Shell and Key</b> - For Profiles of Width between 30-41mm | PAR   | 12      | 2748     | Powder<br>Painting |  <b>Different keys</b>                                                                                                                                                 |
|                                                                                     | 254L  | Sliding Lock w/ <b>Shell and Key</b> - For Profiles of Width between 36-48mm | PAR   | 12      | 2813     | Powder<br>Painting |  <b>Different keys</b>                                                                                                                                                 |
|                                                                                     | 254XL | Sliding Lock w/ <b>Shell and Key</b> - For Profiles of Width between 40-52mm | PAR   | 12      | 2856     | Powder<br>Painting |  <b>Different keys</b>                                                                                                                                                 |
|  | 244W  | Wedge for Locks w/ Shell                                                     | UN    | 12      | 616      | Powder<br>Painting | For 244 and 254                                                                                                                                                                                                                                             |
|  | 250i  | Sliding Lock<br>w/ Perimetral Hook                                           | UN    | 25      | 3450     | Powder<br>Painting |                                                                                                                                                                        |

NOTE: Nibs and Counterplates not included.



























STAR LINE

Accessories for Sliding Lock

|                                                                                    | REF. | DESIGNATION                            | UNITS | PACKING | PACK.GR. | FINISHING       | OBSERVATIONS                                                                          |
|------------------------------------------------------------------------------------|------|----------------------------------------|-------|---------|----------|-----------------|---------------------------------------------------------------------------------------|
|   | 240  | Handle for Sliding Doors               | UN    | 10      | 2351     | Powder Painting | Fixing: aluminium crimping nuts.                                                      |
|   | 241  | Handle for Sliding Lock                | UN    | 10      | 1798     | Powder Painting | -                                                                                     |
|   | 243  | Shell for Sliding Lock in <b>Zamak</b> | UN    | 25      | 2607     | Powder Painting | -                                                                                     |
|  | 243i | Shell for Sliding Doors                | UN    | 25      | 1048     | Powder Painting |  |



## Stainless Steel Nibs for Sliding Lock







|                                                                                                                                                                                    |                                                                                                                                                                                    |                                                                                                                                                                                      | REF. | UNITS | PACK | PACK.GR. |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-------|------|----------|
| <p>G1A</p>       | <p>G1B</p>       | <p>G1C</p>        | G1A  | UN    | 25   | 209      |
|                                                                                                                                                                                    |                                                                                                                                                                                    |                                                                                                                                                                                      | G1B  | UN    | 25   | 213      |
| <p>G1D</p>       | <p>G1E</p>       | <p>G1F</p>        | G1C  | UN    | 25   | 212      |
|                                                                                                                                                                                    |                                                                                                                                                                                    |                                                                                                                                                                                      | G1D  | UN    | 25   | 193      |
| <p>G1G</p>    | <p>G1H</p>    | <p>G1i</p>     | G1E  | UN    | 25   | 196      |
|                                                                                                                                                                                    |                                                                                                                                                                                    |                                                                                                                                                                                      | G1F  | UN    | 25   | 197      |
| <p>G1J</p>   | <p>G1L</p>   | <p>G1M</p>   | G1G  | UN    | 25   | 232      |
|                                                                                                                                                                                    |                                                                                                                                                                                    |                                                                                                                                                                                      | G1H  | UN    | 25   | 221      |
| <p>G1N</p>   | <p>G1P</p>   | <p>G1Q</p>   | G1i  | UN    | 25   | 217      |
|                                                                                                                                                                                    |                                                                                                                                                                                    |                                                                                                                                                                                      | G1J  | UN    | 25   | 183      |
| <p>G1N</p>   | <p>G1P</p>   | <p>G1Q</p>   | G1L  | UN    | 25   | 187      |
|                                                                                                                                                                                    |                                                                                                                                                                                    |                                                                                                                                                                                      | G1M  | UN    | 25   | 172      |
| <p>G1N</p>   | <p>G1P</p>   | <p>G1Q</p>   | G1N  | UN    | 25   | 177      |
|                                                                                                                                                                                    |                                                                                                                                                                                    |                                                                                                                                                                                      | G1P  | UN    | 25   | 174      |
| <p>G1N</p>   | <p>G1P</p>   | <p>G1Q</p>   | G1Q  | UN    | 25   | 265      |



STAR LINE

ALPHA

## Counterplates for Sliding Lock

|                                                                                     | REF. | DESIGNATION                               | UNITS | PACKING | PACK.GR. | FINISHING | OBSERVATIONS                                                                          |
|-------------------------------------------------------------------------------------|------|-------------------------------------------|-------|---------|----------|-----------|---------------------------------------------------------------------------------------|
|    | N28  | Counterplates                             | UN    | 25      | 379      | Zinc      |    |
|    | N29  | Counterplates                             | UN    | 25      | 338      | Zinc      |    |
|    | N33  | Counterplates                             | UN    | 25      | 204      | Zinc      |    |
|    | N34  | Counterplates                             | UN    | 25      | 822      | Zinc      |    |
|  | N36  | <b>Zamak</b> Nib<br>for Perimetral Series | UN    | 25      | 314      | Zinc      |  |
|  | N37  | <b>Zamak</b> Nib<br>for Perimetral Series | UN    | 25      | 493      | Zinc      |  |

ECO LINE



ALPHA

|  | REF. | DESIGNATION                                                     | UNITS | PACKING | PACK.GR. | FINISHING          | OBSERVATIONS                               |
|--|------|-----------------------------------------------------------------|-------|---------|----------|--------------------|--------------------------------------------|
|  | 266i | Sliding Lock w/ <b>30mm</b><br>(Invisible Fixation)             | UN    | 100     | 6760     | Powder<br>Painting |                                            |
|  | 266P | Sliding Lock w/ <b>30mm</b>                                     | UN    | 100     | 6382     | Powder<br>Painting |                                            |
|  | 267i | Sliding Lock w/ <b>25mm</b><br>(Invisible Fixation)             | UN    | 100     | 6111     | Powder<br>Painting |                                            |
|  | 267P | Sliding Lock w/ <b>25mm</b>                                     | UN    | 100     | 5752     | Powder<br>Painting |                                            |
|  | 262  | Set of Sliding Lock<br>w/ Handle                                | UN    | 10      | 2372     | Powder<br>Painting | <br>Handle with aluminium<br>crimping nuts |
|  | 287i | <b>Long</b> Sliding Lock w/ <b>25mm</b><br>(Invisible Fixation) | UN    | 100     | 7000     | Powder<br>Painting |                                            |
|  | 287G | <b>Long</b> Sliding Lock w/ <b>25mm</b>                         | UN    | 100     | 7065     | Powder<br>Painting |                                            |
|  | 263i | Shell for Sliding Doors                                         | UN    | 25      | 954      | Powder<br>Painting |                                            |

































NOTE: Nibs and Counterplates not included.







ECO LINE

ALPHA

## Nickel Steel Nibs for Sliding Lock

|                                                                                                                                                                                                                                                                       |                                                                                                                                                                                    |                                                                                                                                                                                                                                                                          | REF. | UNITS | PACK | PACK.GR. |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-------|------|----------|
| <p>G5A</p>         | <p>G5B</p>       | <p>G5C</p>                                                                                            | G5A  | UN    | 25   | 218      |
|                                                                                                                                                                                                                                                                       |                                                                                                                                                                                    |                                                                                                                                                                                                                                                                          | G5B  | UN    | 25   | 225      |
| <p>G5D</p>         | <p>G5E</p>       | <p>G5F</p>                                                                                            | G5C  | UN    | 25   | 224      |
|                                                                                                                                                                                                                                                                       |                                                                                                                                                                                    |                                                                                                                                                                                                                                                                          | G5D  | UN    | 25   | 205      |
| <p>G5G</p>    | <p>G5H</p>    | <p>G5i</p>                                                                                         | G5E  | UN    | 25   | 205      |
|                                                                                                                                                                                                                                                                       |                                                                                                                                                                                    |                                                                                                                                                                                                                                                                          | G5F  | UN    | 25   | 208      |
| <p>G5J</p>                                                                                      | <p>G5L</p>   | <p>G5M</p>    | G5G  | UN    | 25   | 219      |
|                                                                                                                                                                                                                                                                       |                                                                                                                                                                                    |                                                                                                                                                                                                                                                                          | G5H  | UN    | 25   | 226      |
| <p>G5N</p>                                                                                      | <p>G5P</p>   | <p>G5Q</p>    | G5i  | UN    | 25   | 226      |
|                                                                                                                                                                                                                                                                       |                                                                                                                                                                                    |                                                                                                                                                                                                                                                                          | G5J  | UN    | 25   | 185      |
| <p>G5N</p>                                                                                      | <p>G5P</p>   | <p>G5Q</p>    | G5L  | UN    | 25   | 191      |
|                                                                                                                                                                                                                                                                       |                                                                                                                                                                                    |                                                                                                                                                                                                                                                                          | G5M  | UN    | 25   | 182      |
| <p>G5N</p>                                                                                      | <p>G5P</p>   | <p>G5Q</p>    | G5N  | UN    | 25   | 183      |
|                                                                                                                                                                                                                                                                       |                                                                                                                                                                                    |                                                                                                                                                                                                                                                                          | G5P  | UN    | 25   | 175      |
| <p>G5N</p>                                                                                      | <p>G5P</p>   | <p>G5Q</p>    | G5Q  | UN    | 25   | 265      |

## Counterplates for Sliding Lock

|                                                                                     | REF. | DESIGNATION                               | UNITS | PACKING | PACK.GR. | FINISHING | OBSERVATIONS                                                                          |
|-------------------------------------------------------------------------------------|------|-------------------------------------------|-------|---------|----------|-----------|---------------------------------------------------------------------------------------|
|    | N28  | Counterplates                             | UN    | 25      | 379      | Zinc      |    |
|    | N29  | Counterplates                             | UN    | 25      | 338      | Zinc      |    |
|    | N33  | Counterplates                             | UN    | 25      | 204      | Zinc      |    |
|   | N34  | Counterplates                             | UN    | 25      | 822      | Zinc      |   |
|  | N38  | <b>Zamak</b> Nib<br>for Perimetral Series | UN    | 25      | 369      | Zinc      |  |
|  | N44  | <b>Zamak</b> Nib<br>for Perimetral Series | UN    | 25      | 507      | Zinc      |  |




















ECO LINE

ALPHA

## ECO Line for Profiles up to 25mm

|  | REF. | DESIGNATION                                                   | UNITS | PACKING | PACK.GR. | FINISHING          | OBSERVATIONS |
|--|------|---------------------------------------------------------------|-------|---------|----------|--------------------|--------------|
|  | 269i | Sliding Lock for <b>Thin Profiles</b><br>(Invisible Fixation) | UN    | 100     | 5936     | Powder<br>Painting |              |
|  | 269P | Sliding Lock for <b>Thin Profiles</b>                         | UN    | 100     | 5625     | Powder<br>Painting |              |

## Nickel Steel Nibs for Sliding Lock

|                                                                                                                                                                                                  |                                                                                                                                                                                                  |                                                                                                                                                                                                                                                                                       |                                                           |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------|
| <div>G5A</div> <div></div>    | <div>G5B</div> <div></div>    | <div>G5C</div> <div></div>                                                                                        | <div>G5A</div> <div>UN</div> <div>25</div> <div>218</div> |
| <div>G5D</div> <div></div> | <div>G5E</div> <div></div> | <div>G5F</div> <div></div>                                                                                     | <div>G5B</div> <div>UN</div> <div>25</div> <div>225</div> |
| <div>G5D</div> <div>UN</div> <div>25</div> <div>205</div>                                                                                                                                        | <div>G5E</div> <div>UN</div> <div>25</div> <div>205</div>                                                                                                                                        | <div>G5F</div> <div>UN</div> <div>25</div> <div>208</div>                                                                                                                                                                                                                             |                                                           |
| <div>G5G</div> <div></div> | <div>G5H</div> <div></div> | <div>G5i</div> <div></div>                                                                                     | <div>G5C</div> <div>UN</div> <div>25</div> <div>224</div> |
| <div>G5G</div> <div>UN</div> <div>25</div> <div>219</div>                                                                                                                                        | <div>G5H</div> <div>UN</div> <div>25</div> <div>226</div>                                                                                                                                        | <div>G5i</div> <div>UN</div> <div>25</div> <div>226</div>                                                                                                                                                                                                                             |                                                           |
| <div>G5J</div> <div></div> | <div>G5L</div> <div></div> | <div>G5M</div> <div></div> | <div>G5J</div> <div>UN</div> <div>25</div> <div>185</div> |
| <div>G5J</div> <div>UN</div> <div>25</div> <div>185</div>                                                                                                                                        | <div>G5L</div> <div>UN</div> <div>25</div> <div>191</div>                                                                                                                                        | <div>G5M</div> <div>UN</div> <div>25</div> <div>182</div>                                                                                                                                                                                                                             |                                                           |
| <div>G5N</div> <div></div> | <div>G5P</div> <div></div> | <div>G5Q</div> <div></div> | <div>G5N</div> <div>UN</div> <div>25</div> <div>183</div> |
| <div>G5N</div> <div>UN</div> <div>25</div> <div>183</div>                                                                                                                                        | <div>G5P</div> <div>UN</div> <div>25</div> <div>175</div>                                                                                                                                        | <div>G5Q</div> <div>UN</div> <div>25</div> <div>265</div>                                                                                                                                                                                                                             |                                                           |

ALU LINE



|                                                                                     | REF. | DESIGNATION                                                    | UNITS | PACKING | PACK.GR. | FINISHING          | OBSERVATIONS                                                                          |
|-------------------------------------------------------------------------------------|------|----------------------------------------------------------------|-------|---------|----------|--------------------|---------------------------------------------------------------------------------------|
|    | 297i | Sliding Lock<br>(Invisible Fixation)                           | UN    | 100     | 5678     | Powder<br>Painting |    |
|                                                                                     | 297P | Sliding Lock                                                   | UN    | 100     | 5678     | Powder<br>Painting |    |
|    | 298P | Sliding Lock Mec. 156/120                                      | UN    | 100     | 5480     | Powder<br>Painting |    |
|   | 299P | Sliding Lock Mec. 180/120                                      | UN    | 100     | 5390     | Powder<br>Painting |    |
|  | 293i | Shell for Sliding Lock<br>in Aluminium<br>(Invisible Fixation) | UN    | 100     | 5678     | Powder<br>Painting |  |
|                                                                                     | 293P | Shell for Sliding Lock<br>in Aluminium                         | UN    | 100     | 5678     | Powder<br>Painting |  |
|  | 292P | Shell for Sliding Lock in<br>Aluminium Mec. 156/120            | UN    | 100     | 5480     | Powder<br>Painting |  |
|  | 291P | Shell for Sliding Lock in<br>Aluminium Mec. 180/120            | UN    | 100     | 5390     | Powder<br>Painting |  |

























NOTE: Screws included except where indicated.  
Nibs and Counterplates not included.



ALU LINE

ALPHA

## Nickel Steel Nibs for Sliding Lock

|                                                                                                                                                                                   |                                                                                                                                                                                   |                                                                                                                                                                                     | REF. | UNITS | PACK | PACK.GR. |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-------|------|----------|
| G5A<br><br>     | G5B<br><br>     | G5C<br><br>      | G5A  | UN    | 25   | 218      |
|                                                                                                                                                                                   |                                                                                                                                                                                   |                                                                                                                                                                                     | G5B  | UN    | 25   | 225      |
| G5D<br><br>     | G5E<br><br>     | G5F<br><br>      | G5C  | UN    | 25   | 224      |
|                                                                                                                                                                                   |                                                                                                                                                                                   |                                                                                                                                                                                     | G5D  | UN    | 25   | 205      |
| G5G<br><br>  | G5H<br><br>  | G5i<br><br>   | G5E  | UN    | 25   | 205      |
|                                                                                                                                                                                   |                                                                                                                                                                                   |                                                                                                                                                                                     | G5F  | UN    | 25   | 208      |
| G5J<br><br> | G5L<br><br> | G5M<br><br> | G5G  | UN    | 25   | 219      |
|                                                                                                                                                                                   |                                                                                                                                                                                   |                                                                                                                                                                                     | G5H  | UN    | 25   | 226      |
| G5N<br><br> | G5P<br><br> | G5Q<br><br> | G5i  | UN    | 25   | 226      |
|                                                                                                                                                                                   |                                                                                                                                                                                   |                                                                                                                                                                                     | G5J  | UN    | 25   | 185      |
| G5N<br><br> | G5P<br><br> | G5Q<br><br> | G5L  | UN    | 25   | 191      |
|                                                                                                                                                                                   |                                                                                                                                                                                   |                                                                                                                                                                                     | G5M  | UN    | 25   | 182      |
| G5N<br><br> | G5P<br><br> | G5Q<br><br> | G5N  | UN    | 25   | 183      |
|                                                                                                                                                                                   |                                                                                                                                                                                   |                                                                                                                                                                                     | G5P  | UN    | 25   | 175      |
| G5N<br><br> | G5P<br><br> | G5Q<br><br> | G5Q  | UN    | 25   | 265      |

NOTE: Screws included except where indicated.  
Nibs and Counterplates not included.

SLIDING  
LOCKS

ALPHA












|                                                                                   | REF. | DESIGNATION                     | UNITS | PACKING | PACK.GR. | FINISHING       | OBSERVATIONS             |
|-----------------------------------------------------------------------------------|------|---------------------------------|-------|---------|----------|-----------------|--------------------------|
|  | 220G | Central Lock for Sliding Series | UN    | 12      | 3248     | Powder Painting | 42mm stainless steel pin |
|  | 203  | Central Lock for Sliding Series | UN    | 100     | 10500    | Powder Painting | 45mm nickel pin          |

NOTE: Screws included except where indicated.  
Nibs and Counterplates not included.



## COUNTERPLATES















ALPHA

|                                                                                     | REF. | FIXATION                                                                            | UNITS | PACKING | PACK.GR. | FINISHING | OBSERVATIONS                                                                          |
|-------------------------------------------------------------------------------------|------|-------------------------------------------------------------------------------------|-------|---------|----------|-----------|---------------------------------------------------------------------------------------|
|    | N1   |    | UN    | 25      | 500      | Zinc      |    |
|    | N3   |    | UN    | 25      | 231      | Zinc      |    |
|    | N5   |    | UN    | 25      | 243      | Zinc      |    |
|    | N7   |    | UN    | 25      | 745      | Zinc      |    |
|    | N9   |    | UN    | 25      | 579      | Zinc      |    |
|  | N10  |  | UN    | 25      | 513      | Zinc      |  |
|  | N13  |  | UN    | 25      | 316      | Zinc      |  |
|  | N14  |  | UN    | 25      | 456      | Zinc      |  |
|  | N15  |  | UN    | 25      | 533      | Zinc      |  |
|  | N16  |  | UN    | 25      | 366      | Zinc      |  |
|  | N17  |  | UN    | 25      | 278      | Zinc      |  |
|  | N18  |  | UN    | 25      | 241      | Zinc      |  |
|  | N20  |  | UN    | 25      | 264      | Zinc      |  |
|  | N24  |  | UN    | 25      | 416      | Zinc      |  |
|  | N25  |  | UN    | 25      | 275      | Zinc      |  |

## COUNTERPLATES



ALPHA













|                                                                                     | REF. | FIXATION                                                                            | UNITS | PACKING | PACK.GR. | FINISHING       | OBSERVATIONS                                                                          |
|-------------------------------------------------------------------------------------|------|-------------------------------------------------------------------------------------|-------|---------|----------|-----------------|---------------------------------------------------------------------------------------|
|    | N26  |    | UN    | 25      | 224      | Stainless Steel |    |
|    | N27  |    | UN    | 25      | 560      | Zinc            |    |
|    | N28  | -                                                                                   | UN    | 25      | 379      | Zinc            |    |
|    | N29  | -                                                                                   | UN    | 25      | 338      | Zinc            |    |
|    | N32  |    | UN    | 25      | 484      | Zinc            |    |
|   | N33  | -                                                                                   | UN    | 25      | 204      | Zinc            |   |
|  | N34  | -                                                                                   | UN    | 25      | 822      | Zinc            |  |
|  | N39  | -                                                                                   | UN    | 25      | 406      | Zinc            |  |
|  | N40  |  | UN    | 25      | 432      | Zinc            |  |
|  | N43  |  | UN    | 25      | 390      | Zinc            |  |
|  | N45  |  | UN    | 25      | 480      | Zinc            |  |
|  | N47  | -                                                                                   | UN    | 25      | 487      | Zinc            |  |
|  | N49  |  | UN    | 25      | 319      | Zinc            |  |
|  | N50  | -                                                                                   | UN    | 25      | 455      | Zinc            |  |
|  | N51  | -                                                                                   | UN    | 25      | 525      | Zinc            |  |
|  | N52  |  | UN    | 25      | 323      | Zinc            |  |

NEW



## COUNTERPLATES

ALPHA









|                                                                                     | REF. | FIXATION                                                                            | UNITS | PACKING | PACK.GR. | FINISHING       | OBSERVATIONS                                                                          |
|-------------------------------------------------------------------------------------|------|-------------------------------------------------------------------------------------|-------|---------|----------|-----------------|---------------------------------------------------------------------------------------|
|    | N57  |    | UN    | 25      | 305      | Powder Painting |    |
|    | N58  |    | UN    | 25      | 425      | Powder Painting |    |
|    | N59  |    | UN    | 25      | 330      | Powder Painting |    |
|    | N60  |    | UN    | 25      | 215      | Powder Painting |    |
|   | N61  |   | UN    | 25      | 320      | Powder Painting |   |
|  | N62  |  | UN    | 25      | 450      | Powder Painting |  |
|  | N63  |  | UN    | 25      | 658      | Zinc            |  |
|  | N64  |  | UN    | 25      | 324      | Zinc            |  |
|  | N65  |  | UN    | 25      | 423      | Zinc            |  |
|  | N66  |  | UN    | 25      | 602      | Zinc            |  |
|  | N67  |  | UN    | 25      | 264      | Zinc            |  |
|  | N69  |  | UN    | 25      | 225      | Stainless Steel |  |
|  | N70  |  | UN    | 25      | 283      | Stainless Steel |  |

NEW

## COUNTERPLATES



ALPHA

|                                                                                     | REF. | FIXATION                                                                            | UNITS | PACKING | PACK.GR. | FINISHING       | OBSERVATIONS                                                                          |
|-------------------------------------------------------------------------------------|------|-------------------------------------------------------------------------------------|-------|---------|----------|-----------------|---------------------------------------------------------------------------------------|
|    | N72  | -                                                                                   | UN    | 25      | 586      | Zinc            |    |
|    | N73  |    | UN    | 25      | 634      | Zinc            |    |
|    | N75  |    | UN    | 25      | 225      | Stainless Steel |    |
|    | N76  |    | UN    | 25      | 398      | Zinc            |    |
|    | N77  |    | UN    | 25      | 325      | Stainless Steel |    |
|  | N78  | -                                                                                   | UN    | 25      | 325      | Stainless Steel |  |
|  | N79  |  | UN    | 25      | -        | Stainless Steel |  |
|  | N80  |  | UN    | 25      | -        | Stainless Steel |  |
|  | N85  |  | UN    | 25      | -        | Stainless Steel |  |
|  | N86  | -                                                                                   | UN    | 25      | -        | Stainless Steel |  |
|  | N87  | -                                                                                   | UN    | 25      | -        | Stainless Steel |  |
|  | N88  |  | UN    | 25      | -        | Stainless Steel |  |
|  | N91  | -                                                                                   | UN    | 25      | 204      | Zinc            |  |

NEW

NEW



## HANDLES

ALPHA

NEW



| REF. | DESIGNATION | UNITS | PACKING | PACK.GR. | FINISHING | OBSERVATIONS |
|------|-------------|-------|---------|----------|-----------|--------------|
|------|-------------|-------|---------|----------|-----------|--------------|

798

Minimalist Handle

UN

1

339

Powder  
PaintingAmbidextrous. Also available with a short rod  
(798C) and with a long rod (798L).

NEW



798E

Minimalist Exterior Handle

UN

1

-

Powder  
PaintingCompatible with other handles with 43 mm  
drilling.

NEW



797

Minimalist Isolated Handle

UN

1

-

Powder  
Painting

-



702

Pull Handle w/ Cam Drive

UN

10

-

Powder  
Painting

Fixing: aluminium crimping nuts.



700

Pull Handle

UN

10

-

Powder  
Painting

Fixing: aluminium crimping nuts.



809

Aluminium Door Handle  
Round

UN

1

471

Powder  
Painting

-



240

Handle for Sliding Doors

UN

10

2351

Powder  
Painting

Fixing: aluminium crimping nuts.



240KD

Right Handle Door for  
Cylinder

UN

10

2296

Powder  
PaintingFixing: aluminium crimping nuts. Cylinder not  
included.

240KE

Left Handle Door for Cylinder

UN

10

2311

Powder  
PaintingFixing: aluminium crimping nuts. Cylinder not  
included.

200

Aluminium Handle

UN

20

2015

Powder  
Painting

-

NOTE: Screws included except where indicated.

DIVERSE



ALPHA

|  | REF. | DESIGNATION                                              | UNITS | PACKING | PACK.GR. | FINISHING          | OBSERVATIONS                                    |
|--|------|----------------------------------------------------------|-------|---------|----------|--------------------|-------------------------------------------------|
|  | 608D | Bi-directional Lock for Rods                             | UN    | 20      | 5323     | Powder Painting    | For 6 mm and 8 mm rods                          |
|  | 608M | Bi-directional Lock w/<br>Conection for Polyamide<br>Rod | UN    | 20      | 6604     | Powder Painting    | -                                               |
|  | 612i | <b>Stainless Steel</b> Arms for<br>Bottom-Hung Windows   | PAR   | 20      | 4150     | Stainless<br>Steel | Screws not included.<br>For Conventional Series |
|  | 095  | Blinds Holder                                            | UN    | 100     | 8497     | Powder<br>Painting | For 1 and 2 Leafs Blinds                        |
|  | 096  | Long Blinds Holder                                       | UN    | 80      | 8718     | Powder<br>Painting | For 3 and 4 Leafs Blinds                        |
|  | 092  | Window, Door and Blinds<br>Holder                        | UN    | 100     | 1277     | Black Nylon        | -                                               |
|  | 093  | Door and Blinds Holder                                   | UN    | 100     | 1356     | Black Nylon        | -                                               |

NOTE: Screws included except where indicated.

TILT AND TURN MULTIPOINT HANDLES  
CREMONAS LOCKS SLIDING LOCKS  
HINGES DOOR HANDLES KITS AND  
COMPLEMENTS COUNTERPLATES  
SLIDING ACCESSORIES LOCKS AND  
ARMS DIVERSE TILT AND TURN  
MULTIPOINT HANDLES CREMONAS  
LOCKS SLIDING LOCKS HINGES DOOR  
HANDLES KITS AND COMPLEMENTS



Estrada do Concelho, Terrugem  
2705-572, S. João das Lampas, Portugal



[www.alualpha.pt](http://www.alualpha.pt)



+351 219 612 434



+351 219 615 902



[info@alualpha.pt](mailto:info@alualpha.pt)